# PROPELLER LOG BOOK



## SENSENICH PROPELLER MFG. CO. Lititz, Pennsylvania 17543

Internet: http://www.sensenich.com.

THIS LOG BOOK IS TO BE KEPT
WITH THE PROPELLER
FOR RECORDING OF ALL PROPELLER MAINTENANCE WORK PERFORMED

The subject aircraft was involved in an incident / accident on 1/1/1900 11:07:25 AM rendering it a Constructive Total Loss as not repairable within its insured value. For further details refer to insurance claim: 4025981649US.

Signed: Underwriters Salvage Company

Date: **12/8/2025**AIG Aerospace Adjustment Services Inc 3500 Lenox Road, Suite 1100
Atlanta, GA 30326

STANDARD

#### PROPELLER MAINTENANCE RECORD

PROPELLER MODEL 76 A K-2-44	- 11a
PROPELLER SERIAL NUMBER Sen # 32995	· O' Time Since Factory New

### TABLE OF PROPELLER ATTACHING BOLT WRENCH TORQUE

Sensenich Metal Propellers (the proper torque is also shown on Blade Information Decal)

PROPELLER SERIES**	BOLT DIA. (inches)	RECOMMENDED WRENCH TORQUE		
		înlb.	ftlb.	nm.
69CK, M69CK (6 bolts)	i			
72CK (6 bolts)				
74CK, M74CK (6 bolts)	1			
76AK, M76AK (6 bolts)	³/8 (0.375)	280-300	23-25	32-34
76AM6, M76AM (6 bolts)				
74DM6, M74DM (6 bolts)		·		
74DR, M74DR (8 bolts)			1	
74DM7 (6 bolts)	7/ (0.4075)		<del>                                     </del>	
	<sup>7</sup> /16 (0.4375)	480-540	40-45	54-61
72CC, 72FM8 (6 bolts)			<del> </del>	
74DC, M74DC (6 bolts)	1/2 (0.500)	720-780	60-65	81-88
76EM8, M76EMM (6 bolts)				01 00
80BM8, M80BMM (bolts)			1	

<sup>\*</sup> Not in production

# DESCRIPTION OF ALL OPERATIONS PERTAINING TO AIRWORTHINESS DIRECTIVES, SERVICE BULLETINS, SERVICE LETTERS, & MINOR ADJUSTMENTS

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
-1-24	1056.2	benspectal, no itefects Fixen.	225my 348

<sup>\*\*</sup> These are the basic propeller models. Spacer addition does not affect recommended wrench torque.