

The Standard



ENGINE LOG

ASA-SE-1

The subject aircraft was involved in an incident / accident on 11/13/2024 rendering it a Constructive Total Loss as not repairable within its insured value. For further details refer to insurance claim: 3335302899US.

Signed: ***Underwriters Salvage Company***

Date: **3/7/2025**

AIg Aerospace Adjustment Services Inc
3500 Lenox Road, Suite 1100

DATE 2023	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
9-1-2023	3243	TOL/TFE	1089.8	S/10H
				Changed oil + filter using Aeroshell W100. Replaced O-rings in quick drain. Serviced spark plugs. Checked cyl. compression 1/76 3/76 4/5 4/5 1/80. See A.D. Compliance Summary dated 09-01-2023.
				I certify that this engine has been inspected in accordance with an Annual Inspection in accordance with 14 CFR Part 43, Appendix D, and was determined to be in airworthy condition
				Thomas R. Skerwin AIP 325496981A

DATE 2021	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
24 Jun-2021	3193	TACH/TTE	1039.8	CLEANED, GAPPED & ROTATED PLUGS. CHANGED OIL & FILTER & INSPECTED FILTER (40w Shell) CK'D COMP: 1/77 2/76 3/75 4/75
Date 24 Jun 21 I certify that this aircraft has been inspected in accordance with a <u>2 ANNUAL</u> inspection and was determined to be in airworthy condition. Time on aircraft... <u>3193 TACH/TTE</u> <u>John Robert</u> Auth. Mech. <u>1039.8 SMOH</u> <u>2308881 IA</u>				

DATE 2022	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
7-19-22	3217	TACH/TTE	1063.8	SMOH Changed oil + filter using 40W A.D. Aeroshell. Serviced spark plugs Timed both magnetos. Checked compression 1/2 3/4 3/4 1/2 1/80 See A.D. Compliance Summary dated 07-19-2022.
Date <u>19 July '22</u> I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Time on aircraft... <u>3217 TACH/TTE</u> <u>John Robert</u> Auth. Mech. <u>1063.8 SMOH</u> <u>2308881 IA</u>				

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
03-08-19	3142	Tech/TTE	988.8	S10H Changed oil + filter using 40W AD Aeroshell. Serviced spark plugs and replaced gaskets. Replaced exhaust gaskets on cyls #1+3. Checked cyl. compression 1/76 7/76 7/75 4/73 1/80. See A.D. Compliance Summary dated this date.
				Done 8 MAR 2019 I certify that this aircraft has been inspected in accordance with an ANNUAL inspection and was determined to be in airworthy condition. Time on aircraft... <i>John Roberti</i> Auth. Mech. 2308881 IA 3142 TACH 988.8 SMOH

DATE 2020	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
04-06-2020	3170	Tech/TTE	1016.8	S10H Changed oil + filter using 40W A.D. Aeroshell. Serviced spark plugs and replaced gaskets - painted 6 plugs. Replaced exhaust gaskets on cyls # 1+3. Replaced rusty exhaust clamp both + nuts. Checked cyl. Compression 1/73 7/75 7/76 7/74 1/80. Replaced induction air filter element. See A.D. Compliance Summary dated 04-06-2020 I certify that this engine has been inspected in accordance with an annual inspection in accordance with 14CFR Part 43, Appendix D, and was determined to be in airworthy condition. Steve A. Skinner AIP 32549698 IA

DATE 2018	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
12-06-2018	3087 Tach. / TTE		933.8 S/MOH	Changed oil + filter using 40W AD Aeroshell. Serviced spark plugs. Replaced spark plug on #1 cyl. (stop). Checked cyl. compression $\frac{1}{4}$ $\frac{2}{7}$ $\frac{3}{12}$ $\frac{4}{89/80}$. Installed starter, lower extension. Removed Zero Start Preheater and installed Safe-Heat Preheater. Replaced induction air filter element. See A.D. Compliance Summary dated this date. I certify that this engine has been inspected in accordance with an annual inspection IAW 14CFR Part 43, Appendix D, and was determined to be in airworthy condition. Steve M. Skinner AIP 32549698JA


DATE 2018	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
01-26-18	3118 Tach. / TTE		964.8 S/MOH	Replaced oil pres. spring P/N 637083. Replaced cyls. #2 + 4 with P/N 658319A2 cyl. kit (loaded) including pistons, piston pins, and rocker shafts. (CW A.D. 94-05-05 P1 by replacement of cyls. #2 + 4 with new. (A.D. due at cylinder removal). Increased ignition timing from 24° to 28° IAW A.D. 96-12-06 par. B and F. Replaced all exhaust gaskets. Replaced valve cover gasket on #1 cyl. Changed oil + filter using Mineral oil. Serviced spark plugs. See A.D. Compliance Summary dated 01-26-18. I certify that this engine has been inspected in accordance with an annual inspection IAW 14CFR Part 43, Appendix D, and was determined to be in airworthy condition. Steve M. Skinner AIP 32549698JA
1. TCM	MSB94-80	Magneto Timing		Continental Motors Pub. M-D Change 4 - ICA

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
24	AUG 2014	3010.7	TACH 857.5	SMOH CLEANED, GAPPED & ROTATED PLUGS. CHANGED OIL & FILTER (15W50 Shell) (No Screen) CK'2 TIMING. REPLACED AIR FILTER. CK'2 comp: 1/75 2/71 3/76 4/70
				DATE: 24 AUG 14 I certify that this aircraft has been inspected in accordance with AN ANNUAL inspection and was determined to be in airworthy condition. Time on aircraft: 3010.7 TACH/TTE John Roberts Auth. Mech. 857.5 SMOH 2308881 IA

DATE 2015	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
10-07-15	3047	TACH 1/TTE	8938	SMOH Changed oil & filter using 40W A.D. Serviced spark plugs. Checked cyl. compression. 1/75 2/74 3/74 4/65 /80. Replaced magneto gaskets and timed mags. Replaced outer exhaust valve spring on cyl. #4. Patched and welded carb heat box. Repaired/melted carb. heat lever. Replaced inlet SCAT duct to RH muff. Replaced SCAT duct to carb. heat box. Replaced induction filter element. Replaced carb heat lever/cable holt. See A.D. Compliance Summary dated this date.
				I certify that this engine has been inspected in accordance with an annual inspection IAW 14CFR Part 43, Appendix D, and was determined to be in airworthy condition. John H. Skinner AIP 32549698IA


DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6/4/11	2372			CHANGED OIL & FILTER (15W50 Shell) John Roberts #2308881A
7 MAY 2012	2922	TACHETTE	768.8 SMOH	CLEANED, GAPPED & ROTATED PLUGS. CHANGED OIL & FILTER (NO SCREEN). ADDED 6 QTS 15W50 Shell. ADJUSTED TIMING. CK'd comp: 1/76 2/75 3/76 4/72 Date 7 MAY 12 I certify that this aircraft has been inspected in accordance with an ANNUAL inspection and was determined to be in airworthy condition. Time on aircraft... 2922 TACH/TVE 768.8 SMOH John Roberts... Auth. Mech.

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
22 JUNE 2013	2973.5	TACH	820.3 SMOH	CLEANED, GAPPED & ROTATED PLUGS. CHANGED OIL & FILTER (15W50 Shell) CK'd TIMING. Replaced one SPARKPLUG. Replaced AIR FILTER C/w AD 98-01-06 21 by INSP. CK comp: 1/73 2/72 3/72 4/73
				Date 22 JUN 13 I certify that this aircraft has been inspected in accordance with an ANNUAL inspection and was determined to be in airworthy condition. Time on aircraft... 2973.5 TACH 820.3 SMOH John Roberts... Auth. Mech. 2308881 JA

DATE 19__	RECORDING TACH TIME	DEAN'S AERO SERVICE, LLC			FAA CRS# DWAR432X	OF ES.)
		Date 06/13/2007	Reg.: N577T	S/N 17977	Tach: 2752.2	Total Time: 4134.2
		1- This Engine has been serviced and inspected per an inspection checklist and is on file with Deans Aero Service, LLC located at the Williamson / Sodus Airport (3G7)(KSDC) 2- Leak down : #1-72 #2- 75 #3- 73 #4- 76. 3- All spark plugs cleaned, gapped and tested. 4- Replaced both left and right exhaust hoses. 5- Magneto timing checked and found satisfactory. 6- Oil change done using 5qts Aero Shell 15w50 oil. 7- Oil screen checked and found clean. 8- Static ground run up satisfactory.				
		It is certified that this <u>Engine</u> has been inspected per <u>AN</u> <u>Annual</u> inspection and has been determined to be approved for return to service per WO# <u>1196</u>				
		Gary S. Crawford A&P # 2740801 				

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
09-08-08	2773 TTE	1/1TE	619.8	S/VOH
				Changed oil+ checked screen using 15W50 Aeroshell. Tined both magnetos.
				Revised spark plugs. Welded RH muffler. Replaced 1 exhaust stud in #1 cyl.
				Checked cyl. comp. 1/3 2/70 3/70 4/70 180. CV AD 98-01-06 para A(1)
				by insp and operational check.
				Date 8 Sep 08
				I certify that this aircraft has been inspected in accordance with an <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Time on aircraft 2773 TTE
				John Roberti Auth. Mech. 619.8 S/VOH
				2308881 TA

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
DEAN'S AERO SERVICE, LLC FAA CRS# DWAR432X				
Date: 5/12/2005		Reg: N6677T	Smoh: 588.3	Tach: 2741.3 Total Time: 4123.3
1- This engine was inspected per an inspection checklist and is on file with Deans Aero Service LLC, located at the Williamson—Sodus Airport (3G7) 2- Leak down—#1—73 #2—75 #3—72 #4—69 3- Oil change with 6qts. Aeroshell 15w50 4- Oil screen checked and found clean 5- Spark plugs cleaned, gapped and tested 6- Magneto timing checked and found ok 7- Ground run up was satisfactory It is certified that this <u>Engine</u> has been inspected per A/VAN <u>Annual</u> Inspection and has been determined to be in airworthy condition per WO # <u>1015</u>				
Gary S. Crawford A&P # 2740801 				

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
DEAN'S AERO SERVICE, LLC FAA CRS# DWAR432X				
Date: 05/30/2006		Reg N6577T	TSMO: 590.9	Tach: 2743.9 Total Time: 4125.9
1- This Engine has been serviced and inspected per an inspection checklist and is on file with Deans Aero Service, LLC located at the Williamson / Sodus Airport (3G7). 2- Leak down—#1—72 #2—73 #3—73 #4—73 3- Cleaned, gapped and tested all sparkplugs. 4- Magneto timing checked and adjusted. 5- Exhaust system checked and found satisfactory. 5- Ground run up satisfactory. It is certified that this <u>Engine</u> has been inspected per A/VAN <u>Annual</u> Inspection and has been determined to be approved for return to service per WO # <u>1103</u>				
Gary S. Crawford A&P # 2740801 				

DATE 2004	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5-11-04	2720.6		4102.5	
1- THIS ENGINE HAS BEEN SERVICED AND INSPECTED PER AN INSPECTION CHECKLIST AND IS ON FILE WITH DEAN'S AERO SERVICE LLC AT THE WILLIAMSON- SOOHS AIRPORT (367)				
2- INSTALLED NEW BRACKET BA 4108 FILTER				
3- BROK DOWN TEST 76-74-75-76				
4- OIL SCREEN CLEAN				
5- SERVICED ENGINE WITH 5qt 15W50 AEROSHELL				
6- CLEANED AND GAPPED PLUGS				
7- MAG TIMING CHECKED				
8- STATIC GROUND RUN SATISFACTORY				

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
		DATE 5-11-04	TACH TIME 2720.6	TOTAL TIME 4102.5
IT IS CERTIFIED THAT THIS ENGINE HAS BEEN INSPECTED PER A/AN <u>ANNUAL</u> INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.				
SIGNED <u>[Signature]</u> DEAN'S AERO SERVICE FAA CRS #DWAR-432X 315-483-2067				

DATE 2002 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
05-03	2706.0		2706.0	TSMO: 552.8
	1.			THIS ENGINE HAS BEEN SERVICED AND INSPECTED PER AN INSPECTION CHECKLIST AND IS ON FILE WITH DEAN'S AERO SERVICE AT THE WILLIAMSON- SODUS AIRPORT (3G7).
	2.			INSTALLED NEW BRACKETT #4108 FILTER ELEMENT.
	3.			LEAK DOWN TEST 70-72-68-68.
	4.			INSTALLED ENGINE FILTER
	5.			INSTALLED NEW SHICK (430) MAGNETOS.
	6.			INSTALLED NEW IGNITION HARNESS
	7.			OIL SCREEN CLEAN

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
	8.			SERVICED ENGINE WITH 5 QUARTS OF AEROSHELL 15W 50 OIL.
	9.			STATIC GROUND RUN SATISFACTORY.
				<i>John D. Dean</i> AP 199241181
5-17-03	2714.0		2714.0	TSMO: 561.0
	1.			THIS ENGINE HAS BEEN SERVICED AND INSPECTED PER AN INSPECTION CHECKLIST AND IS ON FILE WITH DEAN'S AERO SERVICE AT THE WILLIAMSON- SODUS AIRPORT. (3G7) WORK # 0787.
	2.			LEAK DOWN 73-72-74-78.
				Don's Aero Service FAA CRS # 280 AAF XSEARAWC # 280 AAF 7802-680-873

DATE 19 ⁹⁸	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
8-3	26820		26820	TSMO: 528.8
				1 LEAK DOWN;
				1. 72 2. 70 3. 72 4. 70
				2. CLEANED, INSPECTED, & GAPPED SPARK PLUGS.
				3. REPLACED VACUUM HOSES
				4. REPLACED GASCOATOR
				5. REPLACED FUEL HOSES
				6. REPLACED ENGINE MOUNT BUSHINGS
				7. REPLACED 2" SKIRT,
				8. REPLACED ENGINE MOUNT BOLTS
				9. INSTALLED A BA4106 & 4108 BRACKETT AIR CLEANER

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
				(CONT)
				10. INSPECTED OIL SCREEN. NO CONTAMINATION FOUND.
				11. SERVICED ENGINE WITH 6 QUARTS OF ALROSHLL 15W50 OIL.
				12. INSPECTED ENTIRE EXHAUST SYSTEM. FOR CRACKS, HOLS, AND DEFORMATION. SYSTEM WAS FOUND TO BE SATISFACTORY.
				13. INSTALLED RE-BUILT CARBURETOR.
				<i>W. K. Fine</i> BP 199241181

ENGINE RECORD — GENERAL INFORMATION

MANUFACTURER CONTINENTAL MODEL O-200-A

SERIAL 5168-4-A-R TYPE CERTIFICATE _____

THIS ENGINE IS CURRENTLY INSTALLED IN AIRCRAFT N 6577T

MINIMUM OCTANE FUEL _____ OIL GRADE SUMMER _____ WINTER _____

MAGNETO TIME _____ POINT SETTING _____ FIRING ORDER _____

SPARK PLUG GAP _____

MFG. RECOMMENDED OVERHAUL AT _____ HOURS.

The Standard



ENGINE LOG

1 87
1777 2
109.5
4461.2
25707

Continental

ENGINE & PROPELLER
LOG




N 6577T SERIAL NO. 5168-4-A-R

MEMORANDA

Date

DATE: 12 Apr 95 T.T. 26661.4

I CERTIFY THIS ENGINE HAS BEEN
INSPECTED IN ACCORDANCE WITH
AN ANNUAL INSPECTION AND WAS
DETERMINED TO BE IN AIRWORTHY
CONDITION.

TSMO 508.2TSTO TOTAL 26661.4

AP 57285546 1A

ABRAHAM J. DEGROOTE D/B/A
JAMSON AERO SERVICE INC.

PROPELLER INSPECTION AND REPAIRS

INSPECTION			REPAIRS		
DATE	INSPECTED BY	CONDITION	DATE	REPAIRED BY	REPAIRS MADE
		DATE: <u>25 Apr 94</u> T.T. <u>2627.4</u>			
		I CERTIFY THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.			
		TSMO <u>474.2</u>			
		TSTO <u>—</u>			
		TOTAL <u>2627.4</u>			
Apr 95	Tech 2661.4	1) Replaced the following seal, gaskets and hose coupling sea SA22800, sea SA21477 sea SA339540, sea SA530928 and sea SA350162 sea SA21185			
	Eng Total 2661.4	2) Re-sealed Top end of push rod tubes			
	A/c Total 4043.3	3) Replaced Piston & Ring #4 Cylinder			
		Cost 530348 STD piston 653394 STD Ring Set			

Signature
 AP 5728548 IA
 ABRAHAM J. DEGROOTE DINA
 WILLIAMSON AERO SERVICE INC.

over →

MEMORANDA	
AIRWORTHINESS DIRECTIVES	
Date	
62-221	NOT APPLICABLE
66-5-4	SAFETY & RETORQUE AT OVERHAUL 6-5573 PENN YAH AERONAUTICAL SERVICE
66-23-2	DECALS HAVE BEEN REMOVED
73-7-4	COMPLIED WITH AT OVERHAUL 6-25-73 PENN YAH AERO. SER
	4) c/w AD 94-01-03 R, Coils Replaced in both mags
	Rotor previously changed Reinstalled Time to 24041-0
	Left Bowdix 54LN-21/10-51360-1 S/N 547308
	Right Bowdix 54LN-21/10-51360-26 S/N 782924
	5) Cleared and Regapped Spark Plugs
	6) Cylinder head and SD #1 70 #2 66 #3 71 #4 70
	7) c/w AD 93-18-03 Venturi not loose or distorted (S/N)
	8) changed oil serviced with 5qt Shell 30W MINERAL
	over

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1981 19 JUNE	Tach time and time in service 2539 hrs - Time since major overhaul 386 hrs. Changed oil, cleaned oil screens and spark plugs; Rechecked magneto timing; Removed exhaust system. Checked fuel drains; Compression checks O.K. Per Checked AD notes thru 81-11. Preoperational flight checks; all pressures and temperatures normal, I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in an airworthy condition.												
												W. F. Mc Grath	
												FA 1312752	
20 OCT 82	Tach time and time in service 2567 hrs. Compression checks #1-74, #2-70, #3-74, #4-72. Removed both magnetos Bendix 54LN-21 S/N 782974 and 547306. Complied with AD note 82-20-010. Complied with all other AD notes; Preoperational flight checks, all pressures and temps normal, I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in an airworthy condition.												
Complied with Bendix 5/B 6230												W. F. Mc Grath	
												FA 1312752	
BROUGHT FORWARD													
TOTALS													

PROPELLER INSPECTION AND REPAIRS

INSPECTION			REPAIRS		
DATE	INSPECTED BY	CONDITION	DATE	REPAIRED BY	REPAIRS MADE
25 Apr 74	TACH	2627.4	25 Apr 74	TSMD	474.2 A/C Total 4009.3
		1/ CYLINDER LEAK DOWN, /80			
		#1 72 #2 65 #3 74 #4 70			
		2- Change ALL VALVE COVER GASKETS			
		3- c/w AD 78-09-09R3			REPLACED CAM ASSY 10-400674
		AND SPRING 10-51324 BOTH MAGS (54LN-21 / 10-513601			AND 782974) PER SB 599 D
		4- OIL SCREEN FREE OF FOREIGN MATERIAL			
		CHANGED OIL SERVICED WITH SAE Phillips 10W50XC			
		5- REPLACED FUEL HOSE TO CAB			
		6- c/w AD 93-18-03			VISUAL INSPECTION VENTURI
		NOT LOOSE OR DISTORTED			
		7- c/w AD 74-26-09			VERIFIED CORRECT DRIVE
		BUSHING INSTALLED			PER SB 556 B
		8- REPLACED ALL 2" FLEX DUCT			

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
10/12/76									2418	2	REPLACED EXHAUST GASKET CYL #1 & 3 CLEANED CYLINDER WALLS CHANGED OIL CHECKED SPARKS. A+P027368625 <i>David A. Topp</i> <i>Confusion Check</i>		
									2416	.8	#3 80/75 #1 80/76 #4 80/70 #2 80/73 ADs rechecked to date and for CW —		
											ENGINE		
											I certify this engine has been inspected		
											in accordance with a <u>Annual</u> inspection		
											and was determined to be in a		
											Airworthy condition T.T. 2418.8		
											This Date 10/12/76		
											<i>Wallace A. Mc Ann</i>		
											<i>Authorized Inspector AI 1420270</i>		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1979													
2001													
Tach time 2509 hrs - Time since major overhaul 356 hrs - Total time in											service since remanufacture 2509 hrs — Checked AD notes thru AD 79-18.		
Removed both magnetos & checked impulse couplings per AD 78-09-07 Retimed											engine to 24° BTC per AD 77-13-030 Welded left muffler. Compression		
check #1, 2, 3 were all 80/70#. #4 Cyl 80/50. Removed #4 cyl for overhaul.											Cylinder overhauled by Penn Yan Aero and returned to service. Drained and flushed		
carburetor. Preoperational flight check made; all pressures and temperatures											normal. I certify that this engine has been inspected in accordance with		
an annual inspection and was determined to be in an airworthy condition.											<i>Melvin F. Mc Grath</i>		
											IA 1312752		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

[illegible][illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
7/													
8-27									1839	10	100hrs. Supp. on Engine, new gen. brushes installed, 4 new- B. gaskets - 1 set bike's point in left Mag. 6 E.M 42E plugs - Screen & Mufflers OK. Operational ok. Satisfactory No applicable R. D. s. W. E. M. Gen 1889. oil changed - (D. yet.) 1910.6 oil changed 1951.4 oil changed - 6QT5 Aero shell		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
12-13	oil changed		6	01	20/30	Aeroshell			1481	.4	1540.3		
4-	oil changed		6	01	20/30	Aeroshell			1510.0		965.6		
6-26	oil changed		6	01	40W	Aeroshell			1540.3		574.75 MOH.		
											Engine & Accessories checked for Annual, some metal found in oil screen, recommend screen be checked at next oil change - oil changed - prop dressed & painted mufflers OK - replaced flex hose to Carb heat - Operational check OK - W.A.M.		
											I certify this engine has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in a Airworthy condition I. I. 1540.3 This Date 6-26-1970		
											Wallace A. McAnn Authorized Inspection AI 1420275		
7/15	oil changed		6	01					1569.9				
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1970													
7-21									1572.60		Cleaned screen & found to be free of metal particles this time -		
8-9									1600.66		6 QT AEROSHELL (3# 40 3# 50)		
9-9									1636.8		Oil changed - (3# 40 2# 50)		
											Engine inspected per 100 hr inspection - Starter clutch, C/S Cluster gear, & Accessories replaced, gen brgs & seals replaced, Rebuilt Vact. pump installed, Right muffler welded & checked OK - Operational check OK - No applicable ADs		
10-14									1669.8		W.A. McAnn AI 1420275		
											Oil change PBHLS		
3/27/71									1695.7		5 QT AEROSHELL # 40		
5/29/71									1729.4		6 QT AEROSHELL 3# 40 3# 50		
											SCREEN OK		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1968													
8-9									1065	0	OIL CHANGE SAE 40	6 qt.	
9-7									1091	7	OIL CHANGE SAE 40	6 qt.	
9-25									1119	4	OIL CHANGE SAE 40	6 qt.	
10-19									1150	7	OIL CHANGE SAE 40	6 qt.	
12-21									1188	7	oil change SAE 30	6 qts	
3-9-69									1224	3	Oil Change SAE 30	6 qts	
5-3-69									1233	7			
5-22-69									1254	9	Oil change SAE 30	6 qts	
6-14-69									1289	9	Oil change SAE 50W	6 qts Aeroshell	
7-4-69									1315		Oil change SAE 40	Aeroshell	
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1967 Aug 6									899.7		Replaced all Intake gaskets & seals - checked valve timing & retimed, replaced/overhauled starter clutch - Removed Pt. & L. muffler and welded - Replaced - starter Run up ~300 tach approx 50 RPM slow - W.A. McAm 174 P1420275		
8-14									912.6		oil change	6qt	
9-14									950.0		oil change	6qt	
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1967									857.	3	replace rocker box gasket #1 cyl,		
June 6									866.	8	Engine and accessories checked per Periodic (Annual) Plugs cleaned, compression checked all OK. 67-3-1 CW and OK this Insp. cleaned vac. suction screen —		
											ENGINE I certify this aircraft has been inspected in accordance with a PERIODIC inspection (ANNUAL) and was determined to be in a Airworthy condition T.L. 866.8 This Date 6-6-1967 Wallace A. McAnn AT1420275 Authorized Inspection		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

[illegible]

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
											Aug 1, 1965		
											I certify that this engine		
											has been inspected in		
											accordance with a 100 hr		
											inspection and was		
											determined to be in		
											an air worthy condition		
											400 hrs total time		
											Alan M. Cohen		
											License 538494		
											8-15 Oil change, screen cleaned, engine washed jacked		
											8-26 Oil changed, all bolts tightened, engine baffles repaired, engine washed jacked		
											9-6 Oil changed, engine washed, screens cleaned jacked		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
											June 24, 1965 - I certify that this aircraft engine has been inspected in accordance with a 100 hr inspection and was determined to be in an airworthy condition 300 hrs total time S.M.O. Dan M. Cochran Chad C 538494		
7-12											Oil change, screens cleaned engine cleaned & tightened JALKEP		
8-1											Oil change, screens cleaned engine greased, baffles repaired JALKEP		
BROUGHT FORWARD													
TOTALS													

[illegible]

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
											April 9, 1965 - engine		
											I certify that this aircraft		
											has been inspected in		
											accordance with a periodic		
											inspection and was determined		
											to be in airworthy condition		
											200 hrs total		
											Nathan Cochran		
											and E 538494		
4-30											oil changed, screens cleaned, engine washed. JAL		
5-15											oil changed, plugs cleaned & gapped, screens cleaned, engine washed.		
											mag. screens replaced in rt. muff. JAL		
5-28											oil changed, engine washed & screens cleaned JAL		
6-15											oil changed, engine washed & screens cleaned JAL		
BROUGHT FORWARD													
TOTALS													

ENGINE LOG

DATE	R. P. M.		TIME ON GROUND			TIME IN AIR			TOTAL TIME		REPAIRS - ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	Ground	Air	Hrs.	Min.	Total	Hrs.	Min.	Total	Hrs.	Min.			
1964													
10-15									26	7	OIL CHANGED, SCREENS CLEANED	Jlt Ueland	
11-5									50	4	ENGINE TIGHTENED & GUNKED	Jlt Ueland	
12-8									79	2	OIL CHANGED	Jlt Ueland	
12-22									100	-	30 wt NON DEF. ADDED Gulf AD oil added 2 qts wt. Engine Gunked, Screens cleaned on carb. intake scoop, all sumps Drained Jlt Ueland 100hr inspection 12-22-64 total time 100hrs SMO - I certify that this engine has been inspected in accordance with a 100hr inspection and was found to be in airworthy condition	Jlt Ueland	
BROUGHT FORWARD													
TOTALS													

Blair M. C. [Signature]
 12-22-64
 1A

Type		Place	Date
CONTINENTAL	Model	D-200-A	Serial No. 5168-4-A-R
Rated H.P. 100	Maximum H.P.	100	
Rated R.P.M. 2750	Maximum R.P.M.	2750	Oil Pressure
Bore	Stroke	Displacement	Cu. In.
Compression Ratio	Supercharger Ratio	Gear Ratio	
Propeller SENSEWICH	Hub Design	M 69 CK	Hub Serial No. K 1370
Blade Design	Blade Serial No.	Blade Serial No.	
Maximum Hub H.P.	Maximum Blade H.P.		
Pitch 52"	Diameter 69"	Length	
Owners Name			
Address			
City			

[illegible]