



TEXTRON AVIATION

Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For:

☒ Engine #2 Serial No. LB0088

MTR ID # 8215449
Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	N71G	04-Apr-24	SMF	1192.0	680		1192.0		680			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/Item	Transaction No.	Type	Item Name	Position	Part Number/Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
710010A	1	2	DESALINATION/FRESH WATER RINSE	E2						
Comment: Complied with Desalination fresh water rinse Per Pratt and Whitney PW615F-A Maintenance Manual Chapter 71-00-00-160-807.										
052001	2	2	ENGINE 450 HOUR/ 12 MONTH INSPECTION	E2						
Comment: Complied with the 450 hour/12 month IAW Pratt and Whitney PW615F-A M/M chapter 05-20-00. Operation and leaks checks were normal										
793015	3	2	REMOVE CHIP COLLECTOR AND EXAMINE FOR METALLIC DEBRIS	E2						
Comment: Complied with the chip collector inspection IAW Pratt and Whitney PW615F-A M/M chapter 05-20-00. Operation and leaks checks were normal										
731020	4	2	CHECK AND REPLACE FUEL FILTER ELEMENT	E2						
Comment: Complied with the fuel filter element check/replacement IAW Pratt and Whitney PW615F-A chapter 05-20-00. Operation and leaks checks were normal.										

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Inspected.

Repair Facility Textron Aviation Service - SMF

Certified Repair Station Number CNQ4918C

Work Order # 206773

Work Performed By Textron Aviation Service - SMF

Certificate No. CNQ4918C

Date 04-Apr-24

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

☒ Federal Aviation Administration ☐ Other (specify) _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE

Work Inspected By Tyler Spooner

Certificate No. CNQ4918C

Date 04-Apr-24

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
8	



TEXTRON AVIATION

Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For:

☒ Engine #2 Serial No. PCE-LB0088

MTR ID # 8196773

Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	N71G	17-Oct-23	KTPA	1140.6	660		1140.6		660			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/Item	Transaction No.	Type	Item Name	Position	Part Number/Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
79-30-21-210-801	1	2	Accomplish 79-30-01-210-801 No.2 Engine Visual Inspection of the Chip Collector and Self Closing Valve.							
Comment: Complied with #2 Engine Visual Inspection of the Chip Collector and Self Closing Valve in accordance with Pratt and Whitney 615F MM 79-30-01-210-801										
710010A	2	-	Perform rinse on both engines.							
Comment: Complied with Desalination fresh water rinse Per Pratt and Whitney PW615F-A Maintenance Manual Chapter 71-00-00.										

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Insepected.

Repair Facility Textron Aviation Service TPA Certified Repair Station Number 2NQD918C Work Order # 199054

Work Performed By Textron Aviation Service TPA Certificate No. 2NQD918C Date 17-Oct-23

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

☒ Federal Aviation Administration ☐ Other (specify) _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE

Work Inspected By Ricky Silber *Ricky Silber* Certificate No. 2NQD918C Date 17-Oct-23

ELECTRONICALLY SIGNED ON 17-OCT-23

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
8	



TEXTRON AVIATION

Maintenance Transaction Record

This Maintenance Report is To Be Used Solely For:

☒ Engine #2 Serial No. LB0088

TR ID # 8178289

Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	N71G	18-May-23	SMF	1099.0	624		109.0		624			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/Item	Transaction No.	Type	Item Name	Position	Part Number/Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
052001	1	2	ENGINE 450 HOUR / 12 MONTH INSPECTION	E2						
Comment: Complied with the 450 hour/12 month IAW Pratt and Whitney PW615F-A M/M chapter 05-20-00. Operation and leaks checks were normal.										
720003	2	2	INSPECT LOW UTILIZATION ENGINE	E2						
Comment: Complied with the Low Utilization Inspection IAW Pratt and Whitney PW615F-A M/M chapter 72-00-00. Operation and leaks checks were normal.										
793015	3	2	REMOVE CHIP COLLECTOR AND EXAMINE FOR METALLIC DEBRIS	E2						
Comment: Complied with the chip collector inspection IAW Pratt and Whitney PW615F-A M/M chapter 05-20-00. Operation and leaks checks were normal.										
731020	4	2	CHECK AND REPLACE FUEL FILTER ELEMENT	E2						
Comment: Complied with the fuel filter element check/replacement IAW Pratt and Whitney PW615F-A chapter 05-20-00. Operation and leaks checks were normal.										
710010A	5	2	DESALINATION/FRESH WATER RINSE	E2						
Comment: Complied with compressor rinse IAW the PW615F-A M/M chapter 71-00-00.										

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Inspected.

Repair Facility Textron Aviation Service - SMF

Certified Repair Station Number CNQ4918C

Work Order # 182560

Work Performed By Textron Aviation Service - SMF

Certificate No. CNQ4918C

Date 18-May-23

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

☒ Federal Aviation Administration ☐ Other (specify) _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE

Work Inspected By William Marshall

William Marshall

Certificate No. CNQ4918C

Date 18-May-23

ELECTRONICALLY SIGNED ON 18-MAY-23

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
8	



TEXTRON AVIATION

Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For:

MTR ID # 8155773

Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

☒ Engine #2 Serial No. LB0088

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	N71G	21-Oct-22	SMF	1060.9	602		1060.9		602			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/ Item	Transaction No.	Type	Item Name	Position	Part Number/ Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
793015	1	2	REMOVE CHIP COLLECTOR AND EXAMINE FOR METALLIC DEBRIS	E2						
Comment: Complied with Chip Collector Inspection IAW the Pratt & Whitney LMM chapter 79-30-01. No leaks noted										

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Inspceted.

Repair Facility Textron Aviation Service - SMF Certified Repair Station Number CNQ4918C Work Order # 181178

Work Performed By Textron Aviation Service - SMF

Certificate No. CNQ4918C Date 21-Oct-22

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

☒ Federal Aviation Administration ☐ Other (specify) _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE

Work Inspected By Narciso Tadeo

Narciso Tadeo

Certificate No. CNQ4918C Date 21-Oct-22

ELECTRONICALLY SIGNED ON 21-OCT-22

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
8	



TEXTRON AVIATION

Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For:

☒ Engine #2 Serial No. LB0088

MTR ID # 8136008

Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	N71G	13-May-22	SMF	1020.7	574		1020.7		574			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/Item	Transaction No.	Type	Item Name	Position	Part Number/Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
052001	1	2	ENGINE 450 HOUR/ 12 MONTH INSPECTION	E2						
Comment: Complied with engine 450hr/ 12-month inspection IAW Pratt and Whitney PW615F-A manual part no. 3072691 chapter 05-20-00, operational and leak check normal.										
793015	2	2	REMOVE CHIP COLLECTOR AND EXAMINE FOR METALLIC DEBRIS	E1						
Comment: Complied during engine 450hr/ 12-month inspection IAW Pratt and Whitney PW615F-A manual part no. 3072691 chapter 05-20-00, operational and leak check normal.										
731020	3	2	CHECK AND REPLACE FUEL FILTER ELEMEN	E2						
Comment: Complied during engine 450hr/ 12-month inspection IAW Pratt and Whitney PW615F-A manual part no. 3072691 chapter 05-20-00, operational and leak check normal.										
710010A	4	2	DESALINATION/FRESH WATER RINSE	E2						
Comment: Complied with compressor desalination water rinse as required IAW PW 615F-A MM chapter 71-00-00, operational check normal.										

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Inspected.

Repair Facility Textron Aviation Service - SMF

Certified Repair Station Number CNQ4918C

Work Order # 168425

Work Performed By Textron Aviation Service - SMF

Certificate No. CNQ4918C

Date 13-May-22

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

☒ Federal Aviation Administration ☐ Other (specify) _____

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE

Work Inspected By Tyler Spooner

Certificate No. CNQ4918C

Date 13-May-22

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
8	

Maintenance Transaction Record

CAMP MTR ID # 3412169



This Maintenance Report is To Be Used Solely For (Check One)

☐ Airframe
Entries

☐ Eng.#1
Serial No.

☒ Eng.#2
Serial No.

PCE-LB0088

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Ttl Hrs	Engine 2 Ttl Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	0042	N71G	21-Oct-2021	KTRM	967.4	547	967.4	967.4	547	547			191.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR	Material Costs	Man Hours
793015	1	2	NO. 2 ENGINE - REMOVE CHIP COLLECTOR AND EXAMINE FOR METALLIC DEBRIS		PN		SN-UNKNOWN					
Comments: Complied with No.2 Engine chip collector inspection IAW PW615AMM CH 79-30-01. Leak check good												
PW600-72-63112	2	3	NO. 2 ENGINE - INSPECTION OF ACCESSORY GEARBOX BREATHER SEAL, SERVICE BULLETIN									
MOC: NOT APPLICABLE												
Comments: SB PW600-72-63112 not applicable due to SB63062 not previously complied with.												

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired / Rebuilt, S - Serviceable, O - Overhauled, T - Tested, M - Modified, I - Inspected

Repair Facility	DESERT JET MAINTENANCE	Certified Repair Station Number	1DJR318M	Work Order No.	DJM WO-1344
Work Performed By	DESERT JET MAINTENANCE	Certificate No.	1DJR318M	Date	21-Oct-2021
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	VALENTE CAMARILLO	Certificate No.	1DJR318M	Date	21-Oct-2021
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page

Beechcraft



Hawker

TEXTRON AVIATION

TEXTRON AVIATION

Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For:✓ Engine #2 Serial No. PCE-LB0088

MTR ID # 8082688

Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	C-GMMU	04-May-21	KMKE	951.5	526		951.5		526			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/ Item	Transaction No.	Type	Item Name	Position	Part Number/ Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
720003	1	2	Low Utilization Inspection	NO. 2 Engine						
Comment: Complied with NO. 2 Engine Low Utilization Inspection IAW Pratt & Whitney PW615F-A MM 72-00-00.										
057105	2	2	450 Hour/12 Month Inspection	NO. 2 Engine						
Comment: Complied with NO. 2 Engine 450 Hour/12 Month Inspection IAW Pratt & Whitney PW615F-A MM 5-20-00.										
731020	3	1	Fuel Filter Element	NO. 2 Engine	3059779-01		NSN	SC	N	
Comment: Removed and replaced NO. 2 Engine Fuel Filter Element, PN 3059779-01 NSN. Work done IAW Pratt & Whitney PW615F-A MM 73-10-05.										
	4	-	Oil Filter Inspection	NO. 2 Engine						
Comment: Complied with NO. 2 Engine Oil Filter Inspection IAW Pratt & Whitney PW615F-A MM 79-20-01.										
	5	-	Desalination Wash	NO. 2 Engine						
Comment: Complied with NO. 2 Engine desalinization wash IAW Pratt & Whitney PW615F-A MM 71-00-00.										
	6	-	5-Point Calibration Runs	NO. 2 Engine						
Comment: Complied with NO. 2 Engine 5-point calibration runs IAW Pratt & Whitney PW615F-A MM 71-00-00.										

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Inspected.

Repair Facility Textron Aviation Service - MilwaukeeCertified Repair Station Number CNQ3918CWork Order # 149999Work Performed By Textron Aviation Service - MilwaukeeCertificate No. CNQ3918CDate 04-May-21

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

✓ Federal Aviation Administration

Other (specify) _____

I CERTIFY THIS AIRCRAFT HAS BEEN REPAIRED AND INSPECTED IN ACCORDANCE WITH THE CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.

Work Inspected By John T. PloetzCertificate No. CNQ3918CDate 04-May-21

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
8	1

CESNA/CITATION**CESCOM**
Maintenance Transaction Record

MTR ID: 775075

Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-8291 / Fax: 316-517-8500☐ Airframe
Entries☐ Eng. #1
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

☒ Eng. #2
Serial No. LB0088☐ APU
Serial No. _____☐ Freon
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Tu Cycles	Engine 2 Tu Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	0042	C-GMMU	Jul-24-2009	ICT	500.4	294		500.4		294			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
75075001	1 -	ENGINE BORESCOPE INSPECTION	E2**R			LB0088					
		Comments: Accomplished Borescope Inspection on the right engine IAW Pratt & Whitney Canada 615F-A engine M/M chapter 72-00-00. Leak and operational check good.									
75075004	2 -	OIL FILTER ANALYSIS	E2**R			LB0088					
		Comments: Accomplished Oil filter Analysis IAW Pratt & Whitney 615F-A M/M chapter 79-20-01. Leak check good.									
057106	3 2	ENGINE MINOR ITEMS	E2**R			LB0088					
		Comments: Accomplished Engine Minor Items Inspection IAW Pratt & Whitney Canada 615F-A M/M chapter 05-20-00.									
75075005	4 -	ENGINE DESALINIZATION	E2**R			LB0088					
		Comments: Accomplished engine desalinization /fresh water rinse IAW Pratt & Whitney Canada 615F-A M/M chapter 71-00-00. Leak and operation check good.									
75075007	5 -	Maintenance Note	E2**R			LB 0088					

Comments: During Borescope of this engine radial cracks were found on several combustor floating collars. These cracks were acceptable for continued operation per P&WC 615F-A Engine M.M. chapter 72-00-00 provided the engine was borescoped every 50 flight hours. However Pratt and Whitney Canada issued a deviation letter Dated 1 July 2009 extending the the borescope inspection to an interval not to exceed 600 flight hours. A copy of this letter was put in the Engine log book of this aircraft.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER	Certified Repair Station Number CNQR918C	Work Order No. 2-71725
Work Performed By Wichita Citation Service Center	Certificate No. CNQR918C	Date Jul-24-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by Steven Sprenkle	Certificate No. CNQR918C	Date Jul-24-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
8	1

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record

MTR ID: 749911

Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

☐ Airframe
Entries

☐ Eng. #1
Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

☒ Eng. #2
Serial No. LB0088

☐ APU
Serial No.

☐ Freon
Serial No.


Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	0042	N591ES	May-12-2009	MCO	349.4	255		349.4		255			1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
057105	1	2	OIL FILTER ELEMENT CHANGE	E2**R								
Comments: Complied with IAW P&W 615F-A MM 79-20-01. Operational and leak checks good.												
49911002	2	-	SOAP	E2**R								
Comments: Complied with by sending out for analysis.												
49911003	3	-	DESALINATION RINSE	E2**R								
Comments: Complied with IAW P&W 615F-A MM 71-00-00.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number CNQ8918C	Work Order No. 6029966
Work Performed By Orlando Citation Service Center	Certificate No. CNQ8918C	Date May-12-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Tommy Auton	Certificate No. CNQ8918C	Date May-12-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
8	1

CSNA-1023-W-R-2003-11-07



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

Maintenance Transaction Record

MTR ID: 735784

Page 1 of 1


☐ Airframe
Entries

☐ Eng. #1
Serial No.

☒ Eng. #2
Serial No. LB0088

☐ APU
Serial No.

☐ Freon
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	0042	N591ES	Apr-14-2009	KFXE	440.0	245	440.0	440.0	245	245			1.0

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
057101	1	2	ENGINE COMPRESSOR WASH	E2**R								

Comments: Complied with engine compressor and performance recovery wash referencing 510 and PWC 615 Maintenance Manuals.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Banyan Air Service	Certified Repair Station Number NA	Work Order No. 26847
Work Performed By Banyan Air Service	Certificate No. NA	Date Apr-14-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and is approved for return to service. Pertinent details of the work are on file at this agency.		
Work Inspected by Paul J. Baran <i>Paul J. Baran</i>	Certificate No. A&P 2169089	Date Apr-14-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record

MTR ID: 640119

Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

☐ Airframe
Entries

☐ Eng. #1
Serial No.

☒ Eng. #2
Serial No. LB0091

☐ APU
Serial No.

☐ Freon
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	0042	N591ES	Oct-21-2008	MCO	341.6	187	341.6	341.6	187	187			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
057106	1 2	ENGINE MINOR ITEMS	E2**R								
		Comments: Complied with IAW PWC 615F-A Maintenance Manual chapter 05-20-00. Operational and leak checks good.									
057107	2 2	ENGINE FUEL FILTER REPLACE	E2**R								
		Comments: Complied with IAW PWC 615F-A Maintenance Manual chapter 05-20-00. Leak checks good.									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Orlando Citation Service Center	Certified Repair Station Number CNQ8918C	Work Order No. 6028012
Work Performed By Orlando Citation Service Center	Certificate No. CNQ8918C	Date Oct-21-2008
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Mitchell Spring <i>Mitchell Spring</i>	Certificate No. CNQ8918C	Date Oct-21-2008
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
8	1

CSNA-1023-W-R-2003-11-07



Citation Product Support

The Cessna Aircraft Company

Post Office Box 7706 / Wichita, Kansas 67277

Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM**Maintenance Transaction Report**

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Airframe
Entries

☐ Eng. # 1
Serial No.

☒ Eng. #2
Serial No.

☐ APU
Serial No.

PCE-LB0088

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
510-0042	0042	N891ES		IDP	5.0	2	#1 N/A #2 5.0	#1 N/A #2 2		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1												
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

 Detail Method Of Compliance
Under Comments Below

 W - Worn To Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other(note below)

Enter One

 Installed Part Status
N - New
R - Repaired
S - Serviceable
O - Overhauled
This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No.	Engine Final Acceptance Test and Inhibiting Run completed satisfactory and certified airworthy for engine serial # PCE-LB0088.
	N1/RTHO 19063 RPM, 87.3%
	N2 41778 RPM, 94.9%
	DOT Type Approval E-34
	FAA Type Certificate E00073EN
	Engine Serial PCE-LB0088 has been installed new on airframe 510-0042.
	The engine serviced with BP Turbo Oil 2380.
	Casey F. Holt ODARF100129CE 11/06/2007

Work Order No.

 Maintenance
Log
Section

8

 Maintenance
Log
Page

AW Page #1

Work Performed By:	Cessna Aircraft Company	Certificate No.	PC-4	Date	11/6/2007	Scheduled Removal Due (TAT)	
--------------------	-------------------------	-----------------	------	------	-----------	-----------------------------	--

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration

Work Inspected By:

Certificate No.

Date

**Permanent Aircraft Record - File In
Maintenance Log**

Beechcraft



Pawker

TEXTRON AVIATION

TEXTRON AVIATION

Maintenance Transaction Record
This Maintenance Report is To Be Used Solely For:✓ Engine #2 Serial No. PCE-LB0088

MTR ID # 8084550

Page 1 of 1

Textron Aviation
One Cessna Blvd.
Wichita, KS 67215 U.S.A.
Phone: +1(316)517-6000

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Eng. 1 Ttl Hrs	Eng. 2 Ttl Hrs	Eng. 1 Ttl Cycles	Eng. 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
510-0042	42	C-GMMU	04-May-21	KMKE	951.5	526		951.5		526			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Task/ Item	Transaction No.	Type	Item Name	Position	Part Number/ Alternate Part	Mod Level	Part Serial	Removal Reason	Status	Installed Part TSN/TSO/TSR
Pratt & Whitney Canada Service Bulletin PW600-79- 6	1	3	PW600-79-63047 Rev 3 dated 10 JUL 2018 Turbofan Engine Air-Cooled Oil- Cooler Pressure Oil Tube Bolts Replacement Of	NO. 2 Engine						

Comment: Complied with NO. 2 Engine Pratt & Whitney Canada Service Bulletin PW600-79-63047 Rev 3 dated 10 JUL 2018 Turbofan Engine Air-Cooled Oil-Cooler Pressure Oil Tube Bolts Replacement Of.

Trans Type: 1-Component, 2-Inspection, 3-SB, 4-AD, -Misc Removal Reasons: WO-Worn to Limits, SC-Scheduled, UN-Unscheduled, CO-Convenience, N-Other(note in comments)

Installed Part Status: N-New, R-Repaired/Rebuilt, S-Serviceable, O-Overhauled, T-Tested, M-Modified, I-Inspected.

Repair Facility Textron Aviation Service - MilwaukeeCertified Repair Station Number CNQ3918CWork Order # 149999Work Performed By Textron Aviation Service - MilwaukeeCertificate No. CNQ3918CDate 04-May-21

I certify that the above maintenance & information contained in the listed work order was performed in accordance with the current regulations of the

✓ Federal Aviation Administration

Other (specify) _____

I CERTIFY THIS AIRCRAFT HAS BEEN REPAIRED AND INSPECTED IN ACCORDANCE WITH THE CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION WITH RESPECT TO THE WORK PERFORMED AND IS APPROVED FOR RETURN TO SERVICE.

Work Inspected By John T. PloetzCertificate No. CNQ3918CDate 04-May-21

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
9	1



Maintenance Transaction Report



- Citation Product Support

The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-945-9006 / Phone: 316-941-6291

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Airframe Entries	☐ Eng. # 1 Serial No.	☒ Eng. #2 Serial No. LB0088	☐ APU Serial No.
---	--	---	---

Aircraft Identification and Status

A/C Serial No. 510-0042	A/C Unit No. 510	A/C Registration N591ES	Date (Mo.-Day-Yr.) 7/2/2009	City Identifier ICT	Total A/C Hours 500.4	Total A/C Landings 294	Total Engine Hours #1 #2 500.4	Total Engine Cycles #1 #2 294	APU Hours 	APU Events
----------------------------	---------------------	----------------------------	--------------------------------	------------------------	--------------------------	---------------------------	--	---	-----------------------------------	------------------------------------

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cesscom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change)	Installed Part	Material Costs	Man Hours
	1	3	SB PW600-72-63028	E2**R	SEE COMMENTS		N/A	S	N				
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below

W - Worn To Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other(note below)

Enter One

Installed Part Status
N - New
R - Repaired
S - Serviceable
O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

Ref No	1	C/W SB 63028 Rev. 1 dated 27 Aug 07 (Replacement of No. #1 Bearing Air-Seal-Runner Assembly). Removed Air-Seal-Runner Assembly P/N 35C1406-01 and Installed new Air-Seal-Runner Assembly P/N 35C5100-01. All Work performed IAW Pratt and Whitney Canada 615F-A MM rev. 10 dated January 16, 2009. "Engine run and leak checks complied with and no defects noted. Engine returned to service for work performed."

Standard Aero Alliance Inc.
1029 Ross Drive
Maryville, TN 37801

Repair Station Number
AE0R215N

Work Order No. IF679557

Work Performed By: *Jacob Easterly* Certificate No. AE0R215N Date 07/02/09

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the Federal Aviation Administration

Work Inspected By: *Bondall Ferguson* Certificate No. AE0R215N Date 7/2/2009

Maintenance Log

Section	8
Page	1

Permanent Aircraft Records	☒
Facility Records	☐
Cesscom Records	☐