

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT T/R Retention Strap

PART NUMBER 269A6065-507

SERIAL NUMBER 52610

MODEL	SHU-40B
OVERHAUL	<i>N/A</i>
LIFELIMIT	<i>5100</i>

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2-21-14	0356	269c-1	BRA	3434.4	New	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.		CERTIFYING DATA ON WORK PERFORMED	
DESCRIPTION OF WORK PERFORMED		BY ACTIVITY	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT T/R Blade
 PART NUMBER 269A6035-23
 SERIAL NUMBER 54100

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	9000	9000	12000	


SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
5-15-08	0338	269C-1	SZR	0.0	0.0		10/10/12	2883.7	2883.7	-	Paint
11-9-12	0338	269C-1	BRA	2883.7	2883.7	—	11/12/13	3477.6	3477.6	—	PAINT.
12-13-13	0244	269C-1	BRA	4839.4	3477.6	—	11-20-14	5377.8	4016.0	—	INSPECTION
12/4/14	0360	269C-1	BRA	3346.9	4016.0	—	12/5/14	3346.9	4016.0	—	INSPECTION
10-7-15	0356	269C-1	BRA	4183.0	4016.0	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
The item listed above has been inspected in accordance with, Sikorsky Basic HMI section 9 and Appx. C Refinished per Appx. D. Repaired cracks in the fiberglass wrap area per HMI Appendix C section 4-5. Replaced laminated brgs IAW Basic HMI. Full details on file in WO# 1291. TTSN: 4016.0 Repaired minor nick in T/E Filler per AC43.13-18 section 3		6A8R903B	12/19/14	
		6A8R903B	04/10/15	

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT T/R Blade
 PART NUMBER 269A6035-23
 SERIAL NUMBER 54103

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	9000	9000	12000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
5-15-08	0338	269C-1	SZR	0.0	0.0		10/10/12	2883.7	2883.7	-	Paint
11-9-12	0338	269C-1	13RA	2883.7	2883.7	—	5-7-13	3201.4	3201.4	-	CIB-39
5-7-13	0338	269C-1	BRA	3201.4	3201.4	—	11/12/13	3477.6	3477.6	—	PAINT.
12-13-13	0244	269C-1	13RA	4839.4	3477.6	—	11-20-14	5377.8	4016.0	—	INSPECTION
12/4/14	0360	269C-1	BRA	3346.9	4016.0	—	12/5/14	3346.9	4016.4	-	INSPECTION
10-7-15	0356	269C-1	BRA	4183.0	4016.0	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE		CERTIFYING DATA ON WORK PERFORMED			
BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	BY ACTIVITY	DATE	SIGNATURE AND CERT #	
CIB-39	INSPECT INTERIOR OF BLADE FOR EXCESS PRIMER	BRA	5-7-13	<i>[Signature]</i>	
The item listed above has been inspected in accordance with, Sikorsky Basic HMI section 9 and Appx. C Refinished per Appx. D. Repaired cracks in the fiberglass wrap area per HMI Appendix C section 4-5. and replaced laminated brgs IAW sect 4-9. Full details on file in WO# 1291. TTSN: 4016.0		6ABR903B	12/19/14	<i>[Signature]</i>	



HISTORICAL SERVICE RECORD

PAGE 3 OF

COMPONENT	Trail Rotor Assy
PART NUMBER	26946034-029
SERIAL NUMBER	\$ 0196

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL					Applies When Changed
LIFELIMIT					Between Models

INSTALLATION DATA

REMOVAL DATA

[illegible]

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

[illegible]

INSTALLED INTERNAL PARTS								
PART NAME	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
		DATE	ACCUMULATED TIME ON ASSEMBLY OR PART		DATE	DATE	ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NUMBER		COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	COMPONENT HOURS		SINCE NEW HOURS	SINCE OVERHAUL HOURS
NAME: <i>Pitch Control</i>	\$1449	7/14/11	4152.7	—	N/A ON	11-7-12	3901.1	—
NO: 269A6050-5		3516.1	ACT.T.		Condition	4543.7		
NAME: PITCH CONTROL	\$1476	7-1-13	4577.2	—	N/A	6-5-14	4712.6	—
NO: 269A6050-5		4144.6	2967.1		ON Condition	3535.1		
NAME: STRAP ASSEMBLY	\$2610	2-21-14	0.0	—	N/A			
NO: 269A0065-507		3434.4			5100			
NAME: PITCH CONTROL	\$1680	6-5-14	ACFT TT:	—	N/A	2/23/15	2822.5	—
NO: 269A6050-5		2364.9	3535.1		ON Condition	3992.7		
NAME: <i>Pitch Control</i>	\$1508	2-23-15	ACT.T.	—	N/A ON	1-20-17	UNK	—
NO: 269A6050-5		UNK	3992.7		Condition	4451.4		
NAME: T/R Blade	\$3718	2/25/15	ACTT	—	N/A	10-7-15	5558.9	
NO: 269A-6035-23		5368.6	3992.7		9000	4183.0		
NAME: T/R Blade	\$3725	2/25/15	ACTT	—	N/A	10-7-15	5558.9	
NO: 269A6035-23		5368.6	3992.7		9000	4183.0		
NAME: T/R BLADE	\$4100	10-7-15	ACFT TT	—				
NO: 269A6035-23		4016.0	4183.0					

HISTORICAL SERVICE RECORD

PAGE 2 OF

COMPONENT Tail Rotas Assy

PART NUMBER 269A6034-029

SERIAL NUMBER \$0196

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL					
LIFELIMIT					

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

[illegible]

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

[illegible]

INSTALLED INTERNAL PARTS

		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME O ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS
PART NUMBER		COMPONENT HOURS				COMPONENT HOURS		
NAME: BLADE	S 3439	6/29/05	0.0		N/A	2/13/15	5569.3	—
NO: 269A6035-23		0.0			9000	3992.7		
NAME: BLADE	S 3482	6/29/05	0.0		N/A	2/13/15	5569.3	—
NO: 269A6035-23		0.0			9000	3992.7		
NAME: STRAP ASSEMBLY	S 2071	6/29/05	0.0		N/A	2-21-14	5011.0	—
NO: 269A6065-507		0.0			5100	3434.4		
NAME: HUB	S 1214	6/29/05	0.0		N/A			
NO: 269A6101-5		0.0			ON CONDITION			
NAME: PITCH CONTROL	S 1377	6/29/05	0.0		N/A	6-30-08	2377.9	—
NO: 269A6050-5		0.0			ON CONDITION	2377.9		
NAME: PITCH CONTROL	S 1332	7-17-08	2377.9	—	N/A	2-19-09	1769.5	—
NO: 269A6050-5		1170.5			ON CONDITION	2976.9		
NAME: Pitch Control	S 1461	3-8-09	2976.9	—	N/A	1-6-10	2400.8	—
NO: 269A6050-5		1818.1			ON CONDITION	3559.6		
NAME: Pitch Control	S 1508	1-6-10	N/A 3559.6	—	N/A ON	7-14-11	9158.7	TSI 599.1
NO: 269A6050-5		UNK			Condition	UNK 4158.7		

HISTORICAL SERVICE RECORD

PAGE 1 OF COMPONENT Tail Rotor AssyPART NUMBER 269A6034-029SERIAL NUMBER 50196

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
6/29/05	0208	269C-1	SR	0.0	0		7-1-13	4543.7	4543.7	—	CANNIBALIZ
7-1-13	0208	269C-1	BR	2967.1	4543.7	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R Input Shaft
 PART NUMBER 269A5626-5
 SERIAL NUMBER 50067TGS

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8600	8600	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
3-7-08	0330	269C-1	SZR	0.0	0.0	
10-7-15	0356	269C-1	BRA	4183.0	4195.7	—

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
6-23-15	4195.7	4195.7	—	INSPECTION

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
ALL AD'S AND SB'S COMPLIED WITH THROUGHOUT BY WORKING	UNIT WAS REBUILT OVER FOR THE 269C-1 INPUT SHAFT WAS INSPECTED AND IS IN SATISFACTORY CONDITION.	AIRC-TECH REPAIRS	7/31/15	[Signature] . I 794423913

INSTALLED INTERNAL PARTS								
PART NAME PART NUMBER	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
		DATE	ACCUMULATED TIME ON ASSEMBLY OR PART		DATE	DATE	ACCUMULATED TIME ON ASSEMBLY OR PART	
		COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS	COMPONENT HOURS	AIRCRAFT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS
NAME: OUTPUT SHAFT	\$00507GS	3-7-08	0.0		N/A			
NO: 269A5106-3		0.0			ON CONDITION			
NAME: INPUT SHAFT	\$0067TGS	3-7-08	0.0		N/A			
NO: 269A5626-5		0.0			8600			
NAME: OUTPUT SHAFT	\$1354AGC	7/31/15	0.0	0.0				
NO: 269A5106-3		0.0						
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								
NAME:								
NO:								

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/R Transmission

PART NUMBER 269A5600- 703

SERIAL NUMBER 50668

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	2400	3000	4200	3000	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
3-7-08	0330	269C-1	SZR	0.0	0.0	
10-15	0356	269C-1	BRH	4183.0	4195.7	—

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
6-23-15	4195.7	4195.7	—	OVERHAUL

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
ALL AD'S AND SB'S COMPLIANT WITH THROUGHOUT BY WEEKLY	UNIT WAS OVERHAULLED FOR R42 269C-1. INPUT SHAFT WAS REPLACED. UNIT FUNCTIONALLY TESTED 3000 RPM & 120-130.	AIR-TECH REPAIRS	7/31/15	[Signature] 79AR239B

IDLER PULLEY BEARING

LIFE LIMIT = 3000 HOURS

PART NUMBER

269A5050-074

INSTALLATION DATA				REMOVAL DATA		
	DATE		ACFT TT	DATE	BEARING TT	REASON FOR REMOVAL
	BEARING TT			ACFT TT		
SERIAL# <u>FWD/AFT</u> BA-3093	12/8/14 0.0		3527.9	3-14-17 3999.5	471.6	1200 HR
SERIAL# <u>FWD/AFT</u> BA-3094	12/8/14 0.0		3527.9	3-14-17 3999.5	471.6	1200 HR
SERIAL# <u>FWD/AFT</u> BA-3093	4-27-17 471.6		4509.2			
SERIAL# <u>FWD/AFT</u> BA-3094	4-27-17 471.6		4509.2			
SERIAL# FWD/AFT						
SERIAL# FWD/AFT						
SERIAL# FWD/AFT						
SERIAL# FWD/AFT						

[illegible]

A/C MODEL# 269C-1

PAGE | OF

PART NUMBER

269A5582

SERIAL NUMBER

BA-3095

INSTALLATION DATA

REMOVAL DATA

DATE _____

A/C
SERIAL #

INSTALLED AT
A/C HOURS

IDLER PULLEY
Π

DATE _____

REMOVED AT
A/C HOURS

IDLER PULLEY
TT

REASON FOR REMOVAL

12-8-14

0364

3527.8

UNK

3-14-17

3999.5

~~UKN~~ 47.6

1200 HR/CANNIBALIZATION

4-27-17

0356

4509.2

UNK

LOWER PULLEY BEARING

LIFE LIMIT = 3000 HOURS

PART NUMBER

269A5050-085

INSTALLATION DATA				REMOVAL DATE		
	DATE		ACFT TT	DATE	BEARING TT	REASON FOR REMOVAL
	BEARING TT			ACFT TT		
SERIAL# FWD/AFT 3920	06-16-15 0.0		4092.3	5-10-185 4140.0	47.7	1200 HR
SERIAL# FWD/AFT 3780	06-16-15 0.0		4092.3	5-10-15 4140.0	47.7	1200 HR
SERIAL# FWD/AFT 3920	4-27-17 47.7		4509.2			
SERIAL# FWD/AFT 3780	4-27-17 47.7		4509.2	4-29-19 4798.1	336.6	Annual Insp. Corroded
SERIAL# FWD/AFT 3892	4-29-19 0.0		4798.1			
SERIAL# FWD/AFT						
SERIAL# FWD/AFT						
SERIAL# FWD/AFT						

HISTORICAL SERVICE RECORD		
LOWER PULLEY ASSY.	A/C MODEL# 269C-1	PAGE <u>1</u> OF <u> </u>
PART NUMBER	<u>269A5497-009</u>	
SERIAL NUMBER	<u>51278</u>	

A/C MODEL# 269C-1

PAGE 1 OF

PART NUMBER

269A5497-009

SERIAL NUMBER

51278

[illegible]

HISTORICAL SERVICE RECORD

PAGE 1 OF 2COMPONENT M/R Drive Shaft (Splined)PART NUMBER 269A5326-005SERIAL NUMBER 50457

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3200	4000	N/A	

SCHWEIZER AIRCRAFT CORP.

1250 Schweizer Rd. • Horseheads, NY 14845

Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
<u>2/23/15</u>	<u>0356</u>	<u>269C-1</u>	<u>BRA</u>	<u>3992.7</u>	<u>new</u>						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE _____ OF _____

COMPONENT M/R Hub & (Splined)

PART NUMBER 269A5325-1

SERIAL NUMBER 50704

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	8000	8000	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
14-2/08	0356	269C-1	SZR	0.0	0.0	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Carrier
 PART NUMBER 269A5193-1
 SERIAL NUMBER 50855

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	8000	6000	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
5/4/05	0203	269C-1	SZR	0.0	0.0	NEW	4-12-06	471.3	471.3	—	MAL Rotor STRIKE
1-31-08	0120	269C-1	BRA	3847.1	471.3	—	2/2/15	4600.4	1224.6	-	Concurrence
2/25/15	0356	269C-1	BRA	3992.7	1224.6	-					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
ALL A.D.S Complied with THAWB/H OE-Weekly 2006-10	INSPECTED FOR SWAPEN STORAGE AND ACCEPTED IN ACCORDANCE WITH HAT APP B AND C. RH 2831	SCHWEIZER AIRCRAFT	5-23-2006	<i>[Signature]</i> 503R2476

INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE		DATE	SINCE NEW HOURS
PART NUMBER		COMPONENT HOURS			COMPONENT HOURS	COMPONENT HOURS		
NAME: PINION	\$3354AGC	5-4-05	0.0		N/A			
NO: 269A5103-51		0.0			8000			
NAME: RING GEAR	\$3692AGC	5-4-05	0.0		N/A			
NO: 269A5104-7		0.0			ON CONDITION			
NAME: COUPLING	\$1330	5-4-05	0.0		N/A			
NO: 269A5112-1		0.0			ON CONDITION			
NAME: CARRIER	\$0855	5-4-05	0.0		N/A			
NO: 269A5193-1		0.0			8000			
NAME: BEARING	5327	5-4-05	0.0	0.0	N/A	—	REPLACED AT OVERHAUL	
NO: 269A5051-20		0.0			Replace at overhaul	—		
NAME: BEARING	5478	5-23-2006	471.3					
NO: 269A5051-20		0.0						
NAME:								
NO:								
NAME:								
NO:								

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R TransmissionPART NUMBER 269A5175- 37SERIAL NUMBER 30168

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	4800	3000	4000	3000	
LIFELIMIT	N/A	N/A	N/A	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
5/4/05	0203	269C-1	SZR	0.0	0.0	new	4-12-06	471.3	471.3	—	MAIN ROTOR STRIKE
1-31-08	0120	269C-1	BRA	3947.1	471.3	0.0	2/12/15	4600.4	1224.6	753.3	with consequence
2/25/15	0356	269C-1	BRA	3992.7	1224.6	-753.3					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

BULLETIN COMPLIANCE, ETC.

ALL A.D.'s Complied with THROUGH
RE-WEEKLYs 2006-10

DESCRIPTION OF WORK PERFORMED

Complied with SUSPENSION PAGE INSPECTION OVERHAUL INSPECTED
AND ACCEPTED IN ACCORDANCE WITH HAF AME R/C N1233

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY

DATE

SIGNATURE AND CERT #

SCHWEIZER AIRCRAFT

5-23-2006



SN3412

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Trans. PinionPART NUMBER 269A5103-051SERIAL NUMBER S3354 AGC

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	8000	6000	

SCHWEIZER AIRCRAFT CORP.
P.O. Box 147 • Elmira, NY 14902
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

INSTALLED ON			BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
DATE	A/C #	MODEL #.			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
5/4/05	0203	269C-1	SZR	0.0	0.0	NEW	4-12-06	471.3	471.3	—	MAIN ROTOR STRIKE
1-31-08	0120	269C-1	BRA	3847.1	471.3	—	2/2/15	4600.4	1224.6	—	Convenience
2/25/15	0356	269C-1	BRA	3992.7	1224.6	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE		CERTIFYING DATA ON WORK PERFORMED	
BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	BY ACTIVITY	SIGNATURE AND CERT #
ALL A.D.S Complied with THROUGH BI-WEEKLY 2006-10	INSPECTED FOR SUDDEN STOPPAGE AND ACCEPTED IN ACCORDANCE WITH HME APPX BAND C RH2831	SCHWEIZER AIRCRAFT	5-23-2006 <i>[Signature]</i> SN 328472

PAGE 1 OF 2

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd., Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

REMOVAL DATA

[illegible]

OVERHAUL, SERVICE BULLETIN COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACIVITY	DATE	SIGNATURE AND CERT#

PAGE _____ OF _____

COMPONENT	<u>Horizontal Stabilizer</u>
PART NUMBER	<u>269A2516-021</u>
SERIAL NUMBER	<u>51174</u>

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL	N/A	N/A	N/A	N/A	Applies When Changed
LIFELIMIT	N/A	4200	4200	N/A	Between Models

PAGE ____ OF ____

COMPONENT	<u>Trail Boom</u>
PART NUMBER	<u>269A2320-015</u>
SERIAL NUMBER	<u>C0651</u>

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL	N/A	N/A	N/A	N/A	Applies When Changed
LIFELIMIT	N/A	4200	4200	N/A	Between Models

[illegible][illegible]

PAGE OF

COMPONENT	T/R Driveshaft
PART NUMBER	29A6040-9
SERIAL NUMBER	S 0338

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL	N/A	N/A	N/A	N/A	Applies When Changed
LIFELIMIT	N/A	6000	6000	18600	Between Models

REMOVAL DATA

[illegible]

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

[illegible]

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/B Support Strut

PART NUMBER 269A2015-113

SERIAL NUMBER 50652

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	10700	10700	N/A	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
1/27/03	0356	269C-1	SLA	0.0	0.0	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT T/B Support Strut
 PART NUMBER 269A2015-113
 SERIAL NUMBER 50653

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	10700	10700	N/A	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA							REMOVAL DATA				
DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
7/27/02	0356	269C-1	STL	0.0	0.0						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT M/R Mast
 PART NUMBER 269A2010-015
 SERIAL NUMBER \$ 0306

MODEL	269C	269C-1	269D
OVERHAUL	N/A	N/A	N/A
LIFELIMIT	13590	13590	13500

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
4/10/08	0335	269C-1	SZR	0.0	0.0	N/A	Jun 16	957.1	957.1	N/A	Insp.
1-20-17	0356	269C-1	BRA	4451.4	957.1	—					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #
	Blade Strike Insp. Insp. i7A/W SAC, CIP-02-4	HeliTech, Inc. ^{WFO# 16460}	21 Dec 16	M. J. H. HBPR2201K

[illegible][illegible]

PAGE 1 OF 1

SERIAL NUMBER BA-3186

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL	N/A	N/A	N/A	N/A	Applies When Changed
LIFELIMIT	N/A	N/A	N/A	N/A	Between Models

REMOVAL DATA

[illegible]

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

[illegible]

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Damper
PART NUMBER 269A1290-3
SERIAL NUMBER 10061

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	6000	6000	6000	6000	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
11-14-11	0320	269C-1	BRA	2834.9	0.0	—
6/22/08	0356	269C-1	USATS	5218.1	1763.8	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
8-12-20	4538.7	4538.7 1763.8	-	Storage

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Damper

PART NUMBER 269A1790-3

SERIAL NUMBER 10095

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies
OVERHAUL			N/A		When Changed Between
LIFELIMIT			6000		Models

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
10/12/12	0320	269C-1	BRA	3376.2	✓	new
6/22/23	0356	269C-1	LGTS	5218.1	1162.5	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
8-12-20	4538.7	1162.5	-	Storage

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Damper
 PART NUMBER 269A1290-003
 SERIAL NUMBER 10398

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL			<u>N/A</u>		
LIFELIMIT			<u>6000</u>		

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE Q/H			SINCE NEW	SINCE O/H	
<u>10-4-14</u>	<u>0307</u>	<u>269C-1</u>	<u>BRA</u>	<u>5074.1</u>	<u>0.0</u>	<u>—</u>	<u>2-9-17</u>	<u>5708.5</u>	<u>634.4</u>	<u>—</u>	<u>INSPECTION</u>
<u>6-8-17</u>	<u>0355</u>	<u>269C-1</u>	<u>BRA</u>	<u>4269.1</u>	<u>634.4</u>	<u>—</u>	<u>2-16-21</u>	<u>4560.7</u>	<u>926.0</u>	<u>—</u>	<u>USE 0.101 IN ACFT</u>
<u>2-16-21</u>	<u>0356</u>	<u>269C-1</u>	<u>USATS</u>	<u>5047.7</u>	<u>926.0</u>	<u>—</u>	<u>6/22/23</u>	<u>5218.1</u>	<u>1096.4</u>		<u>Inspection</u>
<u>11-1-24</u>	<u>0356</u>	<u>269C-1</u>	<u>USATS</u>	<u>5638.2</u>	<u>1096.4</u>						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT M/R Pitch ShaftPART NUMBER 269A1240-7SERIAL NUMBER S-7840

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3600	4000	4000	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT		COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H		A/C HRS		SINCE NEW	SINCE O/H	
2/25/15	0356	269C-1	BRA	3992.7	4							

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

COMPONENT M/R PITCH SHAFT
 PART NUMBER 269A1240-7
 SERIAL NUMBER S8735

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

MODEL	269A B 269C 269C-1 269D
OVERHAUL	N/A N/A N/A N/A
LIFELIMIT	N/A 3600 4000 4000

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
2/24/15	0356	269C-1	BRA	3992.7	NEW	

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

BULLETIN COMPLIANCE., ETC.

ALL AD'S AND SB'S COMPLETED
 WITHIN 14 DAYS BY WICKLY

DESCRIPTION OF WORK PERFORMED

UNIT WAS REPAIRED PER HMYZ

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY

DATE

SIGNATURE AND CERT #

AIRC-TECHS REMAINS 5/22/14 AMO 82 79 AN 239B

[illegible]PART NAME 

PART NUMBER

NAME: Bearing

NO: 269A / 231

NAME: Gearing

NO: 269A1231

NAME:

NO:

NAME: _____

NO:

NAME: _____

NO:

NAME: _____

NO:

NAME: _____

NO:

NAME: _____

NO:

NAME: _____

NO:

INSTALLED INTERNAL PARTS								
PART NAME PART NUMBER	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
		DATE COMPONENT HOURS	SINCE NEW HOURS	SINCE OVERHAUL HOURS		DATE AIRCRAFT HOURS	ACCUMULATED TIME ASSEMBLY OR PART	SINCE NEW HOURS
NAME: PITCH HOUSING	\$1612	12-19-08	0.0		N/A			
NO: 269A1220-13		0.0			ON CONDITION			
NAME: BEARING	14695	12-19-08	0.0		N/A	5-17-11		
NO: 269A1231		0.0			ON CONDITION	1752.6	1752.6	—
NAME: SHAFT	\$8142	12-19-08	0.0		N/A	2/25/15		
NO: 269A1240-7		0.0			4000	3992.7	3992.7	—
NAME: SPACER	\$1612	12-19-08	0.0		N/A			
NO: 269A1205		0.0			ON CONDITION			
NAME: <i>Bearing</i>	15453	5-17-11	ALT		N/A ON	4-3-12		
NO: 269A1231		0.0	1752.6		Condition	2279.9	522.3	—
NAME: BEARING	15926	4-3-12	2279.9	—	N/A	6-5-14		
NO: 269A1231		0.0			ON CONDITION	3535.1	1255.2	—
NAME: BEARING	16468	6-5-14	ACFT TT	—	N/A	4-27-17		
NO: 269A1231		0.0	3535.1		ON CONDITION	4509.2	974.1	—
NAME: <i>SHAFT</i>	\$8735	2/25/15	ALT TT	—	N/A ON			
NO: 269A1240-7		0.0	3992.7		to 4000			

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Pitch Housing Assy

PART NUMBER 269A1221-7

SERIAL NUMBER 51612

MODEL	269C	269C-1	269D
OVERHAUL	N/A	N/A	N/A
LIFELIMIT	N/A	N/A	N/A

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
<u>8/27/08</u>	<u>0356</u>	<u>269C-1</u>	<u>SZR</u>	<u>0.0</u>	<u>0.0</u>						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

INSTALLED INTERNAL PARTS								
PART NAME	SERIAL NUMBERS	ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS
PART NUMBER		COMPONENT HOURS			COMPONENT HOURS	AIRCRAFT HOURS		
NAME: PITCH HOUSING	50812	6/15/05	0.0		N/A			
NO: 269A1220-13		0.0			ON CONDITION			
NAME: BEARING	13040	6/15/05	0.0		N/A	3/11/09	2976.3	—
NO: 269A1231		0.0			ON CONDITION	2976.9		
NAME: SHAFT	56545	6/15/05	0.0		N/A	12-20-10	3998.2	—
NO: 269A1240-7		0.0			4000	3998.2		
NAME: SPACER	50812	6/15/05	0.0		N/A			
NO: 269A1205		0.0			ON CONDITION			
NAME: <i>Bearing</i>	14774	3/11/09	2976.9		N/A	11-14-15	1990.9	—
NO: <i>269A1231</i>		0.0			on Condition	4967.8		
NAME: <i>SHAFT</i>	57662	12-20-10	3998.2	—	N/A			
NO: <i>269A1240-7</i>		0.0			4000			
NAME: <i>Bearing</i>	16910	11-14-15	4967.8	—				
NO: <i>269A1231</i>		0.0						
NAME:								
NO:								

A

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Pitch Housing AssyPART NUMBER 269A1221-7SERIAL NUMBER S 0812

MODEL	269C	269C-1	269D
OVERHAUL	N/A	N/A	N/A
LIFELIMIT	N/A	N/A	N/A

SCHWEIZER AIRCRAFT CORP.

1250 Schweizer Rd. • Horseheads, NY 14845

Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
9/15/05	0208	269C-1	SZR	0.0	0	New	11/5/13	4543.7	4543.7	-	Use on 1658X
11/6/13	0275	269C-1	BRA	3799.1	4543.7	-	8/12/20	5163.4	5708.0	-	Storage
7/24/23	0356	269C-1	USATS	5246.4	5708	-					

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

BULLETIN COMPLIANCE., ETC.

DESCRIPTION OF WORK PERFORMED

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY

DATE

SIGNATURE AND CERT #

PAGE 1 OF 1

COMPONENT	M/R Pitch Shaft
PART NUMBER	269A1240-7
SERIAL NUMBER	57662

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	3600	4000	4000	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

REMOVAL DATA

INSTALLED ON			BY	INSTALLED	COMPONENT HOURS		DATE	REMOVED AT	COMPONENT HOURS		REASON FOR REMOVAL
DATE	A/C #	MODEL #	(ACTIVITY)	AT A/C HRS	SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW	SINCE O/H	
9-27-10					NEW						
12-20-10	0208	269C-1	BRA	3998.2	NEW	—	11/5/13	4543.7	545.5	—	USE ON 1458X
11/6/13	0275	269C-1	BRA	3999.1	545.5	—	8-12-20	5163.4	1709.8	—	Storage
7/26/23	0356	269C-1	USATS	5246.4	1709.8						

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

[illegible]

[illegible]

[illegible][illegible]

INSTALLED INTERNAL PARTS								
		ORIGINALLY PLACED IN SERVICE	INSTALLATION DATA		SCHEDULED REMOVAL	REMOVAL DATA		
			ACCUMULATED TIME ON ASSEMBLY OR PART				ACCUMULATED TIME ON ASSEMBLY OR PART	
PART NAME	SERIAL NUMBERS	DATE	SINCE NEW HOURS	SINCE OVERHAUL HOURS	DATE		DATE	SINCE NEW HOURS
PART NUMBER		COMPONENT HOURS				COMPONENT HOURS	AIRCRAFT HOURS	
NAME: PITCH HOUSING	51603	12-19-08	0.0		N/A			
NO: 269A1220-13		0.0			ON CONDITION			
NAME: BEARING	14668	12-19-08	0.0		N/A	6-1-10	1172.6	—
NO: 269A1231		0.0			ON CONDITION	1172.6		
NAME: SHAFT	58141	12-19-08	0.0		N/A	2/25/15	3992.7	—
NO: 269A1240-7		0.0			4000	3992.7		
NAME: SPACER	51603	12-19-08	0.0		N/A			
NO: 269A1205		0.0			ON CONDITION			
NAME: BEARING	15249	6-1-10	1172.6	—	N/A	5/17/11	580.0	—
NO: 269A1231		0.0			ON CONDITION	1752.6		
NAME: BEARING	15560	5-17-11	1752.6	—	N/A ON	4-3-12	527.3	—
NO: 269A1231		0.0			CONDITION	2279.9		
NAME: BEARING	15710	4-3-12	2279.9	—	N/A	6.5.14	1255.2	—
NO: 269A1231		0.0			ON CONDITION	3535.1		
NAME: BEARING	16359	6.5.14	ACFT TT: 3535.1	—	N/A	4-27-17	974.1	—
NO: 269A1231		0.0			ON CONDITION	4509.2		

HISTORICAL SERVICE RECORD

PAGE 1 OF 2

COMPONENT Pitch Housing Assy

PART NUMBER 269A1221-7

SERIAL NUMBER 51603

MODEL	269C	269C-1	269D
OVERHAUL	N/A	N/A	N/A
LIFELIMIT	N/A	N/A	N/A

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY	INSTALLED	COMPONENT HOURS	
	A/C #	MODEL #	(ACTIVITY)	AT A/C HRS	SINCE NEW	SINCE O/H
12/21/08	0356	269C-1	SZR	0.0	0.0	

REMOVAL DATA

DATE	REMOVED AT	COMPONENT HOURS		REASON FOR REMOVAL
	A/C HRS	SINCE NEW	SINCE O/H	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF

COMPONENT M/R Blade
 PART NUMBER 269A1185-1
 SERIAL NUMBER 54120

MODEL	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	
LIFELIMIT	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT		COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW	SINCE O/H		
2/27/09	0365	269C-1	SZR	0.0	0.0	—	12-17-12	2374.1	2374.1	—	INSPECTION	
12-14-12	0120	269C-1	BRA	4582.0	2374.1	—	1-28-13	4583.4	2375.5	—	ADD TIP WEIGHT	
2-8-13	0120	269C-1	BRA	4583.4	2375.5	—	8-13-13	4599.3	2391.4	—	PAINT	
10-11-13	0120	269C-1	BRA	4599.3	2391.4	—	11/5/13	4600.4	2392.5	—	CHG TO 1658X	
11/6/13	0275	269C-1	BRA	3999.1	2392.5	—	12-21-14	4573.9	2967.3	—	INSPECTION	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

CERTIFYING DATA ON WORK PERFORMED

BULLETIN COMPLIANCE., ETC.

DESCRIPTION OF WORK PERFORMED

BY ACTIVITY

DATE

SIGNATURE AND CERT

Inspected IAW 269A Basic HMI and Supp C. Replaced the abrasion strip with an extended chord 36" long
 abrasion strip per ACSF SAI.300.MR.01 .106 and ERR 005. Replaced rivets per Basic HMI section 8-15e.
 Refinished paint and balanced per Basic HMI and ACSF SAI.300.MR.01 .104 and .103. TTSN 2374.1-----

The item listed above has been inspected I.A.W. Sikorsky Basic HMI Section 8-11, 8-13 and HMI Supplement C. See
 balance check per ACSF SAI.300.MR.01 .103. Work complies with customer purchase order. Complete details on file
 in WO#2552. TTSN: 3673.4.

ACCEPT
 6A8R903B 1/20/13 [Signature]
 ACCEPT
 3 Repair 02/28/19 [Signature] 6A8R903B

HISTORICAL SERVICE RECORD

PAGE 2 OF

COMPONENT M/R BLADE
 PART NUMBER 269A1185-1
 SERIAL NUMBER 54120

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	N/A	
LIFELIMIT	N/A	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS	
	A/C #	MODEL #			SINCE NEW	SINCE O/H
1.22.15	0365	269C-1	BRA	3566.9	2967.3	—
3.16.17	0185	269C-1	BRA	5769.3	3386.2	—
4.8.20	0356	269C-1	USATS	4897.3	3673.4	—

REMOVAL DATA

DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
		SINCE NEW	SINCE O/H	
8.22.16	3985.8	3386.2	—	INSPECTION
12.6.18	6056.5	3673.4	—	INSPECTION

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN COMPLIANCE., ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED		
		BY ACTIVITY	DATE	SIGNATURE AND CERT #

HISTORICAL SERVICE RECORD

PAGE 1 OF 1

COMPONENT M/R Blade
 PART NUMBER 269A1185-1
 SERIAL NUMBER 54115

MODEL	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	
LIFELIMIT	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
 1250 Schweizer Rd. • Horseheads, NY 14845
 Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON		BY (ACTIVITY)	INSTALLED AT A/C HRS	COMPONENT HOURS		DATE	REMOVED AT A/C HRS	COMPONENT HOURS		REASON FOR REMOVAL
	A/C #	MODEL #			SINCE NEW	SINCE O/H			SINCE NEW	SINCE O/H	
2/27/09	0365	269C-1	52R	0.0	0.0	—	12-17-12	2374.1	2374.1	—	INSPECTION
2-8-13	0120	269C-1	BRA	4582.0	2374.1	—	8-13-13	4599.3	2391.4	—	PAINT
10-11-13	0120	269C-1	BRA	4599.3	2391.4	—	11/5/13	4600.4	2392.5	—	CHANGE TO 1658X
11/4/13	0275	269C-1	BRA	3599.1	2392.5	—	11-21-14	4573.9	2967.3	—	INSPECTION
1-22-15	0365	269C-1	BRA	3566.9	2967.3	—	8-22-16	3985.8	3386.2	—	INSPECTION ABRASION STRIP DEBOND.
3-16-17	0185	269C-1	BRA	5769.3	3386.2	—	12-6-18	6056.5	3673.4	—	

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

BULLETIN COMPLIANCE, ETC. DESCRIPTION OF WORK PERFORMED

Inspected IAW 269A Basic HMI and Supp C. Replaced the abrasion strip with an extended chord 36" long abrasion strip per ACSF SAI.300.MR.01 .106 and ERR 005. Replaced rivets per Basic HMI section 8-15e. Refinished paint and balanced per Basic HMI and ACSF SAI.300.MR.01 .104 and .103. TTSN 2374.1.....

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY	DATE	SIGNATURE AND CERT #
ACCEPT 12300A	6A8R903B 1/20/13	Palmer
ACCEPT 6A8R903B	11/7/16	Palmer
ACCEPT 6A8R903B	02/28/19	Palmer

The item listed above has been inspected I.A.W. Sikorsky Basic HMI Section 8-11, 8-13 and HMI Supplement C. Repaired erosion hole in the skin on leading edge just in board of the A/S with a skin patch and doubler per ACSF ERR-003. Complete refinishing per HMI, CSP-A-3. Static balance check per ACSF SAI.300.MR.01 .103. Work complies with customer purchase order. Complete details on file in WO#1637. TTSN: 3386.28

The item listed above has been inspected I.A.W. Sikorsky Basic HMI Section 8-11, 8-13 and HMI Supplement C.

Installed doubler on the leading edge inboard of A/S per ACSF ERR-003. Repaired skin with coing patch under A/S per ACSF ERR-004. Installed 36" ext. chord A/S per ERR-005. Complete refinishing per HMI, CSP-A-3. Static balance check per ACSF SAI.300.MR.01 .103. Work complies with customer purchase order. Complete details on file in WO#2551. TTSN:

3673.4

PAGE _____ OF _____

COMPONENT	M/R BLADE
PART NUMBER	269A1185-1
SERIAL NUMBER	54115

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL	—	—	—	—	Applies When Changed
LIFELIMIT	5500	5500	5500	3050	Between Models

REMOVAL DATA

[illegible][illegible]

HISTORICAL SERVICE RECORD

PAGE 1 OF COMPONENT M/R BladePART NUMBER 269A1185-1SERIAL NUMBER 54114

MODEL	269C	269C-1	269D	Lowest Life Limit Applies When Changed Between Models
OVERHAUL	N/A	N/A	N/A	
LIFELIMIT	5500	5500	3050	

SCHWEIZER AIRCRAFT CORP.
1250 Schweizer Rd. • Horseheads, NY 14845
Phone: 607-739-3821 Fax: 607-796-2488

INSTALLATION DATA

REMOVAL DATA

INSTALLED ON			BY	INSTALLED	COMPONENT HOURS		DATE	REMOVED AT	COMPONENT HOURS		REASON FOR REMOVAL
DATE	A/C #	MODEL #	(ACTIVITY)	AT A/C HRS	SINCE NEW	SINCE O/H		A/C HRS	SINCE NEW	SINCE O/H	
2/27/09	0365	269C-1	SZR	0.0	0.0	—	12-17-12	2374.1	2374.1	—	INSPECTION
2-8-13	0120	269C-1	BRA	4582.0	2374.1	—	8-13-13	4599.3	2391.4	—	PAINT
10-11-13	0120	269C-1	BRA	4599.3	2391.4	—	11/5/13	4600.4	2392.5	—	COMP TO 7658X
11/6/13	0275	269C-1	BRA	3999.1	2392.5	—	11.21.14	4573.9	2967.3	—	INSPECTION
1-22-15	0365	269C-1	BRA	3566.9	2967.3	—	8.22.16	3985.8	3386.2	—	INSPECTION
3.16.17	0185	269C-1	BRA	5769.3	3386.2	—	12.6.18	6056.5	3673.4	—	Inspection.

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE

BULLETIN COMPLIANCE, ETC. DESCRIPTION OF WORK PERFORMED

Inspected IAW 269A Basic HMI and Supp C. Replaced the abrasion strip with an extended chord 36" long abrasion strip per ACSF SAI.300.MR.01 .106 and ERR 005. Replaced rivets per Basic HMI section 8-15e. Refinished paint and balanced per Basic HMI and ACSF SAI.300.MR.01 .104 and .103. TTSN2374.1

The item listed above has been inspected I.A.W. Sikorsky Basic HMI Section 8-11, 8-13 and HMI Supplement C. SAI.300.MR.01 .103. Work complies with customer purchase order. Complete details on file in WO#2550. TTSN: 3673.4.

CERTIFYING DATA ON WORK PERFORMED

BY ACTIVITY DATE SIGNATURE AND CERT #

ACSF

ACCEPT

ACSF

ACCEPT

3

6A8R903B 1/20/13 Paul
Repair 2/28/19 6A8R903B

PAGE OF

COMPONENT	M/R BLADE
PART NUMBER	269A1185-1
SERIAL NUMBER	54114

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL					Applies When Changed
LIFELIMIT	—	5500	5500	3000	Between Models

REMOVAL DATA

[illegible]

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

[illegible]

HISTORICAL SERVICE RECORD

PAGE ____ OF ____

COMPONENT Lower Coupling Belt Drive shaft
 PART NUMBER 269A5559-003
 SERIAL NUMBER \$ 2270

MODEL	269A & B	269C	269C-1	269D	Lowest Life Limit
OVERHAUL					Applies When Changed
LIFELIMIT			6000		Between Models

INSTALLATION DATA

REMOVAL DATA

DATE	INSTALLED ON	BY	INSTALLED	COMPONENT HOURS		DATE	REMOVED	COMPONENT HOURS	REASON FOR
A/C #	MODEL	ACTIVITY	AT A/C HRS	SINCE NEW	SINCE O/H	AT A/C HRS	SINCE NEW	SINCE O/H	REMOVAL
7-25-18	0355	269C-1	USATS	4380.4	0	1-6-2020	4524.1	143.7	MPI Insp
4-27-20	0307	269C-1	USATS	6230.5	143.7	12-16-20	6379.9	293.1	MPI Insp
22 Nov 21	0356	269C-1	USATS	5902.5	293.1	6-2-23	5210.0	440.6	MPI Insp
6/15/23	0360	269C-1	USATS	3832.4	440.6	11/27/23	3944.1	552.3	MPI Insp
6/3/24	0356	269C-1	USATS	5476.5	440.6	10/14/24	5624.6	700.4	MPI Insp
6/19/25	0356	269C-1	USATS	5774.1	700.4				

TECHNICAL DIRECTIVES AND HISTORY OF OVERHAUL

OVERHAUL, SERVICE BULLETIN, COMPLIANCE, ETC.	DESCRIPTION OF WORK PERFORMED	CERTIFYING DATA ON WORK PERFORMED
		BY ACTIVITY DATE SIGNATURE AND CERT #
AD 2017-14-06	NEW	USATS 7-25-18 [Signature] HAYR 295X
AD 2017-14-06	MPI	Power Aviation 1-8-2020 ZLZR567L
AD 2017-14-06	MPI	Power Aviation 12-18-2020 ZLZR567L
AD-2017-14-06	MPI	Power Aviation 6/1/2023 ZLZR567L
AD-2017-14-06	MPI	Power Aviation 11/30/2023 ZLZR567L [Signature]
AD-2017-14-06	MPI	Power Aviation 10/24/2024 ZLZR567L [Signature]