


#2

The Standard
 ENGINE LOG

ASA-SE-2



Engine Log

ST. PETE AIR
107 8th Ave SE

Saint Petersburg, FL 33701

Tail #: N8575F

Date: 08/23/2024

Tach: 7460

TTE: 7460

SMOH: 2060.03

Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 70/80 #2 72/80 #3 78/80 #4 76/80. Removed sparkplugs cleaned, gapped, tested and reinstalled plugs. Drained oil. Removed filter and checked for metal (no metal noted). Installed new oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil and Camguard. Removed and replaced crankshaft seal P/N lw13792. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn

AP 4069417

Sections, Tests, Repairs and Alterations
ed with Name, Rating and Certificate Number of
facility. (See back pages for other specific entries)



Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg, FL 33701
Tail #: N8575F
Date: 06/18/2024
Tach: 7263.12
TTE: 7263.12
SMOH: 1863.15

Performed a 100-hour inspection I/AW FAR43 app D and Piper inspection form as a guide. Performed compression check #1 72/80 #2 74/80 #3 74/80 #4 76/80. Removed and replaced 5 spark plugs P/N REM38e, cleaned, gapped, tested and reinstalled remaining plugs. Drained oil. Removed filter and checked for metal (no metal noted). Installed new oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil and Camguard. I certify this engine has been inspected I/AW a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn
AP 4069417

Inspections, Tests, Repairs and Alterations
Recorded with Name, Rating and Certificate Number of Facility. (See back pages for other specific entries.)

Re-attach oil temp.
wire at sender ops. ✓ OK
TACH 7263.4 6-20-24
W- Lucky AP 1823790

YEAR
DA


RECORDING
TACH

TODAY'S
FLIGHT

TOTAL
TIME IN

Description of Inspections, Tests, Repairs and Alterations

Entries must be endorsed with Name, Rating and Certificate Number of Pilot. (See back pages for other specific entries.)



Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg, FL 33701
Tail #: N8575F
Date: 07/16/2024
Tach: 7363.12
TTE: 7363.12
SMOH: 1963.15

Performed a 100-hour inspection I/AW FAR43 app D and Piper inspection form as a guide. Performed compression check #1 80/80 #2 76/80 #3 72/80 #4 78/80. Removed sparkplugs cleaned, gapped, tested and reinstalled plugs. Drained oil. Removed filter and checked for metal (no metal noted). Installed new oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil and Camguard. I certify this engine has been inspected I/AW a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn
AP 4069417

YEAR

DATE



Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg,
FL 33701

Tail #: N8575F
Date: 04/02/2024
Tach: 6949.23
TTE: 6949.23
SMOH: 1549.23

Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 78/80 #2 76/80 #3 70/80 #4 80/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn
AP 4069417

pections, Tests, Repairs and Alterations

sed with Name, Rating and Certificate Number of
'acility. (See back pages for other specific entries.)




Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg,
FL 33701

Tail #: N8575F
Date: 04/30/2024
Tach: 7076.93
TTE: 7076.93
SMOH: 1676.96

Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 74/80 #2 78/80 #3 72/80 #4 78/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA4811 and serviced with 6 qts of Phillips 20W50 XC oil and Camguard. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn
AP 4069417



Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg, FL 33701

Tail #: N8575F
Date: 05/20/2024
Tach: 7156.04
TTE: 7156.04
SMOH: 1756.07

Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 72/80 #2 74/80 #3 74/80 #4 76/80. Removed and replaced 1 spark plug P/N REM38e, cleaned, gapped, tested and reinstalled remaining plugs. Drained oil. Removed filter and checked for metal (no metal noted). Installed new oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil and Camguard. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn

YEAR DATE	RECORDING TACH TIME		ts, Repairs and Alterations ating and Certificate Number of pages for other specific entries.)	YEAR DATE		itions, Tests, Repairs and A with Name, Rating and Certificate ty. (See back pages for other spec
		 Engine Log				
		ST. PETE AIR 107 8 th Ave SE Saint Petersburg, FL 33701				
		Tail #: N8575F Date: 02/09/2024 Tach: 6835.0 TTE: 6835.0 SMOH: 1435.0				
		Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 80/80 #2 70/80 #3 80/80 #4 75/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.				
		Charles Flynn AP 4069417				

YEAR DATE		itions, Tests, Repairs and A with Name, Rating and Certificate ty. (See back pages for other spec
	 Engine Log	
	ST. PETE AIR 107 8 th Ave SE Saint Petersburg, FL 33701	
	Tail #: N8575F Date: 02/23/2024 Tach: 6850.78 TTE: 6850.78 SMOH: 1450.78	
	Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 80/80 #2 70/80 #3 72/80 #4 80/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.	
	Charles Flynn	
	AP 4069417	



Tail #: N8575F
Date: 11/17/2023
Tach: 6640.7
TTE: 6640.7
SMOH: 1240.7

Performed an annual inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 72/80 #2 74/80 #3 76/80 #4 70/80. Removed spark plugs, cleaned, gapped, tested and tested. Replaced 8 spark plugs with new P/N REM38E and installed remaining plugs. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/A/W an annual inspection & FAR 43 app D and of this date found to be in airworthy condition.

Blake Reischmann
AP/IA 2732439

endorsed with Name, Rating and Certificate Number of Repair Facility. (See back pages for other specific entries.)

Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg,
FL 33701

Tail #: N8575F
Date: 01/17/2024
Tach: 6741.0
TTE: 6741.0
SMOH: 1341.0

Performed a 100-hour inspection I/A/W FAR43 app D and Piper inspection form as a guide. Performed compression check #1 76/80 #2 74/80 #3 74/80 #4 80/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn_

itions, Tests, Repairs and A
with Name, Rating and Certificate N
ty. (See back pages for other spec

YEAR

DATE



Engine Log

ST. PETE AIR

107 8th Ave SE

Saint Petersburg, FL 33701

Tail #: N8575F

Date: 05/11/2023

Tach: 6461.78

TTE: 6461.78

SMOH: 1061.78

Performed a 100-hour inspection I/AW FAR43 app D and Piper inspection form as a guide. Performed compression check #1 70/80 #2 72/80 #3 76/80 #4 76/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/AW a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn

AP 4069417

Tests, Repairs and Alterations
(e, Rating and Certificate Number of
back pages for other specific entries.)

YEAR

DATE



Engine Log

ST. PETE AIR

107 8th Ave SE

Saint Petersburg, FL 33701

Tail #: N8575F

Date: 06/07/2023

Tach: 6543.7

TTE: 6543.7

SMOH: 1143.7

Performed a 100-hour inspection I/AW FAR43 app D and Piper inspection form as a guide. Performed compression check #1 78/80 #2 74/80 #3 76/80 #4 80/80. Removed spark plugs, cleaned, gapped, tested and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48110-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/AW a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn

AP 4069417

Tests, Repairs and Alterations
(e, Rating and Certificate Number of
back pages for other specific entries.)

ST. PETE AIR
107 8th Ave SE
Saint Petersburg, FL 33701


Tail #: N8575F
Date: 11/01/2022
Tach: 6070.0
TTE: 6070.0
SMOH: 670.0

Performed a 100-hour inspection I/A/W FAR43 app D and Piper annual inspection form as a guide. Performed compression check #1 80/80 #2 80/80 #3 72/80 #4 80//80. Removed spark plugs, cleaned, gapped and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48111-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/A/W a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Blake Reischmann
AP/IA 2732439

Tests, Repairs and Alterations
(e, Rating and Certificate Number of
back pages for other specific entries.)

YEAR _____
DATE _____



Engine Log

ST. PETE AIR
107 8th Ave SE
Saint Petersburg, FL 33701

Tail #: N8575F
Date: 01/12/2023
Tach: 6159.0
TTE: 6159.0
SMOH: 759.0

Performed a 100-hour inspection I/AW FAR43 app D and Piper inspection form as a guide. Performed compression check #1 72/80 #2 76/80 #3 72/80 #4 80/80. Removed spark plugs, cleaned, gapped and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48111-2 and serviced with 6 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/AW a 100-hour inspection & FAR 43 app D and of this date found to be in airworthy condition.

Charles Flynn
AP 4069417

Tests, Repairs and Alterations

[illegible][illegible]

Engine Log

ST. PETE AIR

107 8th Ave SE

Saint Petersburg, FL 33701

Tail #: N8575F

Date: 08/19/2022

Tach: 5974.0

ΤΡΕ: 5974.0

SMOH: 574.0

Performed an annual inspection I/AW FAR43 app D and Piper annual inspection form as a guide. Performed compression check #1 78/80 #2 74/80 #3 76/80 #4 78/80. Removed spark plugs, cleaned, gapped and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Tempest oil filter P/N AA48111-2 and serviced with 7 qts of Phillips 20W50 XC oil. I certify this engine has been inspected I/AW an annual inspection & FAR 43 app D and of this date found to be in airworthy condition.

Blake Reischmann

AP/IA 2732439

Tests, Repairs and Alterations
(Rating and Certificate Number of
each page for other specific entries.)

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
6-22-20	5830.8			DRAINED OIL, CHANGED FILTER & SERVICED WITH 7qtS Aero Shell 15W50 OIL. CHECKED FILTER NO METAL NOTED.
9-2-20	5836.2		5836.2	Richard Compton A&P 16389572 COMP. CHECK
	TSMOH	436.2		1) 74/80 2) 76/80 3) 78/80 4) 76/80, REPLACED ALL 8 SPARK PLUGS, REPLACED INDUCTION AIR FILTER Richard Compton A&P, IA I CERTIFY THAT THIS ENG HAS BEEN INSP BY AN ANNUAL INSP & HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION FOR RETURN TO SERVICE Richard Compton A&P, IA 16389572

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
4-7-21	5856.6		5856.6	DRAINED OIL, CHANGED FILTER AND SERVICED WITH 7qtS OF Aero Shell 15W50 OIL. Richard Compton A&P 16389572
5-10-21	5857.1		5857.1	REPLACED CARBURETOR WITH AN OVERHAULED UNIT SAMS J5409 ADJUSTED LE SPEED & MIXTURE ENG CHECKED GOOD ON GROUND RUN REPLACED MUFFLER BETWEEN #2 & #4 CYL. Richard Compton A&P 16389572
11-1-21	5874.0		5874.0	DRAINED OIL, CHANGED FILTER & SERVICED WITH 7qtS OF Aero Shell 15W50 COMPACT 15W80 2) 76/80 3) 77/80 4) 78/80 REPLACED VAC PUMP WITH A NEW BA 3215CC PUMP SN ORCB20 REMOVED SN 22239 REPLACED INDUCTION AIR FILTER I CERTIFY THAT THIS ENG HAS BEEN INSP

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

Sarasota Avionics Inc Tampa (TPA) Engine
 845 Severn Ave. Tampa, FL 33606
 Tail No.: N8575F/Lycoming/O-360-A4A/Serial Number:L-15383-36A
 Date: 9/4/18 Work Order: M630
 Tach: 5742.1 Hobbs: 897.6 Engine TT: 5742.1 Engine TSMO: 342.1



I certify that this engine has had an annual inspection IAW FAR43 Appendix D and was determined to be in an airworthy condition and is approved for return for service. All applicable airworthiness directives through 9/4/18 have been reviewed and/or complied with. List in logbook. Cylinder compressions 1-77, 2-76, 3-76, 4-74. Performed oil change, took oil sample, serviced engine with 8qts A.S. 15W50. Inspected old oil filter, no metal found. Cleaned and gapped all plugs, checked mag timing, lubed and checked engine controls. Replaced induction air filter. Secured loose muffler shroud. Removed and replaced fwd crank shaft seal and #1 intake gasket and hose. Performed ground run up, all applicable leak and ops checks good.

Steven D. Reifeis A&P35055351A

YEAR
DATE



Engine Log

ST. PETE AIR Tail #: N8575F
 107 8th Ave SE Date: 09/17/2019
 Saint Petersburg, FL 33701 Tach: 5782.7
 ITE: 5782.7
 SMOH: 382.7

Performed an Annual inspection I/AW FAR43 app D and Piper annual inspection form as a guide. Performed compression check #1 76/80 #2 76/80 #3 72/80 #4 75/80 Removed spark plugs, cleaned, gapped and reinstalled. Drained oil. Removed filter and checked for metal- none found. Installed new Champion oil filter P/N Ch48110-2 and serviced with 6 qts of Aeroshell W100 oil. I certify this engine has been inspected I/AW an annual inspection & FAR 43 app D and of this date found to be in airworthy condition.

Blake Reischmann

AP/IA 2732439

Tests, Repairs and Alterations
 e, Rating and Certificate Number of
 back pages for other specific entries.)


YEAR
DATE

DATE 06/15/2015 TACH 5649.17 HOBB 799.8 #N8575F
TTE 5649.17 TSMOH 249.17

Advanced
Aviation Inc.

Alterations
= Number of
specific entries.)

COMPLIED WITH ANNUAL INSPECTION. CHANGED OIL AND FILTER CH48110-1 AND ADDED 8QT'S AEROSHELL 15W-50 OIL. INSPECTED FILTER FOR METAL, NONE NOTED. COMPRESSION TEST #1 75/80 #2 75/80 #3 74/80 #4 76/80. CHECKED MAG TIMING AND TESTED ALL LEADS. CLEANED GAPPED TESTED AND ROTATED PLUGS. CLEANED AND INSPECTED FUEL BOWL AND SCREENS. REPLACED INDUCTION AIR FILTER WITH NEW BA3. TIGHTENED ALL ALTERNATOR CASE HALF BOLTS AND RESAFETY WIRED. INSPECTED ALL INTAKE AND EXHUAST SYSTEMS. INSPECTED MUFFLER AND HEAT COLLECTOR. INSPECTED AND LUBED ALL ENGINE CONTROLS. CHECKED ALL AD'S THRU THIS DATE. WASHED DOWN ENGINE. RUN UP OPERATIONAL TEST CHECKED GOOD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O. 2623 DATED 06/15/2015
SIGNED  A&P 2657747 IA
HOWARD CHOUANARD, ADVANCED AVIATION INC. PHONE 952-412-3395


YEAR
DATE

DATE 06/17/2016 TACH 5664.69 HOBB 816.3 #N8575F
TTE 5664.69 TSMOH 264.69

Advanced
Aviation Inc.

Alterations
= Number of
specific entries.)


COMPLIED WITH ANNUAL INSPECTION. CHANGED OIL AND FILTER CH48110-1 AND ADDED 8QT'S AEROSHELL 15W-50 OIL. INSPECTED FILTER FOR METAL, NONE NOTED. COMPRESSION TEST #1 77/80 #2 78/80 #3 75/80 #4 78/80. CHECKED MAG TIMING AND TESTED ALL LEADS. CLEANED GAPPED TESTED AND ROTATED PLUGS. CLEANED AND INSPECTED FUEL BOWL AND SCREENS. INSPECTED ALL INTAKE AND EXHUAST SYSTEMS. INSPECTED MUFFLER AND HEAT COLLECTOR. INSPECTED AND LUBED ALL ENGINE CONTROLS. CHECKED ALL AD'S THRU THIS DATE. WASHED DOWN ENGINE. RUN UP OPERATIONAL TEST CHECKED GOOD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O. 2756 DATED 06/17/2016
SIGNED  A&P 2657747 IA

DATE 07/12/2017 TACH 5671.27 HOBB 823.4 #N8575F
(corrected)TTE 5978.06 TSMOH 271.27

Advanced
Aviation Inc.

COMPLIED WITH ANNUAL INSPECTION. CHANGED OIL AND FILTER CH48110-1 AND ADDED 8QT'S AEROSHELL 15W-50 OIL. INSPECTED FILTER FOR METAL, NONE NOTED. (oil sample taken). COMPRESSION TEST #1 75/80 #2 77/80 #3 75/80 #4 76/80. CHECKED MAG TIMING AND ALL LEADS. CLEANED GAPPED TESTED AND ROTATED PLUGS. CLEANED AND INSPECTED FUEL BOWL AND SCREENS. REMOVED AND REPLACED PROP SEAL WITH NEW P/N LW-13792. REINSTALLED PROP TORQUED AND SAFETY WIRED ALL BOLTS. INSPECTED ALL INTAKE AND EXHUAST SYSTEMS. INSPECTED MUFFLER AND HEAT EXCHANGER. INSPECTED AND LUBED ALL CONTROLS. CHECKED ALL AD'S THRU THIS DATE. WASHED DOWN ENGINE. RUN UP OPERATIONAL TEST CHECKED GOOD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O. 2868 DATED 07/12/2017
SIGNED  A&P 2657747 IA
HOWARD CHOUANARD, ADVANCED AVIATION INC. PHONE 952-412-3395

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	-------------------	-----------------------------	---

DATE 2/10/2010 TACH 5553.54 HOBB 695.0 #N8575F
TTE 5553.54 TSMOH 153.54

**Advanced
Aviation Inc.**

COMPLIED WITH ANNUAL INSPECTION. CHANGED OIL AND FILTER CH48110-1 AND ADDED 7QT'S AEROSHELL 15W-50 OIL. INSPECTED FILTER FOR METAL. NONE NOTED. COMPRESSION CHECK. #1 78/80 #2 77/80 #3 76/80 #4 78/80. CLEANED GAPPED TESTED AND ROTATED ALL PLUGS. CHECKED MAG TIMING AND TESTED ALL LEADS. CLEANED AND INSPECTED FUEL BOWL AND SCREENS. REPLACED PROP SEAL WITH NEW P/N LW-13792 SEAL. REINSTALLED PROP AND TOQUED PER PIPER MAINTENANCE MANUAL. SAFETY WIRED PROP BOLTS. REMOVED #2 CYLINDER EXHUAUST RISER AND REPAIRED BY WELDING SMALL CRACK. REINSTALLED AND TORQUED ALL NUTS. CLEANED AIR FILTER. INSPECTED ALL INTAKE AND EXHAUST SYSTEMS. INSPECTED AND LUBED ALL CONTROLS. AD 2009-26-12. FOUND DOES APPLY. ECI CYLINDERS FALL INTO GROUP "B". CYLINDERS NEED TO BE REPLACED BEFORE ACCUMULATING 350 HOURS, AS PER PARAGRAPH II (A) THRU (K). CURRENT TIME ON CYLINDERS IS 153.54. CYLINDERS PASSED VISUAL AND COMPRESSION TEST. CHECKED ALL AD'S THRU THIS DATE. WASHED DOWN ENGINE. RUN UP CHECKED GOOD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O.2094 DATED 2/10/2010
SIGNED *Howard Chouanard* A&P 2657747 IA
HOWARD CHOUANARD, ADVANCED AVIATION INC. PHONE 952-412-3395

YEAR DATE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---

DATE 3/15/2010 TACH 5555.20 TSMOH 155.20 #N8575F

**Advanced
Aviation Inc.**

COMPLIED WITH AD2009-26-12 BY REMOVEING ALL ECI CYLINDER ASSEMBLES P/N AEL65102 S/N'S 39701-30. 39836-18. 39836-22. 39836-29. INSTALLED ALL NEW ECI CYLINDER ASSEMBLIES. P/N TISN12.OCA/AEL65102. S/N'S 66450-21, 66464-16, 66621-04, 66621-15. (SEE 8130'S ATTACHED). INSTALLED WITH ALL NEW GASKETS AND SEALS. REASSEMBLED ENGINE AND TORQUED ALL NUTS PER LYCOMING OVERHAUL MANUAL. DRAINED OIL AND ADDED 6QT'S PHILLIPS 20W-50X/C. PRE OILED ENGINE. RUN UP LEAK AND FUNCTIONAL TEST CHECKED GOOD. THIS IS TERMINATING ACTION FOR THIS AD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O.2104 DATED 3/15/2010
SIGNED *Howard Chouanard* A&P 2657747 IA
HOWARD CHOUANARD, ADVANCED AVIATION INC. PHONE 952-412-3395

YEA
DAT

DATE 08/13/08 TACH 5466.55 HOBBS 601.2 N#8575F

**Advanced
Aviation Inc.**

CHANGED OIL AND FILTER CH48110-1 AND ADDED 8QTS A/S 15W-50. RUN UP LEAK CHECKED GOOD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O. # 2017 DATED 08/13/08
SIGNED *Howard Chouanard* A&P 2657747 IA
HOWARD CHOUANARD, ADVANCED AVIATION INC. PHONE 952-412-3395

ations
er of
tries.)

YEAR
DATE

DATE 02/10/2009 TACH 5505.6 HOBBS 642.8 #N8575F

**Advanced
Aviation Inc.**

TTE 5505.6 TSMOH 105.6. COMPLIED WITH ANNUAL INSPECTION. CHANGED OIL AND FILTER CH48110-1 AND ADDED 8QTS AEROSHELL 15W-50 OIL. INSPECTED FILTER FOR METAL, NONE NOTED. COMPRESSION CHECK. #1 77/80 #2 78/80 #3 73/80 #4 78/80. CLEANED GAPPED TESTED AND ROTATED PLUGS. CHECKED MAG TIMEING AND TESTED ALL LEADS. TESTED TANNIS HEATER CHECKED GOOD. PRESSURE TESTED MUFFLER FOR LEAKS, CHECKED GOOD. CLEANED AND INSPECTED FUEL BOWL AND SCREENS. WELD REPAIRED CRACK IN CARB HEAT COLLECTOR. PATCHED #4 CYLINDER BAFFLE. REPLACED INDUCTION AIR FILTER WITH NEW BA-3. INSPECTED ALL INTAKE AND EXHAUST SYSTEMS. INSPECTED AND LUBED ALL ENGINE CONTROLS. AD2008-19-05 DATED 10/20/2008. TO PREVENT THE LOSS OF POWER, FOUND N/A TO CYLINDER S/N. CHECKED ALL AD'S THRU BI-WEEKLY 1-23-2009. WASHED DOWN ENGINE, RUN UP OPERATIONAL AND LEAK CHECKED GOOD.

THE AIRCRAFT AND/OR COMPONENTS IDENTIFIED ABOVE WAS REPAIRED AND INSPECTED IN ACCORDANCE WITH ALL CURRENT FEDERAL AVIATION ADMINISTATIONS REGULATIONS AND IS APPROVED FOR RETURN TO SERVICE. ALL PERTINENT INFORMATION IS ON FILE UNDER W.O. # 2037 DATED 2/10/09
SIGNED *Howard Chouanard* A&P 2657747 IA
HOWARD CHOUANARD, ADVANCED AVIATION INC. PHONE 952-412-3395

id Alterations
ate Number of
specific entries.)

YI
—
DI

10/11/07 Tach 5424 5422 TSMOH 24
Engine Lyc. 0-360-A4A S/N L-16383-56A TT 24 SMOH

This engine inspected in accordance with Piper Inspection Form 230 207 7902 and AC43.13 Appendix D. Engine inspected for oil and fuel leaks. Changed oil Phillips XC 20/50 Filter changed ES48110. Oil filter Opened and inspected for contamination. Engine & Firewall washed down and inspected. Removed sparks plugs Cleaned, gapped and rotated. Compression test preformed all cyl's 77 or higher over 80 As indicated on valve covers. Mag timing check. Openings in engine baffling sealed. Engine to airframe mount bolt torque checked. Engine to mount torque checked. Heat exchanger Inspected for condition. Propeller track checked, burnished and painted. This engine runup inspected for oil leaks and proper control movement& returned to service.

Earl Draayer A&P 2658469

E. Draayer

Alterations
e Number of
eific entries.)

1-31-08 Tach 5422.89

Removed filter and replaced with new Ch48110-1.
Out old filter and Insp. for metal, none noted. Performed
Compression test #1 78/80 #2 78/80 #3 77/80 #4 77/80.
Reinstalled all plugs and leads, and cowled.

Journal/Chomane AP 265 7747 IA

YI
—
DI

02/11/08 Tach Tach 5432 TTAF 5432
Engine Lyc. 0-360-A4A S/N L-16383-56A TT 32 SMOH

This engine inspected in accordance with Piper Inspection Form 230 207 7902 and AC43.13 Appendix D. Engine inspected for oil and fuel leaks. Engine & Firewall washed down and inspected. Replace crankshaft Seal P/N LW-11997. Repositioned #4 valve oil drain line clamp. Replaced #2 exhasut stack P/N 62892-03. Installed new intake seal #2. Removed sparks plugs Cleaned, gapped and rotated. Compression test preformed all cyl's 77 or higher over 80 As indicated on valve covers. Mag timing check. Engine to airframe mount bolt torque checked. Engine to mount torque checked. Heat exchanger Inspected for condition. Propeller track checked, burnished. This engine runup inspected for oil leaks and proper control movement& returned to service.

Earl Draayer A&P 2658469

E. Draayer

Alterations
Number of
ific entries.)


AUTHORIZED RELEASE CERTIFICATE			
1. Agency Name: <i>FAA</i>			
2. Agency Address: <i>11114 42nd Avenue South, Fort Worth, TX 76147</i>			
3. Agency Phone: <i>817-434-2111</i>			
4. Agency Fax: <i>817-434-2111</i>			
5. Agency Email: <i>FAA@FAA.gov</i>			
6. Agency Website: <i>www.faa.gov</i>			
7. Agency Type: <i>FAA</i>			
8. Agency Status: <i>Active</i>			
9. Agency Category: <i>FAA</i>			
10. Agency Subcategory: <i>FAA</i>			
11. Agency Description: <i>FAA</i>			
12. Agency Address: <i>FAA</i>			
13. Agency Phone: <i>FAA</i>			
14. Agency Fax: <i>FAA</i>			
15. Agency Email: <i>FAA</i>			
16. Agency Website: <i>FAA</i>			
17. Agency Status: <i>FAA</i>			
18. Agency Category: <i>FAA</i>			
19. Agency Subcategory: <i>FAA</i>			
20. Agency Description: <i>FAA</i>			
21. Agency Address: <i>FAA</i>			
22. Agency Phone: <i>FAA</i>			
23. Agency Fax: <i>FAA</i>			
24. Agency Email: <i>FAA</i>			
25. Agency Website: <i>FAA</i>			
26. Agency Status: <i>FAA</i>			
27. Agency Category: <i>FAA</i>			
28. Agency Subcategory: <i>FAA</i>			
29. Agency Description: <i>FAA</i>			
30. Agency Address: <i>FAA</i>			
31. Agency Phone: <i>FAA</i>			
32. Agency Fax: <i>FAA</i>			
33. Agency Email: <i>FAA</i>			
34. Agency Website: <i>FAA</i>			
35. Agency Status: <i>FAA</i>			
36. Agency Category: <i>FAA</i>			
37. Agency Subcategory: <i>FAA</i>			
38. Agency Description: <i>FAA</i>			
39. Agency Address: <i>FAA</i>			
40. Agency Phone: <i>FAA</i>			
41. Agency Fax: <i>FAA</i>			
42. Agency Email: <i>FAA</i>			
43. Agency Website: <i>FAA</i>			
44. Agency Status: <i>FAA</i>			
45. Agency Category: <i>FAA</i>			
46. Agency Subcategory: <i>FAA</i>			
47. Agency Description: <i>FAA</i>			
48. Agency Address: <i>FAA</i>			
49. Agency Phone: <i>FAA</i>			
50. Agency Fax: <i>FAA</i>			
51. Agency Email: <i>FAA</i>			
52. Agency Website: <i>FAA</i>			
53. Agency Status: <i>FAA</i>			
54. Agency Category: <i>FAA</i>			
55. Agency Subcategory: <i>FAA</i>			
56. Agency Description: <i>FAA</i>			
57. Agency Address: <i>FAA</i>			
58. Agency Phone: <i>FAA</i>			
59. Agency Fax: <i>FAA</i>			
60. Agency Email: <i>FAA</i>			
61. Agency Website: <i>FAA</i>			
62. Agency Status: <i>FAA</i>			
63. Agency Category: <i>FAA</i>			
64. Agency Subcategory: <i>FAA</i>			
65. Agency Description: <i>FAA</i>			
66. Agency Address: <i>FAA</i>			
67. Agency Phone: <i>FAA</i>			
68. Agency Fax: <i>FAA</i>			
69. Agency Email: <i>FAA</i>			
70. Agency Website: <i>FAA</i>			
71. Agency Status: <i>FAA</i>			
72. Agency Category: <i>FAA</i>			
73. Agency Subcategory: <i>FAA</i>			
74. Agency Description: <i>FAA</i>			
75. Agency Address: <i>FAA</i>			
76. Agency Phone: <i>FAA</i>			
77. Agency Fax: <i>FAA</i>			
78. Agency Email: <i>FAA</i>			
79. Agency Website: <i>FAA</i>			
80. Agency Status: <i>FAA</i>			
81. Agency Category: <i>FAA</i>			
82. Agency Subcategory: <i>FAA</i>			
83. Agency Description: <i>FAA</i>			
84. Agency Address: <i>FAA</i>			
85. Agency Phone: <i>FAA</i>			
86. Agency Fax: <i>FAA</i>			
87. Agency Email: <i>FAA</i>			
88. Agency Website: <i>FAA</i>			
89. Agency Status: <i>FAA</i>			
90. Agency Category: <i>FAA</i>			
91. Agency Subcategory: <i>FAA</i>			
92. Agency Description: <i>FAA</i>			
93. Agency Address: <i>FAA</i>			
94. Agency Phone: <i>FAA</i>			
95. Agency Fax: <i>FAA</i>			
96. Agency Email: <i>FAA</i>			
97. Agency Website: <i>FAA</i>			
98. Agency Status: <i>FAA</i>			
99. Agency Category: <i>FAA</i>			
100. Agency Subcategory: <i>FAA</i>			

CENTRAL CYLINDER SERVICE INC.
AIRCRAFT ENGINE REBUILDERS

Certified Repair Station MY2R022L

6315 Lindbergh Drive • Riverfront Industrial Park • Omaha, NE 68110

Lycoming O 360 A4A S/N L-15383-36A TT *5422* 7-7-06
Overhauled and assembled above engine lower end using the following major parts and other parts listed on W.O. 12794: Reground camshaft, reconditioned tappets, new plungers, rod nuts and bolts, rod and rocker bushings, rod and main bearings, tach shaft, vacuum pump drive, temp valve, intake hoses, oil pump body and necessary gaskets and seals. Magnafluxed misc. steel parts. Magnafluxed and dimensionally inspected crankshaft. Zyglo inspected crankcase, milled and align bored/honed. Modified crank gear per SB475C. Reground camshaft per CCS009 Process Spec. and reconditioned tappets as per CCS/798 Process Spec. No accessory or cylinder work done. Applicable AD's complied with. Engine subject to test run. All work accomplished in accordance with Lycoming Service Publications. Details of work are on file at this facility W.O. 12794.



for CRS MY2R022L

Alterations

Number of
specific entries.)

08/15/06

Tach RDs 5400

Airframe Total Time 5422

Engine Total Time 5422 0 SMOH

N8575F PA28-181 S/N 28-7790259

Engine Lyc. O-360-A4A S/N L-15383-56A

This engine overhauled per Lyc. Overhaul manual and SL 1427B. Installed ECI TITAN Complete Cylinder Assemblies TISIN12.0CA S/N'S 39701-30, 39836-18, 39836-22, 39836-29. New piston pins (4) AEL14077-1. Hydraulic Plungers Assemblies (8) P/N 78290. Overhauled Carburetor MA4-4 P/N 10-4164-1 S/N K 10 4617 by CRS MY2R022L W.O. 12795. Engine Lower end was overhauled by CRS MY2R022L W.O. 12794. Installed Overhauled Magneto's TCM S4LN-20 P/N 10-51360-29 564459 & S4LN-21 P/N 10-51360-37 S/N 85480146 By CRS QKKR724L W.O. 3204 & 10736. New ignition harness M-2364 installed. Installed new oil and fuel hoses with fire sleeve. Installed new Engine Lord mounts 94011-20. Installed engine exhaust system (TSOH 48) with new exhaust gaskets. Mounted recent overhauled starter (TSOH 78 hrs) and Alternator (461 TSOH). This engine was test run in accordance with Lycoming Overhaul manual & SI 1241 pre oil & SL 1427B. I certify that this engine has been Major overhaul in accordance with Lyc. Overhaul manual and has been determined to be in airworthy condition.

Earl Draayer IA 2658469 

08/20/06

Tach Rds 5400

Airframe Total Time 5422

Engine installed using new engine mounts J9613-40. Airframe N8575F PA28-181 S/N 28-7790259. Installed Propeller Sensenich 76EM855-0-60 (TSOH 102.)

Earl Draayer A&P 2658469 

Repairs and Alterations

ing and Certificate Number of
ages for other specific entries.

Work Order / Invoice		AMOUNT
QUAN	PART NUMBER / DESCRIPTION	
1	AD-90751-18 COTTER PIN	
1	AD-31678 OIL SLINGER	
1	AD-337592 OIL SEAL	
1	AD-41806 BALL BEARING	
1	AD-90758-3 KEY	
2	AD-33937-4 SCREW	
2	AD-50765 COIL CLAMP	
1	AD-391213 SCREW	
1	AD-3-202 BALL BEARING	
1	AD-102844 CARBON BRUSH	
1	AD-92815-17 SNAP RING	
1	AD-349511 WASHER	
1	AD-408505 WASHER	
1	AD-391309 NYLON WASHER	
1	AD-102583 SCREW	
1	AD-163374 FELT	
1	AD-30752 FELT	
3	AD-157158 SCREW	
7	AD-39926-7 SCREW	
1	AD-14268 WASHER	
1	AD-31676 CONDENSER	
1	AD-337174 CONTACT POINTS	
1	AD-16340 NUT	
1	AD-37797 LOCK WASHER	
1	AD-337078 BEARING	

NAME: LITE PLAINS INC. TYPE UNIT: MAGNETO
ADDRESS: 405 MAIN ST. P.O. BOX 148 BAYARD, IOWA 50029
PHONE: 712-681-2255 FAA CERT. QKRR724L

DATE IN: Jul 17, 06 DATE OUT: Jul 17, 06

DRUG TEST # E-GL-00065-U

SYNOPSIS OF WORK TO BE PERFORMED: OVERHAUL OR EXCHANGE TCM/BENDIX MAGNETO COMPLY WITH AIRWORTHINESS DIRECTIVES, SERVICE BULLETINS AND REPAIR AS NEEDED.

SERVICE PERFORMED: OVERHAUL OR EXCHANGE AMOUNT: \$329.00
EXTRA PARTS: \$138.74

74-28-09 30-2550 IMPULSE BUSHING, 83-30-41 30-4858 IMPULSE INSPECTION, 84-01-03 30-9271 CORRECT ROTOR AND COIL, 94-08-09 30-6893 CORRECT CONDENSER.

60'S CW 835C, 823, 839 041, 844, 858.

FAA / UNITED STATES: AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-2 (Rev. 11-02) *
1. I HEREBY AUTHORIZE THE ABOVE REPAIRS ALONG WITH THE NECESSARY MATERIALS, YOU OR YOUR EMPLOYEES MAY MAKE NECESSARY CHANGES TO DETERMINE THE AIRWORTHINESS OF THIS UNIT. AN EXP-155 MECHANIC'S SIGN IS HEREBY ACKNOWLEDGED ON ABOVE UNIT TO SECURE AMOUNT OF REPAIRS THEREON.

2. PARTS: LABOR: TAX: TOTAL: 463.74

SHEET 2 WORK ORDER NO. 3205	
QUAN	PART NUMBER / DESCRIPTION
1	AD-31678 OIL SLINGER
1	AD-337592 OIL SEAL
1	AD-41806 BALL BEARING
1	AD-90758-3 KEY
2	AD-33937-4 SCREW
2	AD-50765 COIL CLAMP
1	AD-391213 SCREW
1	AD-3-202 BALL BEARING
1	AD-102844 CARBON BRUSH
1	AD-92815-17 SNAP RING
1	AD-349511 WASHER
1	AD-408505 WASHER
1	AD-391309 NYLON WASHER
1	AD-102583 SCREW
1	AD-163374 FELT
1	AD-30752 FELT
3	AD-157158 SCREW
7	AD-39926-7 SCREW
1	AD-14268 WASHER
1	AD-31676 CONDENSER
1	AD-337174 CONTACT POINTS
1	AD-16340 NUT
1	AD-37797 LOCK WASHER
1	AD-337078 BEARING

SHEET 2 WORK ORDER NO. 3205		
QUAN	PART NUMBER / DESCRIPTION	AMOUNT
1	AD-31678 OIL SLINGER	
1	AD-337592 OIL SEAL	
1	AD-41806 BALL BEARING	
1	AD-90758-3 KEY	
2	AD-33937-4 SCREW	
2	AD-50765 COIL CLAMP	
1	AD-391213 SCREW	
1	AD-3-202 BALL BEARING	
1	AD-102844 CARBON BRUSH	
1	AD-92815-17 SNAP RING	
1	AD-349511 WASHER	
1	AD-408505 WASHER	
1	AD-391309 NYLON WASHER	
1	AD-102583 SCREW	
1	AD-163374 FELT	
1	AD-30752 FELT	
3	AD-157158 SCREW	
7	AD-39926-7 SCREW	
1	AD-14268 WASHER	
1	AD-31676 CONDENSER	
1	AD-337174 CONTACT POINTS	
1	AD-16340 NUT	
1	AD-37797 LOCK WASHER	
1	AD-337078 BEARING	

FAA / UNITED STATES: AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-2 (Rev. 11-02) *
1. I HEREBY AUTHORIZE THE ABOVE REPAIRS ALONG WITH THE NECESSARY MATERIALS, YOU OR YOUR EMPLOYEES MAY MAKE NECESSARY CHANGES TO DETERMINE THE AIRWORTHINESS OF THIS UNIT. AN EXP-155 MECHANIC'S SIGN IS HEREBY ACKNOWLEDGED ON ABOVE UNIT TO SECURE AMOUNT OF REPAIRS THEREON.

2. PARTS: LABOR: TAX: TOTAL: 463.74

Work Order / Invoice		AMOUNT
QUAN	PART NUMBER / DESCRIPTION	
1	AD-90751-18 COTTER PIN	
1	AD-31678 OIL SLINGER	
1	AD-337592 OIL SEAL	
1	AD-41806 BALL BEARING	
2	AD-33937-4 SCREW	
2	AD-50765 COIL CLAMP	
1	AD-391213 SCREW	
1	AD-3-202 BALL BEARING	
1	AD-102844 CARBON BRUSH	
1	AD-92815-17 SNAP RING	
1	AD-349511 WASHER	
1	AD-408505 WASHER	
1	AD-391309 NYLON WASHER	
1	AD-102583 SCREW	
1	AD-163374 FELT	
1	AD-30752 FELT	
3	AD-157158 SCREW	
7	AD-39926-7 SCREW	
1	AD-14268 WASHER	
1	AD-31676 CONDENSER	
1	AD-337174 CONTACT POINTS	
1	AD-16340 NUT	
1	AD-37797 LOCK WASHER	
1	AD-337078 BEARING	

NAME: LITE PLAINS INC. TYPE UNIT: MAGNETO
ADDRESS: 405 MAIN ST. P.O. BOX 148 BAYARD, IOWA 50029
PHONE: 712-681-2255 FAA CERT. QKRR724L

DATE IN: Jul 17, 06 DATE OUT: Jul 17, 06

DRUG TEST # E-GL-00065-U

SYNOPSIS OF WORK TO BE PERFORMED: OVERHAUL TCM BENDIX MAGNETO COMPLY WITH AIRWORTHINESS DIRECTIVES, SERVICE BULLETINS, REPAIR AS NEEDED.

SERVICE PERFORMED: OVERHAUL OR EXCHANGE AMOUNT: \$329.00
EXTRA PARTS: \$138.74

74-28-09 30-2550 IMPULSE BUSHING, 83-30-41 30-4858 IMPULSE INSPECTION, 84-01-03 30-9271 CORRECT ROTOR & COIL INSTALLED, 94-08-09 30-6893 CORRECT CONDENSER DATE CODE.

60'S CW 835C, 823, 839 041, 844, 858.

FAA / UNITED STATES: AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-2 (Rev. 11-02) *
1. I HEREBY AUTHORIZE THE ABOVE REPAIRS ALONG WITH THE NECESSARY MATERIALS, YOU OR YOUR EMPLOYEES MAY MAKE NECESSARY CHANGES TO DETERMINE THE AIRWORTHINESS OF THIS UNIT. AN EXP-155 MECHANIC'S SIGN IS HEREBY ACKNOWLEDGED ON ABOVE UNIT TO SECURE AMOUNT OF REPAIRS THEREON.

2. PARTS: LABOR: TAX: TOTAL: 470.50

Work Order / Invoice		AMOUNT
QUAN	PART NUMBER / DESCRIPTION	
1	AD-90751-18 COTTER PIN	
1	AD-31678 OIL SLINGER	
1	AD-337592 OIL SEAL	
1	AD-41806 BALL BEARING	
2	AD-33937-4 SCREW	
2	AD-50765 COIL CLAMP	
1	AD-391213 SCREW	
1	AD-3-202 BALL BEARING	
1	AD-102844 CARBON BRUSH	
1	AD-92815-17 SNAP RING	
1	AD-349511 WASHER	
1	AD-408505 WASHER	
1	AD-391309 NYLON WASHER	
1	AD-102583 SCREW	
1	AD-163374 FELT	
1	AD-30752 FELT	
3	AD-157158 SCREW	
7	AD-39926-7 SCREW	
1	AD-14268 WASHER	
1	AD-31676 CONDENSER	
1	AD-337174 CONTACT POINTS	
1	AD-16340 NUT	
1	AD-37797 LOCK WASHER	
1	AD-337078 BEARING	

NAME: LITE PLAINS INC. TYPE UNIT: MAGNETO
ADDRESS: 405 MAIN ST. P.O. BOX 148 BAYARD, IOWA 50029
PHONE: 712-681-2255 FAA CERT. QKRR724L

DATE IN: Jul 17, 06 DATE OUT: Jul 17, 06

DRUG TEST # E-GL-00065-U

SYNOPSIS OF WORK TO BE PERFORMED: OVERHAUL TCM BENDIX MAGNETO COMPLY WITH AIRWORTHINESS DIRECTIVES, SERVICE BULLETINS, REPAIR AS NEEDED.

SERVICE PERFORMED: OVERHAUL OR EXCHANGE AMOUNT: \$329.00
EXTRA PARTS: \$138.74

74-28-09 30-2550 IMPULSE BUSHING, 83-30-41 30-4858 IMPULSE INSPECTION, 84-01-03 30-9271 CORRECT ROTOR & COIL INSTALLED, 94-08-09 30-6893 CORRECT CONDENSER DATE CODE.

60'S CW 835C, 823, 839 041, 844, 858.

FAA / UNITED STATES: AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-2 (Rev. 11-02) *
1. I HEREBY AUTHORIZE THE ABOVE REPAIRS ALONG WITH THE NECESSARY MATERIALS, YOU OR YOUR EMPLOYEES MAY MAKE NECESSARY CHANGES TO DETERMINE THE AIRWORTHINESS OF THIS UNIT. AN EXP-155 MECHANIC'S SIGN IS HEREBY ACKNOWLEDGED ON ABOVE UNIT TO SECURE AMOUNT OF REPAIRS THEREON.

2. PARTS: LABOR: TAX: TOTAL: 470.50

SHEET 2 WORK ORDER NO. 3204		
QUAN	PART NUMBER / DESCRIPTION	AMOUNT
1	AD-31678 OIL SLINGER	
1	AD-337592 OIL SEAL	
1	AD-41806 BALL BEARING	
1	AD-90758-3 KEY	
2	AD-33937-4 SCREW	
2	AD-50765 COIL CLAMP	
1	AD-391213 SCREW	
1	AD-3-202 BALL BEARING	
1	AD-102844 CARBON BRUSH	
1	AD-92815-17 SNAP RING	
1	AD-349511 WASHER	
1	AD-408505 WASHER	
1	AD-391309 NYLON WASHER	
1	AD-102583 SCREW	
1	AD-163374 FELT	
1	AD-30752 FELT	
3	AD-157158 SCREW	
7	AD-39926-7 SCREW	
1	AD-14268 WASHER	
1	AD-31676 CONDENSER	
1	AD-337174 CONTACT POINTS	
1	AD-16340 NUT	
1	AD-37797 LOCK WASHER	
1	AD-337078 BEARING	

NAME: LITE PLAINS INC. TYPE UNIT: MAGNETO
ADDRESS: 405 MAIN ST. P.O. BOX 148 BAYARD, IOWA 50029
PHONE: 712-681-2255 FAA CERT. QKRR724L

DATE IN: Jul 17, 06 DATE OUT: Jul 17, 06

DRUG TEST # E-GL-00065-U

SYNOPSIS OF WORK TO BE PERFORMED: OVERHAUL TCM BENDIX MAGNETO COMPLY WITH AIRWORTHINESS DIRECTIVES, SERVICE BULLETINS, REPAIR AS NEEDED.

SERVICE PERFORMED: OVERHAUL OR EXCHANGE AMOUNT: \$329.00
EXTRA PARTS: \$138.74

74-28-09 30-2550 IMPULSE BUSHING, 83-30-41 30-4858 IMPULSE INSPECTION, 84-01-03 30-9271 CORRECT ROTOR & COIL INSTALLED, 94-08-09 30-6893 CORRECT CONDENSER DATE CODE.

60'S CW 835C, 823, 839 041, 844, 858.

FAA / UNITED STATES: AUTHORIZED RELEASE CERTIFICATE
FAA Form 8130-2 (Rev. 11-02) *
1. I HEREBY AUTHORIZE THE ABOVE REPAIRS ALONG WITH THE NECESSARY MATERIALS, YOU OR YOUR EMPLOYEES MAY MAKE NECESSARY CHANGES TO DETERMINE THE AIRWORTHINESS OF THIS UNIT. AN EXP-155 MECHANIC'S SIGN IS HEREBY ACKNOWLEDGED ON ABOVE UNIT TO SECURE AMOUNT OF REPAIRS THEREON.

2. PARTS: LABOR: TAX: TOTAL: 470.50

SEE ORIGINALS IN MAINT LABS FOR AK

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/10/06	5422	Removed		Engine For Overhaul EL Dunes ASP 268469

Central Cylinder Service, Inc.
Aircraft Engine Builders • Certified Repair Station 94723022L

MAGNAFLUX / EYLO INSPECTION REPORT					
CUSTOMER: 5407 ALIAS					
ENGINE MAKE: LYCOMING MODEL: C-420-4A SN: L-15383-36A					
INSPECTOR: DATE COMPLETED:					
CONQUENT	METHOD	MAG	EYLO	CRITICAL AREAS	PASS FAIL
ACCESSORY CRANKS	CIRCULAR			TEETH/KEYWAY	
ALTERNATOR CRANK	CIRCULAR			TEETH/SPLINES	
CRANKSHAFT	CIR/COIL			ALL AREAS	
CRANKSHAFT BOLT	COIL			THREADS/NECK AREAS	
CRANKSHAFT GEAR	CIRCULAR			TEETH/SPLINES	
CASE THRU BOLTS	COIL			THREADS/NECK AREA	
CASE TIE BOLTS	COIL			THREADS/NECK AREA	
CONNECTING ROD	CIR/COIL			ALL AREAS/VEE	
CONNECTING ROD BOLT	COIL			THREADS/HEAD RADII	
CONNECTING RODS	COIL			CUT OUT RADII	
CRANKCASE	DYE			ALL AREAS	
CRANKSHAFT	CIR/COIL			ALL AREAS	
CRANKSHAFT BOLT	COIL			THREAD BASE/HEAD	
CRANKSHAFT GEAR	CIRCULAR			TEETH/SPLINES	
DRIVESHAFT	CIRCULAR			ALL AREAS	
DRIVESHAFT SLEEVE	CIRCULAR			ALL AREAS	
GENERATOR GEAR	CIRCULAR			TEETH/KEYWAY	
Governor Gear	CIRCULAR			TEETH/SPLINES	
IDLER GEAR	CIRCULAR			TEETH/KEY	
IDLER SHAFT	CIRCULAR			ALL AREAS	
MAG DRIVE GEAR	COIL			TEETH/SLOTTED END	
OIL PUMP DRIVE	CIRCULAR			ALL AREAS	
OIL PUMP GEARS	CIR/COIL			TEETH/SPLINES	
SCAVENGE PUMP GEAR	CIR/COIL			TEETH/SPLINES	

Eng
2222 Lindbergh Drive • Omaha, NE 68110 • (402) 451-6468 • Fax (402) 451-3202

Central Cylinder Service, Inc.
Aircraft Engine Builders • Certified Repair Station 94723022L

MAGNAFLUX / EYLO INSPECTION REPORT					
CUSTOMER:					
ENGINE MAKE: MODEL: SN:					
INSPECTOR: DATE COMPLETED:					
CONQUENT	METHOD	MAG	EYLO	CRITICAL AREAS	PASS FAIL
PISTON PINS	COIL			STEAR PLANE/DOGS	
PISTON RINGS	CIRCULAR			CUT OUT RADII/PIN HOLES	
PISTON RING CAGE	CIRCULAR			TEETH/BEARING SURFACE	
PISTON DRIVE GEAR	CIR/COIL			JOURNAL/FLANGE/TEETH	
PISTON DRIVE SHAFT	COIL			ROCKER FACE/SOCKET	
PISTON ROD	COIL			ROCKER ARM SHAFT	
ROCKER ARM	CIRCULAR			ALL AREAS	
ROCKER ARM SHAFT	COIL			CUT OUT RADII/PIN HOLES	
STATIONARY GEAR	CIRCULAR			BASE RADII/OIL HOLDS	
TAPPET BODY	COIL			VALVE BEAD/KEY GROOVE	
VALVES	COIL			ALL AREAS	
VALVE PUMP DRIVE	CIRCULAR			TEETH/KEY WAY	
TACH DRIVE GEAR	CIRCULAR			ALL AREAS	
TACH DRIVE SHAFT	CIRCULAR			TEETH/SPLINES	
VACUUM PUMP DRIVE	CIRCULAR			TEETH/SPLINES	

APPROVED: G.C. CARMACK - GENERAL MANAGER
ACCEPTED: LINCOLN FLIGHT STANDARDS OFFICE, INC.
2222 Lindbergh Drive • Omaha, NE 68110 • (402) 451-6468 • Fax (402) 451-3202

YEAR DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	-------------------	-----------------------------	---

8 do 74637 bushing				
4 do 1471973 bushing				
8 do AEL13521 rod bracket				
2 do AEL13984 bearing				
4 do 1601939 bearing				
8 do 74644 rod bolt				
8 do AEL12186 rod nut				
1 do AEL STD2213 bolt				
1 do AEL76121 tach shaft				
1 do AEL 77420 Vee. brass				
1 do 53522146 comp valve				
1 do AEL68759 tube				
1 do AEL68760 tube				
2 do 35168761 tube				
1 do AEL10258 ball				
4 do AEL STD1821 hose				
1 do AEL61084 spring				
1 do AEL 78428 body				
8 do 78420 plunger				
8 do AEL11485 housing				
1 do AEL323360 gasketset				

no Exceeding 0.300 AAA engine 5/1 L-15383-36A overhauled and assembled engine lower end. Manufactured size steel pins and crankshaft. 74637 inspected crankcase, milled and align bored/honed. Modified crank pin per SNA75C. Repaired crankshaft per QCS500 Process Spec. Reconditioned tappets as per QCS/798 Process Spec. Reassembled engine using parts listed. No accessories removed or overhauled and no cylinder work done. Applicable AD's complied with as per AD list. Engine subject to test run. All work accomplished in accordance with Exemption Service Publications.

THE COMPONENT IDENTIFIED ABOVE WAS REPAIRED/OVERHAULED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR THE RETURN TO SERVICE.

FOR OVERHAUL

Eng
2222 Lindbergh Drive • Omaha, NE 68110 • (402) 451-6468 • Fax (402) 451-3202

MAGNAFLUX / EYLO INSPECTION REPORT					
CUSTOMER:					
ENGINE MAKE: MODEL: SN:					
INSPECTOR: DATE COMPLETED:					
CONQUENT	METHOD	MAG	EYLO	CRITICAL AREAS	PASS FAIL
PISTON PINS	COIL			STEAR PLANE/DOGS	
PISTON RINGS	CIRCULAR			CUT OUT RADII/PIN HOLES	
PISTON RING CAGE	CIRCULAR			TEETH/BEARING SURFACE	
PISTON DRIVE GEAR	CIR/COIL			JOURNAL/FLANGE/TEETH	
PISTON DRIVE SHAFT	COIL			ROCKER FACE/SOCKET	
PISTON ROD	COIL			ROCKER ARM SHAFT	
ROCKER ARM	CIRCULAR			ALL AREAS	
ROCKER ARM SHAFT	COIL			CUT OUT RADII/PIN HOLES	
STATIONARY GEAR	CIRCULAR			BASE RADII/OIL HOLDS	
TAPPET BODY	COIL			VALVE BEAD/KEY GROOVE	
VALVES	COIL			ALL AREAS	
VALVE PUMP DRIVE	CIRCULAR			TEETH/KEY WAY	
TACH DRIVE GEAR	CIRCULAR			ALL AREAS	
TACH DRIVE SHAFT	CIRCULAR			TEETH/SPLINES	
VACUUM PUMP DRIVE	CIRCULAR			TEETH/SPLINES	

1 do M4-S Precision carburetor P/N 10-6164-1 5/N K 10 4017 overhauled as necessary using parts listed. Bench tested OK.

THE COMPONENT IDENTIFIED ABOVE WAS REPAIRED/OVERHAULED AND INSPECTED IN ACCORDANCE WITH CURRENT FEDERAL AVIATION REGULATIONS AND WAS FOUND AIRWORTHY FOR THE RETURN TO SERVICE.

FOR OVERHAUL

Eng
2222 Lindbergh Drive • Omaha, NE 68110 • (402) 451-6468 • Fax (402) 451-3202

YEAR 2004 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
07/19/04	Tach + ETT	S389.1	SMOH 1919.2	Inspected engine IAW Piper's 100 Hour Inspection Report + FAR 43 App. D. Drained engine oil + serviced with 8gts Aeroshell 15/50. Replaced oil filter with Champion P/N CH48110-1, cut old filter open for condition inspection. Cleaned oil suction screen. Timed magnetos To 25° BTDC. Compressions 1) 7 3/80 2) 6 9/80 3) 7 4/80 4) 7 0/80. Inspected intake + exhaust systems. Lubed engine controls as needed. Cleaned, gapped + tested all spark plugs. Inspected all engine hoses + fuel + oil for leaks + condition. AD 04-10-1461 Crankshaft Gear + Gear retaining Bolt due at prop strike / sudden stoppage. AD 96-12-07 magneto impulse coupling inspection due at Tach 5589.18
A/C REG. # <u>N8575F</u> DATE <u>07/19/04</u> TOTAL A/C TIME <u>5389.1</u> HRS. TACH TIME <u>5377.1</u> Engine <u>Engine</u> SMOH <u>1919.2</u> I CERTIFY THAT THIS A/C HAS BEEN INSPECTED IN ACCORDANCE WITH <u>FAIRDAIR</u> ANNUAL 100 HR INSPECTION AS PER <u>FAIRDAIR</u> AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION.				<u>AP482824629IA</u> SIGNATURE _____ TE NO/TYPE _____

YEAR 2005 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/26/05	Tach + ETT	S422.1	SMOH 1942.2	Inspected engine IAW Piper's 100 Hour inspection form + FAR 43 App. D. Drained engine oil and serviced with 8gts Aeroshell 15/50 oil. Changed oil filter with Champion P/N CH48110-1, cut old filter open for condition inspection. Cleaned oil suction screen as needed. Compression Test read 1) 7 3/80 2) 7 0/80 3) 7 3/80 4) 7 0/80. Timed magnetos as needed 25° BTDC. Inspected intake + exhaust systems for leaks + condition. Lubed + inspected engine controls. Inspected mounts + hardware. Cleaned, gapped, + tested all spark plugs. Inspected all fuel + oil hoses for condition + leaks. AD 96-12-07 Impulse coupling inspection due at Tach 5579.18. AD 05-A-11 300 HP + Lower Crankshafts D/N/A By O.H. Date.
A/C REG. # <u>N8575F</u> DATE <u>9-26-05</u> TOTAL A/C TIME <u>5422.1</u> HRS. TACH TIME <u>5422.1</u> Engine <u>Engine</u> SMOH <u>1942.2</u> I CERTIFY THAT THIS A/C HAS BEEN INSPECTED IN ACCORDANCE WITH AN (CIRCLE ONE) <u>ANNUAL</u> 100 HR INSPECTION AS PER <u>FAIRDAIR</u> AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION.				<u>AP482824629IA</u> SIGNATURE _____ CERTIFICATE NO/TYPE _____

YEAR 02 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

5/5/02 Tach 5322.5. Total time in service 5322.5. Time since major overhaul 1842.6. Washed engine with mineral spirits. Conducted compression test: #1 - 76, #2 - 76, #3 - 72, #4 - 78, all over 80 psi. Cleaned, gapped, and rotated spark plugs. Cleaned cigarettes. Replaced grounding spring in left mag and verified magneto timing to engine @ 25 degrees BTDC. Installed Prestolite Starter s/n A204052 overhauled by Aerotech repair station PU4R453M. Inspected engine in accordance with Lycoming Service Manual.

Roy M. Johnson
Roy M. Johnson, A&P 21629

5/5/02 Tach 5322.5. Total time in service 5322.5. Time since major overhaul 1842.6. I certify that I have inspected this engine in accordance with a 100 hour inspection and have determined it to be airworthy.

Roy M. Johnson
Roy M. Johnson, IA 2162962

7/15/02	5338.40		5338.40	DRAINED OIL, A&P OIL FILTER ADDED 8 QTS AEROSHELL 15W50 ENGINE OIL Gary Smith ATP 2059829

YEAR 02 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
12-18	5348.67		5368.67	DRAINED OIL, A&P OIL FILTER ADDED 8 QTS AEROSHELL 15W50 ENGINE OIL STATIC RAN ENGINE, NO LEAKS OBSERVED Gary Smith ATP 2059829

Date	Tach	Hobbs	Engine Total Time	Engine SMOH
07/01/2003	5373.90	468.60	5373.90	1894.00

N8575F Lycoming O-360-A4A S/N L-15383-36A

Drained oil, serviced oil with 8 qts. Aeroshell 15W/50. Removed oil filter, cut filter apart, ckd for metal, none noted. Replaced filter with P/N CH48110. Compression check, #1) 76/80; #2) 76/80; #3) 74/80; #4) 76/80. Checked mag timing, reset L/H mag to 25 degrees. Cleaned and gapped all spark plugs. Replaced oil sump quick drain, P/N CCB 37000. Oil cooler hoses AD 95-26-13 due at engine overhaul. Ran engine ckd for leaks, none noted. Lubed all engine controls. I certify that this engine has been inspected I/A/W an annual inspection and has been determined to be in an airworthy condition this date 07/01/2003.

Richard L. White A&P 486746927 I.A.

Engine Record General Information

N 8575 F

Manufacturer Lycoming Model O-360-A4A

Serial L-15383-36A Type Certificate _____

This engine is currently installed in aircraft: Pa 28-181 N 8575 F

Minimum Octane Fuel _____ Oil Grade Summer _____ Winter _____

Magneto Time _____ Point Setting _____ Firing Order _____

Spark Plug Gap _____

Manufacturer's Recommended Overhaul at 2,000 hours

N 8575F

#1

May 85

ENGINE LOG

Tack 11-23-83 = 2502.00

" 4-3-81 = 1925.00 XHON

SINCE MARCH → 5,77.00

5-8

Log # 1

2629
5596
030

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
29 JUN 00	Brought Forward →		5137.04	DRAINED OIL - REMOVED OIL
17 OCT 00			5189.64	DRAINED OIL - REMOVED OIL
11/18/00			5192.0	Installed starter
1/6/00				Installed helicoil in #4 cylinder
Total To Carry Forward				

and Remarks	Signature	Certificate No.
FILTER, REPAIRS & SERVICED WITH 8AT 15W50	<i>[Signature]</i>	ATP 2059829
FILTER, REPAIRS & SERVICED WITH 8AT 15W50	<i>[Signature]</i>	ATP 2059829
	Roy M. Johnson	ATP 2162960
at intake manifold attach face plate 1/4/20	Roy M. Johnson	ATP 2162960

CONT →

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
2/7/00	Brought Forward →		5040.1	A 100 HOUR INSPECTION
				AIRWORTHY CONDITION.
				Joseph F. Tomczyk

N8575F

March 16, 2000 Tach: 5079.18 Hours Hobbs 129.5 Hours

Removed magnetos and replaced with new .LH P/N 10-51360-37, S/N 9110699.
 RH P/N 10-51360-29, S/N 9112004. Timed both magnetos in accordance with manufacturer's specifications. See FAA Form 8130-3 in back of log.

J. Zuno
 Raul Bueno A&P (pending) #2614287

Total To Carry Forward			
------------------------	--	--	--

and Remarks	Signature	Certificate No.
AND WAS DETERMINED TO BE IN		
END		
A/P 500588930.		

N8575F 3/29/00 Tach: 5089.37 Hobbs: 143.6

Drained oil, removed oil filter, serviced engine with 8 qts 15W-50 oil and CH48013 oil filter.

R3
 Raul Bueno A&P (pending) #2614287

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
11/16/99	Brought Forward →		4988.8	CHANGED OIL AND FILTER - 15W50 AND CH48110 FILTER - Joseph F. Tomczyk A & P 500
2/7/00			5040.1	COMPLETED 100 HOUR FAR 43 APPENDIX (d.) AND ONLY. CHANGED OIL AND FILTER - AND CH48110 FILTER. CHECKED ALL SPARK PLUGS. COMPRESSION I CERTIFY THAT THIS ENGINE
Total To Carry Forward				

and Remarks	Signature	Certificate No.
SERVICED WITH 8 QUARTS OF AEROSHELL GROUND RUN, LEAK CHECKED OK. 588930.		
INSPECTION THIS DATE IN ACCORDANCE WITH PIPER INSPECTION REPORT USED AS A GUIDE SERVICED WITH 8 QUARTS OF AEROSHELL 15W50 MAGNETO TIMING, CLEANED, CHECKED AND GAPPED CHECKS #1-76/80 #2-73/80, #3-72/80, #4-76/80. HAS BEEN INSPECTED IN ACCORDANCE WITH		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
9/16/99	Brought Forward →		4939.7	COMPLETED 100 HOUR FAR 43 APPENDIX (d.) AND ONLY. CHANGED OIL AND AEROSHELL 15W50 AND CLEANED, CHECKED AND GAPPED 1-76/80, #2-76/80, #3-70/80, PUSH ROD TUBE SEALS, INTAKE I CERTIFY THAT THIS ENGINE A 100 HOUR INSPECTION AND Joseph F. Tomczak A/P
Total To Carry Forward				

and Remarks	Signature	Certificate No.
INSPECTION THIS DATE IN ACCORDANCE WITH PIPER INSPECTION REPORT USED AS A GUIDE FILTER - SERVICED WITH 8 QUARTS OF CH4811D FILTER, CHECKED MAGNETO TIMING, ALL SPARK PLUGS. COMPRESSION CHECK: #4-73/80. REPLACED ALL CYLINDER BASE SEALS, AND EXHAUST GASKETS DUE TO OIL LEAKS. HAS BEEN INSPECTED IN ACCORDANCE WITH WAS DETERMINED TO BE IN AIRWORTHY CONDITION. 500588930		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
6/28/99	Brought Forward →		4840.82	COMPLETED 100 Hour WITH FAR 43.13 APPENDIX (d) A GUIDE ONLY. CHANGED OF AEROSHELL 15W50 AND CLEANED, CHECKED, AND GAPPED #1- 71/80, #2- 77/80, #3- 76/80, TO THIS DATE. I CERTIFY INSPECTED IN ACCORDANCE AND WAS DETERMINED Joseph F. Tomczyk
Total To Carry Forward				

and Remarks	Signature	Certificate No.
INSPECTION THIS DATE IN ACCORDANCE AND PIPER INSPECTION REPORT USED AS OIL AND FILTER, SERVICED WITH 8 QTS. CH48110 FILTER. CHECKED MAGNETO TIMING. ALL SPARK PLUGS, COMPRESSION CHECK #4- 75/80. ALL AD'S COMPLIED WITH THAT THIS ENGINE HAS BEEN WITH A 100 HOUR INSPECTION TO BE AIRWORTHY. A/P 500588930		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
5/19/99	Brought Forward →		4790.1	CHANGED OIL AND FILTER, SERVICED WITH 8 QUARTS OF AEROSHELL 15W50 AND CH48110 FILTER, GROUND RUN - NO LEAKS FOUND. Joseph F. Tomczuk A/P500588930
Total To Carry Forward				

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
8.3.98	Brought Forward →	tdci: 4660.7	Changed oil and oil filter. Serviced with Hecoshell 15W-50. Run and leak checked engine. Insp. filter for contaminants. Oil sample sent for analysis.	Exired to gearbox 2477358741
9.23.98		tdci: 4690.9	Changed oil and oil filter. Serviced with Hecoshell 15W-50. Insp. filter for contaminants. Sent sample for analysis.	Ex. to gearbox 2477358741
Total To Carry Forward				

and Remarks	Signature	Certificate No.
3/20/99 COMPLETED 100 HOUR INSPECTION THIS DATE IN ACCORDANCE WITH FAR 43.13 APPENDIX (d) AND Piper INSPECTION REPORT USED AS A GUIDE ONLY. COMPRESSION CHECK: #1-74/80 #2-76/80 #3-75/80 #4-77/80. CHECKED MAGNETO TIMING. CHANGED OIL & FILTER. SERVICED WITH AEROSHELL 15W50. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 HOUR INSPECTION AND WAS DETERMINED TO BE AIRWORTHY. Joseph F. Tomczyk A# P500588930		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Oct 7, 1997	Brought Forward	Tach time 4563.5 hrs.		
①	Changed oil & oil filter			
②	Eng serviced with Aero-shell 15W-50 oil filter C148110.			
③	Eng run-up + leak checked.			
	Joseph Bruchett ATP1446134			
Dec 19, 1997		Tach time 4593.3 hrs.		
①	Changed oil & oil filter, Eng serviced with Aero-shell 15W50.			
②	Eng cleaned, gel run-up + leak checked.			
Total To Carry Forward				Joseph Bruchett ATP1446134

and Remarks	Signature	Certificate No.
4-20-98 Tach time 4624.4	I CERTIFY THAT THIS ENGINE ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A manual INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. SHOH: 1140.4	
Compression #1: 76/80 #2: 77/80 #3: 76/80 #4: 77/80	TACH TIME 4624.4 HRS. TOTAL TIME 4931.4 HRS.	
Replaced oil seal in Right mag. hets	WORK ORDER NO. : DATE 4-20-98	
Sealed leaky through bolts.	AUTHORIZED SIGNATURE <i>Richard E. Beyer</i>	
Changed oil and oil filter. Insp. filter	7024738874-17	
For contaminants. Cleaned/gapped all spark plugs. Checked mag. timing.		
Repaired cracked muffler (left side of rear). Repaired air box by		
oversize rivets. Changed O-ring in oil drain valve. Removed		
oil cooler "winter plate". Lubricated sticking starter/bendix.		
Insp. engine 17W FHR 43 off-D.		
	<i>Richard E. Beyer</i>	7024738874-17

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →	Tach time 4503.0 hrs	Eng T.T. 4810.0 hrs	SMOH 1019.4 hr
①	Compression test 1- 72/80 2- 72/80 3- 74/80 4- 77/80			
②	Changed oil & oil filter, filter inspected for contamination (ok)			
③	Retimed L.H. mag. R.H. mag checked for timing.			
④	Spark plugs, cleaned, regapped & tested.			
⑤	Replaced oil cooler hoses P/N 124F201-80210 TYPE D } T50- C53A 124F201-R0300 TYPE D }			
⑥	Removed water oil cooler baff. I CERTIFY THAT THIS ENGINE ENGINE HAS BEEN			
⑦	Replaced broken starter end plate bolt INSPECTED IN ACCORDANCE WITH A N. ANNUAL			
⑧	Replaced water baff patch for 3 cyl. INSPECTION AND WAS DETERMINED TO BE IN			
⑨	Eng inspected as per inspection			
⑩	Eng run - mps leak checked			

SMOH: 1019.4 hr
TACH. TIME 4503.0 HRS. TOTAL TIME 4810.0 HRS.
WORK ORDER NO. XXXXX DATE 4-11-97
AUTHORIZED SIGNATURE *Ernest Egerberg*
147735874 1-H

and Remarks	Signature	Certificate No.
4-17-97 Tach: 4505.3 Removed carburetor P/N 10-4164-1 SN K-28-6719 - installed overhauled carburetor SN K-10-4619. Engine test run and found satisfactory for return to service.	<i>Ernest Egerberg</i>	147735874 1-H
7-11-97 Tach: 4535.7 Changed oil and oil filter. Insp. filter for contaminants. Serviced with Aeroshell 15W/50. Engine run and test checked.	<i>Ernest Egerberg</i>	147735874 1-H

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
①	Repaired cracked fuel pump heat shield.			
②	Gw Tyco owner advising (OA-524) installed oil pump impeller kit # P105K19423-5 (steel/steel) (SB-524)			
	③ all new gaskets installed on accessory case.			
③	Removed winter Eng baffle.			
④	Replaced #12 SCV at front baffle for intake to muffler shield.			
⑤	Eng run-up & leak ch.			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
7-29-96 Tach: 4439.5 Changed oil and oil filter, inspected filter, serviced with Hioshell 15W/50. Eng. test run/leak checked. Fixed by [Signature] 247735874 1A		
10-1-96 Tach: 4465.0 Changed oil and oil filter. Inspected filter for contaminants. Serviced with Hioshell 15W/50. Engine run and leak checked. Fixed by [Signature] 247735874 1A		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
12-18-95	Brought Forward →			
Tach 4384.2	Changed oil and oil filter	15W-50.	15W-50.	Inspr. filter. Serviced with Aeroshell 15W-50. 6 wire Greeley 17P 247735874
				"96 Annual"
5-1-96	Tach time 4412.7 hr	Eng T.T. 4719.7 hr	SMOH 928.8 hr	
①	Changed oil + oil filter (Eng serviced with 15W-50)			
②	Compression test #1-75/80 #2-73/80 #3-75/80 #4-77/80			
③	Replaced #3 intake pipe P/N-70485 (new gasket installed)			
④	Replaced #1 Exhaust stack with new stack P/N-31436/75583			
⑤	Replaced #2 Exhaust stack with new stack P/N-35940/78577			

and Remarks	Signature	Certificate No.
⑥ Replaced all Exhaust gaskets P/N 77611.		
⑦ C/w AD-78-09-07 inspection of magneto impulse coupling (Replaced impulse coupling Cam with P/N 10-400167-4. Installed mag. + returned to Eng.		
⑧ C/w AD 95-26-13 I/A/w alternative methods of Compliance (AMOC)		ACE-9600
⑨ AMOC #1 paragraphs 1a thru 1c c/w		
⑩ oil cooler hoses installed are 750-C53A-TYPE C.		
⑪ no further action is required AD 95-26-13		
⑫ Spark plugs cleared, regapped + tested.		
⑬ Repaired broken bracket in induction P.D. B.A.		

I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. SMOH-928.8 hr

TACH. TIME 4412.7 HRS. TOTAL TIME 4719.7 HRS.

WORK ORDER NO. 247735874 DATE 5-1-96

AUTHORIZED SIGNATURE *[Signature]*

95 Annual ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
April 10, 1995	Brought Forward →	Tach time	4255 hr. Eng 7.9	4562.5 hr. SMOH 771.1 hr
① changed oil + oil filter (Eng serviced with 15W-50 and checked oil level)				
② Compression test 1-7/8 2-7/8 3-7/8 4-7/8				
③ Replaced #4 cyl push rod seals 25¢ #70310 seal 25¢ 9/16 60053				
④ Replaced crankshaft seal 9/16 LW-11997				
⑤ Prop timing checked				
⑥ Spark plugs checked, gaps tested				
⑦ Replaced oil drain valve 9/16 CCA-1419				
⑧ Replaced Beechcraft Airfilt 003				
⑨ Checked for wiring and of thermostat by-pass valve (ok)				
⑩ Eng cleaned, run-up leak checked				
Joseph Beechcraft 1446134 AD-95-7-1 Connecting Rod Bolt N/A				

I CERTIFY THAT THIS AIRCRAFT-ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AD-95-7-1 INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

SMOH: 771.1 hr
TACH. TIME 4255 HRS. TOTAL TIME 4562 HRS.

WORK ORDER NO. XXXXX DATE 4-10-95

AUTHORIZED SIGNATURE Joseph Beechcraft 1446134

and Remarks	Signature	Certificate No.
June 12, 95: Tach: 4288.9 changed oil and filter. Serviced with 8 qts Texshell 15W50. Opened and inspected filter. Leak checked. Revised Beechcraft #P 247735874		
July 25, 1995. Tach time 4318.1 hr.		
① changed oil + oil filter (filter inspected for contamination. ok). (Eng serviced with 15W-50 and checked)		
② Eng cleaned, run-up leak checked.		
Joseph Beechcraft		
1446134		
Oct. 5, 1995 Tach: 4351.3 changed oil and filter. Insp. filter for contamination. Filled with 8 qts Texshell 15W50. Run and leak checked.		
Revised Beechcraft #P 247735874		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
April 5, 1994	Brought Forward →	Tach 4141.2 hr.	T.T. 4448.2 hr	SMOH 657.8
① Compression test	1-73/80	2-73/80	3-73/80	4-78/80
② Changed oil & oil filter	(oil filter inspected for contamination)			
③ Replaced all cylinder drain hoses.				
④ Replaced all rocker arm pushers.				
⑤ Replaced all Eng. valve seals.				
⑥ Spark plug check, replaced 1 total				
⑦ Replaced carburetor float.				
⑧ Per AD-94-01-03 inspect				
⑨ Inspect carb & mag return. (ok.)				
⑩ To carry forward				

I CERTIFY THAT THIS AIRCRAFT-ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AD-AN-11-11 AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. SMOH 657.8

TACH. TIME 4141.2 HRS. TOTAL TIME 4448.2 HRS.

WORK ORD. NO. 1446134 D-TE 4-8-94

AUTHORIZED SIGNATURE Joseph Brachett 144613424

NO'S listed in rear of log + front of Eng. log.

Joseph Brachett

and Remarks	Signature	Certificate No.
July 6, 1994 Tach time 4172.8 hr		
① changed oil & oil filter. oil filter inspected for contamination. (ok at this inspection)		
② Applied brake band drive shaft & housing E.O. bushing		
③ Eng cleaned, and run up leak ch.		
	Joseph Brachett	ATP 1446134
Nov 3, 1994 Tach 4206.8		
- Changed oil and oil filter. inspected oil filter.		
- Replaced minor oil leak (#1 oil return line)		
- cleaned and run up engine		
	B. N. Roeder	ATP 1447735874

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
April 9, 1993	Tach time 4031.9	552 SMOH	E.T.T. 4338.9	
① Visually inspect engine I/A/w FAR. 43 Appendix D				
② Compression test #1 72/80 #2 72/80 #3 70/80 #4 74/80				
③ Changed oil + filter. Serviced with 8 qt 15W-50W				
④ Cleaned + gapped + test spark plugs				
⑤ Mag time to engine checked				
⑥ Engine run-up leads ok.				
⑦ Chw AD 78-09-07 Impulse coupling test due 4531.9				
⑧ See 9D list o/c log				
⑨ AD Check for compliance issue thru 93-03				
Total To Carry Forward				

4-19-93 TIME-TACH 4031.9 TOTAL 4338.9 SMOH 552.0
 I CERTIFY THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH A -- ANNUAL -- INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION..
 SIGN Douglas Greiner CERT.# 2220760 I.A.
BRACKETT AIRCRAFT MAINTENANCE
 SOUTHBRIDGE 508-764-7469 STERLING

Douglas Greiner 2220760 A+P

and Remarks	Signature	Certificate No.
July 13, 1993 Tach Time 4070.7 hr.		
① changed oil + oil filter		
② Eng cleaned, visually inspected for minor oil leak.		
③ Eng run-up + leak ch.		
	Joseph Brackett	
	A+P 1446134	
Oct 25, 1993 Tach time 4166.4 hr.		
① changed oil + oil filter.		
② installed new Eng heater model TAS-100-2 S/N 21583		
③ Eng run-up + leak checked		
	Joseph Brackett	
	A+P 1446134	

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7-14-92	Brought Forward →	Tach 3963 hr.	Eng T.T. 4269.8 hr.	
			Eng Smolt. 483.1 hr	
①	changed oil & oil filter (CH 48110)			
②	Eng serviced with Aero-shell 15W-50			
③	Eng cleaned, gd run-up & leak ch.			
			Joseph Brackert	
			A+P 1886134	
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Nov. 19, 1992 Took time 3997.8 hrs Engine TT. 4304.8 hrs Changed oil and filter. Inspect filter for contamination Serviced with 8 qt. 15W-50W Aeroshell Engine run up leak checked OK. Bushett Aircraft Maint. Louise Greiner AIP 2220760		SMOH 517.9 hr

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
Nov. 7, 1991	Tach Time 3901.7 hrs			
	Changed oil + filter			Serviced with 7 qts 15W-50W Aeroshell. Checked filter for contamination checked OK. Washed Engine run up and leak checked OK
				Brackitt Aircraft Douglas Gromet A/P 3220760
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Mar 21, 1992 Tach time 3924.0 hrs Eng T.T. 42308 hrs SMOH. 444.1 hrs ① Compression Test #1 - 68/80 #2 - 70/80 #3 68/80 #4 - 74/80 ② Changed oil + oil filter (Eng serviced with Aeroshell 15W-50) ③ Replaced induction air filter ④ Replaced Vav pump gaskets oil seal + mounting gaskets. ⑤ Installed new spark plug (BFM 39E) ⑥ Mag timing OK. Ign leads tested. ⑦ Eng inspected on per paper inspection form P/N 230-207. ⑧ AD's checked. ⑨ Eng run-up + leak checked.	I CERTIFY THAT THIS ENGINE ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. TACH. TIME 3924.0 HRS. TOTAL TIME 42308 HRS WORK ORDER NO. 1446134 DATE 3-21-92 AUTHORIZED SIGNATURE <i>Joseph Brackitt</i>	SMOH 444.1 hrs 42308 HRS 3-21-92 1446134 IA

ENGINE LOG

Date 1991	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Mar 22,	Brought Forward →	Tach time	3817.040	SMOLT 337.1 Hr
① Compression test	#1 - 7/8" #2 - 7/8" #3 - 7/8" #4 - 7/8"			
② Changed oil & oil filter.	Eng served with 15W-50 cow shell			
③ Installed new induction air filter				
④ Replaced #1 intake push-rod housing, #3 EXH. Pushrod & #4 Intake Pushrod Housing.				
⑤ Tightened alternator belt.				
⑥ Eng inspected as per prop inspection guide P/R 230-207				
⑦ Eng run up & look ok				
Total To Carry Forward				

I CERTIFY THAT THIS AIRCRAFT-ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.

SMOLT-337.1 HR
TACH. TIME 3817.0 HRS TOTAL TIME 423.8 HRS!
WORK ORDER NO. XXXXX DATE 3-22-91
AUTHORIZED SIGNATURE Joseph Brachert
14461302H

NO'S CHG issue 9/04

Joseph Brackett B7P1446134

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
Oct. 9, 1990	Tach Time 3762.0			
	Changed oil + filter. Service with 8 qts of 15W-50W Aeroshell oil			
	Inspect CH48110 filter for contamination			
	Engine run-up and leak check OK.			
				Brackett Aircraft Maint.
				Wayne Greiner A/P 2220760
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Feb. 7, 1991 Tach Time 3799.4 hrs.		
Changed oil + filter. Serviced with 7 qts of 15W-50W Aeroshell oil. Inspect CH48110 filter for contamination. Engine run-up and leak checked OK.		
	Brackett Aircraft Maint.	
	Wayne Greiner A/P 2220760	
Feb. 12, 1991 Tach Time 3801 hrs.		
Replaced #2 EXHAUST push rod tube P/N LW 11485. Eng run-up + leak ck.		
	Joseph Brackett	
	A/P 1446134	

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
April 6 th 1990	Tach 3699.6	S.M.O.H. 219.9		
① Compression #1 - $\frac{73}{80}$ #2 - $\frac{73}{80}$ #3 - $\frac{73}{80}$ #4 - $\frac{74}{80}$				
② Change Oil + replaced oil filter				
③ Mag timing ok. Spark-plugs cleaned & tested.				
④ New oil filter installed.				
⑤ Fuel strainer replaced & cleaned.				
⑥ Oil leaking in rear of log book.				
Joseph Brachet				
ADP1446134				
Total To Carry Forward				

[illegible]

[illegible][illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
June 10, 1988	tach time 3514.91 hrs			
①	Installed Right Magneto Model #10-51360-29 SN 925442			
	overhauled by City Engines Inc.			
②	Installed Left Magneto Model #10-51360-37 SN 920204			
	overhauled by City Engines Inc.			
③	Serviceable tags attached			
④	Run-Up and Leak check OK			
	John W. Geary			
	15584666 ASP			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
May 24, 1989 Tach Time 3599.5 hrs		
① Compression 1- 74/80 2- 75/80 3- 77/80 4- 74/80		
② Changed oil and oil filter (Amsoil 15W-50)		
③ Replaced air filter (AD-84-26-02)		
④ Greased & painted prop.		
⑤ Spark-plugs cleaned, regapped & tested.		
⑥ Mag timing OK.		
⑦ AD listed in rear of log		
⑧ Eng run - nopt leak ch.		
Joseph Brachett		
ASP 15584666		

I CERTIFY THAT THIS AIRCRAFT-ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. 5104 119.6 HRS. TACH. TIME 3599.5 HRS. TOTAL TIME 9 HRS. WORK ORDER NO. 888888 DATE 3-24-89 AUTHORIZED SIGNATURE Joseph Brachett 14963424

ENGINE LOG

1988 Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Feb 22, 1988	Brought Forward			Tach time 3479.9 Hr.
				1) Installed Eng 0-360-A-4A. S/N C15383-36A. after
				o/h by Aero-Tech Engineering.
				2) All fluid carrying lines replaced.
				3) Installed new air induction filter
				4) Cleared & inspected fuel strainer.
				5) Eng good run-up & leaked ck.
				6) QW AD-74-26-09 Replaced mageto - sentored iron
				drive shaft bushing & installed machined steel bushing
				7) Installed new engine coupling AD83-20-01 QW
Total To Carry Forward				8) New mag. stop pin installed

and Remarks	Signature	Certificate No.
9) new mag and seal installed.		
10) All Eng seat replaced.		
11) WD's check thru same 88-01.		
12) Eng test flow as per Specs. found in good.		
13) Eng released back to service.		
Joseph Bruchet ATP1446134		
I CERTIFY THAT THIS ENGINE ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH ANANAS INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.		
TACH. TIME 3479.9 HRS.	SMO. "0"	TOTAL TIME HRS.
WORK ORD R NO. XXXXXX	DATE 2-22-88	
AUTHORIZED SIGNATURE	Joseph Bruchet ATP1446134 DA	

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7-1-87	Brought Forward →		tach 3425	Annual - new rock cover gaskets, spark plug changed, compression OK tightened oil head.
				CERTIF THIS ENGINE/AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <i>H.Ry. C.E. 10/9/77</i>
1-10-88	Test time 3478.5 Hn.			
	Eng S/N L-15383-36A			Removed from
A/C N8575F	S/n-28-7790259			for O/H.
Total To Carry Forward				Joseph Bruchett ATP1446134



AERO-TECH ENGINEERING
707 EAST FRANKLIN BLVD.
GASTONIA, NORTH CAROLINA 28054
1-800-421-5442 • 704-866-4703

THIS ENGINE SER. # L-15383-36A WAS

OVERHAULED THIS DATE 1-22-88 TIME

PER F.A.A. REGULATIONS AND MFG. SPEC. THIS ENGINE FOUND
TO BE AIRWORTHY FOR RETURN TO SERVICE

WARRANTED 250 HOURS CONDITIONALLY

A & P NAME Yony Stroppe NO. 245083766

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
5-18-86	Brought Forward →		3327	Annual - Oil & Filter Compression 174 273 375 resurfaced exhaust plange repaired, new rocker box oil filler tube, new Induction I certify that this engine an Annual inspection &
Total To Carry Forward				

and Remarks	Signature
changed, spark plugs cleaned & gapped #174 Two intake pipe welded @ Flange #3 cyl after removing cyl exhaust system gaskets, magnets timing checked, new gasket Air Filter, heli coil on third #3 cyl, intake gaskets has been inspected in accordance with was determined to be in Airworthy condition H/Ry De Kim 11/6/1974	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
5-20-85	Brought Forward →		2939	Announced - Oil & Filter & rotated, Compressor tightened, L.H. heat exchanger
Total To Carry Forward				

[illegible]

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
4-18-84	Brought Forward →			REPLACE STARTER
5-8-84			2624	Annual - Oil & Filter rep cleaned, Tightened oil leaks, checked
Total To Carry Forward				

[illegible]

and Remarks

Signature

Certificate No.

1. INS.

MAINTENANCE

2. Drained oil, cleaned screens, changed oil
in accordance #172#275#376#476#53. Checked starter and propeller4. Thoroughly checked prop for leaks and grease5. Checked and tested. Functionally checked engine.6. Refer to work order # 13857. December 20, 1983 Total Aircraft Time2513.79588 SMOH8. Engine has been inspected in accordance with9. Piper PA 28-181 100 hr10. Engine to be in airworthy condition.Signature Glenn R Mueller A2P149.586758

Comply with Bendix impulse coupling. 78-09-07 left mag
by inspection and found OK. Comply with Bendix
ignition switch AD 76-07-12 but inspection and found OK.

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
10-23-82	Brought Forward →		2201.21	Replacement starter installed, welded intake manifold, & resurfaced & installed with new gasket, removed exhaust system, resurfaced & reinstalled, tightened loose carb. screws & applied arm per A.D., removed vacuum pump & replaced seal in drive, Compression 176 275 377 474
				I certify that this engine has been inspected FAW on Annual Inspection & was determined to be in Airworthy Condition H. Ray C. Hines 1161197 JH
Total To Carry Forward			Time on Engine 561.21	

[illegible]

and Remarks

Signature

Certificate No.

Date 12-29-81 time in service 1750
I certify that this aircraft and/or engine has
been inspected in accordance with a 100 hour
inspection and was determined to be in
Airworthy Condition.

Mechanic's Signature

Michael J. Zinner ACP

Certificate Number 146125626

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
4-03-81	Brought Forward →	0.0	TACH 1618.21	ENG INSTALLED IN A/C RUN-UP & TEST FLOWN NO LEAKS - OPERATION
5-8-81	TACH 1640			CHANGED OIL - ADDED 8QTs
Total To Carry Forward				

[illegible]

ENGINE OVERHAUL

TYPE

Major . . ☒Top . . . ☐Engine Serial No. L-15383-36 A Since Last MajorDate Completed 4-03-81Total ENGINE TIME: 1925

TIME

NEW PARTS

4 EA LW11021; 2 EA LW13884; 1 EA STD847; 1 EA 61156; 8 EA LW12186;
8 EA LW16048; 8 EA 74644; 3 EA 75089; 3 EA 74230; 4 EA LW14078;
8 EA 60009; 8 EA MS 13997-3; 4 EA 74541; 2 EA 60398; 3 EA 74637;
6 EA 3601; 3 EA 3602; 4 EA LW13790; 8 EA LW12892; 2 EA 31-C12-P07;
8 EA 88517; 8 EA 60828; 1 EA 74230-P05; 2 EA 3601-P010;
1 EA 3602-P010; 4 EA 76448; 1 EA 75439-1; 4 EA STD347;
4 EA 69603; 8 EA 72877; 8 EA 78290

REMARKS

I certify that this overhaul was accomplished in accordance with FAA Regulations and Directives using approved material and parts.

Signature Timothy C. BakerCertificate No. AP213680115Address RD2 Box 341 East Stroudsburg, Pa. 18301

COMPLIANCE WITH SERVICE BULLETINS ON ENGINE AND ENGINE ACCESSORIES

[illegible]

ENGINE DESCRIPTION

Manufacturer: LYCOMING

Serial No. L-15383-36A

WILLIAMSPORT, PA.

Horsepower: 180

Model: 0-360-A4A

FAA T. C. No.

[illegible]