

PROPELLER LOG BOOK



SENSENICH PROPELLER MFG. CO.

Lititz, Pennsylvania 17543

Internet: <http://www.sensenich.com>.

THIS LOG BOOK IS TO BE KEPT
WITH THE PROPELLER
FOR RECORDING OF ALL PROPELLER MAINTENANCE WORK PERFORMED

The subject aircraft was involved in an incident /
accident on 3/25/2025 rendering it a Constructive Total
Loss as not repairable within its insured value. For
further details refer to insurance claim: 7724509460US.

Signed: ***Underwriters Salvage Company***

Date: **4/18/2025**

AlG Aerospace Adjustment Services Inc
3500 Lenox Road, Suite 1100

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
6/21/20	Fig 1.5		

AP34079601A

6/17/21	837.5		
---------	-------	--	--

[illegible]

I certify that this propeller has been inspected IAW an Annual Inspection PER FAR 43 App d and is found to be in an Airworthy condition.

APR 20 11



PO BOX 80958
BAKERSFIELD, CA 93380



Date: 2/26/2025; Aircraft: N9528D; Type: PIPER, P22-20; S/N: 22-6444; Tach: 862.20; Total Time: 3074.00; Engine - Type: O-320-B2A, S/N: L-1657-39, TSMO: 536.60; TTSN: 3074.0; Prop - Type: 74DM6-0-60, S/N: A59319, TSO: 102.40; TTSN:UNK

I certify that this propeller was inspected in accordance with an annual inspection and was found to be in airworthy condition.

Ryland Veesart A&P4056309IA

A handwritten signature in black ink, appearing to be "J. J. ...".

[illegible]

**DESCRIPTION OF ALL OPERATIONS
PERTAINING TO AIRWORTHINESS DIRECTIVES,
SERVICE BULLETINS, SERVICE LETTERS,
& MINOR ADJUSTMENTS**

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
6/2/2015	759.8	Installed propeller on 1958 Piper PA 22/20, N9528D. Torgued and safetied propeller bolts installed spinner. Ran engine, made takeoff RPM, ops checked good Joel G. Martell AEP 547867060 IA.	
5/20/16	775.6	I certify that this propeller has been inspected IAW an Annual inspection and was found to be in an airworthy condition. AP340746014	

**DESCRIPTION OF ALL OPERATIONS
PERTAINING TO AIRWORTHINESS DIRECTIVES,
SERVICE BULLETINS, SERVICE LETTERS,
& MINOR ADJUSTMENTS**

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
5/23/17	784.0	I certify that this propeller has been inspected IAW an Annual Inspection and has been found to be in an Airworthy Condition. AP340746014	
6/19/18	797.5	I certify that this propeller has been inspected IAW an Annual Inspection and is found to be in an Airworthy condition. AP340746014	
7/5/19	815.3	I certify that this propeller has been inspected IAW an Annual Inspection and is found to be in an Airworthy condition. AP340746014	

DESCRIPTION OF ALL OPERATIONS
PERTAINING TO AIRWORTHINESS DIRECTIVES,
SERVICE BULLETINS, SERVICE LETTERS,
& MINOR ADJUSTMENTS

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
June 12 13	326	Inspect propeller for annual	
		I CERTIFY THAT THIS <u>propeller</u> HAS BEEN	
		INSPECTED IN ACCORDANCE WITH A <u>annual</u>	
		INSPECTION AND WAS DETERMINED TO BE IN	
		AIRWORTHY CONDITION.	
		<u>Don L. Buchner JA1499217</u>	

August 20, 2014: Piper PA22-150, N2971P. Propeller Sensenich 74DM6-0-60, Ser.# A59319.
TACH TIME 347.0 hrs. Propeller TOTAL TIME 347.0 hrs. 100 hr inspection completed this date.

DELTA STRUT
668 W. KEARNEY BLVD.
FRESNO, CA. 93706

Lamson Barber
ALP 1398894

DESCRIPTION OF ALL OPERATIONS
PERTAINING TO AIRWORTHINESS DIRECTIVES,
SERVICE BULLETINS, SERVICE LETTERS,
& MINOR ADJUSTMENTS

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
4-21-2015	S.P.O.H.	Propeller overhauled, blades ground, zygloed, alodined, painted and balanced. Magnafloxed all steel parts, zygloed all aluminum parts. Cad plated where required. Parts replaced where required, propeller assembled, lubricated and balanced. Functionally tested, angles set to Mfgs. specs.	
		Pertinent details of this overhaul are on file under <u>W.D.O. 15-179</u> at the following repair facility:	
		Johnson Propeller, Inc. 211 Aviation St. Suite 104 Shafter, CA 93263	
		William R. Johnson J3PR491J	

PROPELLER MAINTENANCE RECORD

PROPELLER MODEL 74DM6-0-60
 PROPELLER SERIAL NUMBER A59319

TABLE OF PROPELLER ATTACHING BOLT WRENCH TORQUE
 Sensenich Metal Propellers (the proper torque is also shown on Blade Information Decal)

PROPELLER SERIES**	BOLT DIA. (inches)	RECOMMENDED WRENCH TORQUE		
		in.-lb.	ft.-lb.	n.-m.
69CK, M69CK (6 bolts) 72CK (6 bolts) 74CK, M74CK (6 bolts) 76AK, M76AK (6 bolts) 76AM6, M76AM (6 bolts) 74DM6, M74DM (6 bolts) 74DR, M74DR (8 bolts)	3/8 (0.375)	280-300	23-25	32-34
74DM7 (6 bolts)	7/16 (0.4375)	480-540	40-45	54-61
72CC, 72FM8 (6 bolts) 74DC, M74DC (6 bolts) 76EM8, M76EMM (6 bolts) * 80BM8, M80BMM (bolts)	1/2 (0.500)	720-780	60-65	81-88

* Not in production

** These are the basic propeller models. Spacer addition does not affect recommended wrench torque.

DESCRIPTION OF ALL OPERATIONS PERTAINING TO AIRWORTHINESS DIRECTIVES, SERVICE BULLETINS, SERVICE LETTERS, & MINOR ADJUSTMENTS

DATE	TACH TIME	DESCRIPTION OF WORK	SIGNATURE
5-14-03	0.0	This Prop Serial No. A59319 was installed on Eng 0-320 A2B Serial # 1-10013-27	Mark P. Doninger
Nov 1 2010	289 hr.	Inspect prop and spinner. CERTIFY THAT THIS propeller HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>annual</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. Dean R. Buchner FA1499R17	
5/7/2012	TACH 806	INSPECTED PROPELLER 1 AN A100HR INSPECTION & RETURNED TO SERVICE	ATP #66252