The Standard



TA	RDING ACH IME	TODAYS FLIGHT	TOTAL TIME IN SERVICE		NSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ED WITH NAME, RATING AND CERTIFICATE NUMBER OF CILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
	I certify be in A Signed	Perform accorda 1) 2) 3) y this engineirworthy Co	Cessna Continental ned the follow nee with Cess Annual I all engine Performe Checked Compress thas been inspondition and a	nspection: Inspected spark plugs e accessories and propeller. Inspected general inspection of the engin magnetos to engine timing. Fou sion checks #1 70/80, #2 73/80,	Checked exhaust and muffler. Inspected ected all air/fluid lines and hoses. E. Ran engine and checked for leak checks. Indicate to be ok at this time. #3 78/80, #4 67/80. Hr. /Annual Inspection and is determined to

1) A n a le 2) C 3) C 3) C 2) The following 1) R S. 2) C 48 3) R I certify this engine has b be in Airworthy Condition	Model: C-150H S/N: 15069569	Reg: N22859 Date: January 12, 2021 TT/Tach: 1258.99 Hobbs: 423.5 Make: Cessna Model: C-150H S/N: 15068568 Make: Continental Model: O-200-A S/N: 68511-8-A /SMOH: 1317.99 1) Performed the following Manufacturer's Recommended Maintenance Inspection in accordance with Cessna Aircraft C-150 Service Manual and Inspection checklist: 1) Annual Inspection: Inspected spark plugs. Checked exhaust and muffler. Inspected all engine accessories and propeller. Inspected all air/fluid lines and hoses. Performed general inspection of the engine. Ran engine and checked for leak checks. 2) Checked magnetos to engine timing. Found to be ok at this time. 3) Compression checks #1 76/80, #2 74/80, #3 78/80, #4 72/80. 2) The following repairs were performed per Cessna SM and AC43.13.2.B 1) Changed oil. Serviced with 5 quarts of Phillips 20-50X/C. Leak checked good. 2) Replaced air filter PN BA4108 with new
--	-----------------------------	---

DATE	KLOVAIR L.L.C.	NS ABER OF	DATE	JD Aviation	ALTERATIONS
19	Box 277 Beatrice NE Phone-402-239-0240 e-mail –klovairtravis@yahoo.com	NTRIES.)	19	Crete, Ne 68333 N22859, Cessna 150, Tach: 1166.11, SMOH: 1225.02, Date: 10-29-2018	FICATE NUMBER OF SPECIFIC ENTRIES.) d oil 59-48 and
	DATE: 3/21/2018 T.S.M.O.H 1192, O or Tach Indication 1133.09		1	 Drained engine on and serviced engine with new crush gasket P/N MS3570 screen, inspected, cleaned, and reinstalled with new crush gasket P/N MS3570 safety wired. 	
	Engine Inspection Performed in Accordance with Cessna Maintenance Manual	-		Degreased engine and test ran, no leaks noted.	-
	Engine Compartment		_	James Dux A&P 2815888	
	Checked & Cleaned Air Filters Old Filter Element Checked Fuel Sumps Drained and Checked		-		
	Fuel Screens Checked Magneto Points & Timing Checked Carburetor Heat Checked		1		
	Prop Condition Check Nicks Removed From Prop Leading Edges Differential Compression Check as Follows: #165780, #271/80, #3 70/80, #4 75780, #5 /80, #6 /80, #7 /80, #8 /80, #9 /80.		t -		
	I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANAINSPECTION AND WAS FOUND TO BE IN AIRWORTHY CONDITION.		4		
	No All's at this time! Thair Illary A&P No. 50573 9621 IA				

DATE 19	RECORDING TACH TODAYS TIME IN SERVICE MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.) Reg: N22859 Make: Continental 0-200A SN: 68511-8-A Tach: 1029.34 hrs. ETTE: 30.8734 hrs. TSMOH: 1088.34 hrs. Date: 10/1/14 Complied with Annual Inspection. Checked intake, cylinder bases, oil sump, ignition harness, magneto timing, and compressions as follows. #1, 74/80 #2, 74/80 #3, 70/80 #4, 69/80. Checked electrical and vacuum systems. Cleaned gapped and rotated spark plugs. Changed oil and serviced with 5 qts Phillips X-C. Checked oil screen and found no contaminates. Installed new rocker cover gasket on errify that this engine was inspected in accordance with an annual Inspection and was determined to be airworthy. Reg. N22859 Make Continental 0-200A SN 68511-8-A Tach: Time: 1073.31 hrs. TTE: 3073.31 hrs. 75/0CH /732/31 Date: 10-27-2015 Complied with Annual Inspection. Performed compression check as follows, #1-76/80, #2-80/80, #3-76/80, #4-50/80. Removed #4 cylinder and had repaired by ACE Inc. and installed with new gaskets in accordance with Continental service instructions. Run engine and checked OK. Checked intake, exhaust, cylinder bases, oil sump, ignition harness, magneto timing and cleaned, gapped and rotated spark plugs. Oil not changed at this time. I certify that this engine was inspected in accordance with an Annual Inspection and was determined to be airworthy.	71/80 Checked intella	ATIONS NUMBER OF IC ENTRIES.)

						-			
DATE RI	ECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	2012	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES
9-11	269		,	CHANGED OIL BOZ CAM GUARD- SON PLUS	10-12	952.35			LARRY CLARICE ON NEW 10 DEROTER
5-12	894			CHANGED OIL- SETS PHILLIPS 20-SUN PLUS					Howard Aviation, L.L.C. 1221 S. Dakota St. Vermillion, SD 57069 605-670-0234 CERT # 27HR144C
	8-9-2012 N22859 Tach 0917.75 976.75 SMOH Clean engine, check & lube controls. Clean gap & rotate spark plugs. Compression check 1-68/80 2-76/80 3-75/80 4-73/80. Changed oil (Phillips XC 20-50) 5 quarts. Checked oil screen for contaminates, none found. Install oil quick drain valve. Replace rocker cover gaskets on #1 & #3 cylinders. I certify this Engine has been inspected in accordance FAR 43 Appendix "D" in accordance with an Annual inspection and as of this date return it to service. Michael Thames A/P 2708972 I/A								28-26-2012 Ni22859 Continental O-200-A S/N 58511-8-A Tacin 977-49 ETT 1036-49 Compressions #1) T4/80 #2\() T5/80 #3\() T6/80 #4\() T2/80 Changed oil cleaned screen and serviced with 5 quarts of 15W50 Aerosneil Checked and adjusted timing on both mags to 24 degrees BTC Checked leads - checked good - - Check

DATE 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	8-5-2011 N22859 Tach 1223.8 875.9 SMOH
2-10-11	784.0			Removed 1 mag And was work on	Clean engine, check & lube controls. Clean gap & rotate spark plugs. Compression check 1-70/80 2-75/80 3-78/80 4-74/80. Changed oil (Phillips XC 20-50) 5 quarts. Checked
				by AIRCONST MAGNETO SONIVE SECTIFICATION	old screen for contaminates, none found. Replaced oil screen housing p/n 653025 & gasket
				see Yellow Tag. It work ander # 3345.	p/n SA22350. Reposition intake hose on #2 & #4 cylinders.
				Timmed my, James W 16ll 327844430 A.P.;	I certify this Engine has been inspected in accordance FAR 43 Appendix "D" in accordance
4-204	800.TT			CHAINGED OIL - 5 OT PHILLIPS 20-50W + 8 02	with an Annual inspection and as of this date return it to service.
				CAM GUSES ASSATIVE - W.A. MINIAZ OLINEZ/OPERATIR	Michael Thames A/P 2708972 I/A
					Michael Thames A/P 2708972 I/A
					11-5-11 8477 1100 1750 0
			4		11-5-11 847.7 HOBBS 135,9 CHANGED OIL - 5 QTS PHILLIPS 20-50W+
					802 CAM GUARD ADDITIVE -
					N.A. KN192
					OWNER ODERA-OR

			· · · · · · · · · · · · · · · · · · ·							
DATE 19	RECORDING TACH TIME FLIG		ENTRIES MUST BE ENDORSED WITH	ONS, TESTS, REPAIRS AND ALTERATIONS I NAME, RATING AND CERTIFICATE NUMBER OF SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	7-9-2010 Cleaned eng	N22859	Tach 756.	1 TSMOH 812.1 controls. Changed oil	CTIONS, TESTS, REPAIRS AND ALTERATIONS VITH NAME, RATING AND CERTIFICATE NUMBER (SEE BACK PAGES FOR OTHER SPECIFIC ENTR	P 05
			36.2 TSMOH 792.2		(5 quarts Phi	llips 20-50	u anu nuoeu W) & checki	ed screen. Cleaned,	CONTRACTOR OF THE STEET OF THE PARK	(IES.)
			trols. Change oil (5 qts.		gapped rota	ted spark	nlugs Comp	pression check		
			en for contaminants, nothing		_ 1 - 74/80 2	– 76/80 3	-78/80 4 -	- 76/80		
			k plugs. Compression check		I certify this	Engine has	heen insnec	eted in accordance with		
	1- 74/80 2- 78/8				— a Annual ins	ection and	as of this d	ate return it to service.		
			spected in accordance FAR 43							
			th an Annual inspection and as		Michael	Ma	in It	12708972		
	of this date return	n it to service.								
	7/1/		- IA 2708972		_					
	Munael	Jaan	17/1087/2		17	-;	7			
		_			12-1-10 TAG	1 773	ø 7	Removed Rmag &	INSTALL NEW Slich MAGE	
								#4301 SIN 101000	57. NAV ENGINE	
					101			may doop was (OR)	ATS PHILLES 20-50W-	2
					12-16-10 TAGE	776.4	Hobas 54.	CHANGED aL - 5	OCTS PHILLIPS 20-50W- AS	\$3
		· · · · · · · ·						W.A. KNIAZ DWHEL		
	+	<u> </u>								

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE	RECORDING TACH TIME	TODAYS	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES)
1 Sep	100.00	inch 6		moinsenance at purel chacked compressions 167/20 2 65/20 3 69/20 4 7/20. Magneso so engire timing chaked Good. no on Service or this time. Grand ran engine, all ok. elisted pep 57317158214	Bisti A Farmin TT: 72 Perforn Check	Aviation, Ington, N.M. 8.75 A	1. 87499 TT: 272	5.75 check, 1)7	April 18, 2008 TSOH: 784.75 2/80, 2) 71/80, 3)74/80, 4)72/80, a new BA 4108 air filter. Cleaned, check
	2014 7	Jr. Par.		DEEN IN SPECIED IN A COURDANCE WITTH A IND AR INSPECTION AND WAS DEIER MENED TO ISE IN AN AINWONTHY CONDITION BY THIS TIME. CHAGGE DILL CLEAR SCREEN, COMPRESSEON; 1-7/80 PAP 525150470	I certify 100 hou	nspection.	engine h	as been in	aspected in accordance with a d to be airworthy at this time.

Skinner Aviation Inc. 403 Dead Indian Memorial Rd. Ashland, OR, 97520 8 july 04 N22859 Cessna 150H sn 15068509 Tach 686.3 AFTT 2683.3 Cont. 0-200A sn 68511-8-A SMOH 630.3 ETT 2683.3 McCauley 1A101 PTT 2683.3

Maintance at annual- Compression 1-65/80 2-67/80 3-70/80 4-67/80. Changed engine oil and inspected oil screen. Refilled with 6qts aeroshell 100W. Cleaned, gaped and tested sparkplugs. Checked magneto to engine timing, ok at 24 btc. Washed engine and ground ran, no leaks found.

All indictions and functions normal. Dressed and painted propeller.

Gary Saindon A&P 573171582 IA

RECORDING TACH 19___

DATE

TODAYS FLIGHT

TIME IN SERVICE

TOTAL

DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)

JET CENTER MFR

ROGUE VALLEY INTERNATIONAL AIRPORT #17 MEDFORD, OREGON 97504 (541) 770-5314 CRS: GCPR185E

Airframe Log Entry

Date: 8-5-04 Total Time:

Removed #2 Nav/Comm, KX170B Serial No. 69054, Adjusted modulation per KX170B maintenance Manual. Operational check normal.

The component identified above was inspected and repaired in accordance with current FARs and was found airworthy and is approved for return to service. Pertinent details on file at this agency under work order no. 6196.

DATE 19	RECORDING TACH TIME	HOBBS FORMS EMONE	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE 19	RECORDING TACH TIME	466s	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5-1-02	639.5	936.8	2639.5	Smot 583.5 mamorance ar Annual changed oil	5 June O	8 646.6	946.8	2646.6	Mainrance at mondi-compression / 16/80 2 15/80 3 15/80
				and inspected Screen, oh Relited with 6 ars Accorded					47360. Changed engine of a inspersel Screen all oh.
	i Lee-			w100, checked compression / 1/8021/2037/2047/26.					chaked more to engine Timing Clamed, Compel and Jestel
				Chepled myres to engine Tining, Good.	_				Spankplus instanced Two new Rem 400 pluss Replaced
				And AER 573171582					Act. drue bishings 632050 and regainer por 352030.
			- /1	126/02 Tach 644.81					Redoped engine mouse or 7 7684 cugine Ground rea
-	-		1/4	refollow New #4 cylinder Lower	-				no lots found, Aly la persony 71582
-		2 400-	16	stalloo New #4 cylinder Lower					
_		N		/s 6000. 11 11					
-			- "	Hoppu -	-				
-			-	A48554029764					
				711 3570 21109					

DATE RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2MAR 89	THE	4 633	ACA. T.T. 2633 ENG. T.T. 2633 SMGH 579	224	AN 2001	1 TA	est BE	40 0636. BAL TT. 2434 SMOH 580
			CERTI 100 MA INSP. PIN SPANICE MARGUAL 8		Can	2 100	HA IN	SP PAN CASSAN INSP KAPURT FOR 150 8
			INSP RAPORT POR CESSNA 150 OIL PRAINED.		Sin	YILIZ	MAN	UPL OIL DRAWED SCHERLY CK OK + REINSTANTO
			SCREAN CK +OK FRE-INSTALLED & SARYICED		# 56 M	vivii	o wit	4 6673 AS 100 CYL. DIFF By Sof15 3813
			WITH 6 GT'S ARRUSHALL 100. OK. DIFE.	1200	13 80	135-11	18475	. CRD. OPER THAT CK OK.
			comp. #180/15 #280/16 #380/12 #480/14					
			PLULI CHAMEN + GAPPED. FINE WIRE PLUCS	15.31				AIRWORTHY "I certify that this First has
			BRINSTALLED BACK IN #2+#4 BOTTOM (SINGS OF OILY CH)					been inspected in accordance with a
-			"I certify that this father has					mined to be in airworthy condition.
		-	been inspected in accordance with a					Leon A. Fahringer 1230509
			mined to be in airworthy condition."					Len harkringer
			Leon A. Fahringer 1230509 / 4/					Xeth hoo
And the second second	and the same		Leen Charkinger					

					14				
DATE 19_944	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE 1944	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5-12-94	633.6			100 Hringp IAW Cessha service manual +	6-20	634.17			Annual Incp. Comp. ck Good All mid >2/88"
			1	inspection guide. compression checked #1750					cleans) Spark Plags che timing, Che Estast
P				250 350 450 Cleaned fuel screen +					system of Hat mul. old screen. Chanse
				gascolater, Drained carb Bobl. Changed on					Furl scassers AD95-21-15 N/A due to
8				checked oil screen for metal ok. checked					AC' D' Warbs - I crotal, that this
roovn	AND REAL	F 4 7 4 4 4		mag timing alk plugs tileads ok cleckel					Alc sug. Has been suspected TAN AM
- MEST	00.	DUALY A	IRPORT.	exhaust system + Heat most ak, weshed engine					1 0 1 1 1 1 1 1 1 1 1 1 he in
THE ST	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			Vect Run +leak check of -L					nº(//n lake
				a 100 Ho inspection and was determined to	_				As Azwith Condition Mach Dante
				tach 1321	_				76137164633124
				TOTAL TO S 10 3 . O CAST OF HAR 5 12 - 94	_				
			0	MECHANIC SIGN Probe Whamit	_				3
			-	J.A or (A &) # 543 7/8/68	-				
					4				

DATE RECORDING TOTAL TOTAL TOTAL TIME IN SERVICE MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE RECORDING TOTAL TOTAL TOTAL TOTAL TIME IN SERVICE MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
January 23, 1990 Tack 59479 Replace and rendered saist	1-30-92 609.8 . 548 5MOH. Compression E.K., Streen OK.
in left negnets viting to engine. Pur up of	1-30-92 609.8 : 548 5 MoH. Compression E.K., Strem Ok.
Sterre Parkouin Art 1731109	Pinnerth 2
	Stein Kel A+p1288112
COMPRESSION TEST J-31-9/Aircraft total time 543 Sms H and tach	5-18-93 633 Mb925 2631TT cleaned and gappeds garblup
time is 00 7	5-18-53 6-33 Mb925 2631TT Cleaned and geppeds garblup checked + clened vid checked + clened vid 27 45 46 creen, clemed (pul preum 4 77 45 46
inspection per FAR 43, Appendix D requirements. I	occen, clemed foul occon
certify that this aircraft was inspected in accordance with a Hunger inspection and found to be	Aircraft fold time See and to
	time is 63.3 hours. Performed annul
Change oil and Theelo, 1 Seveen OK Replaced oil with 40W	inspection per FAR 43, Appendix D requirements. I certify that this aircraft was inspected in accordance
Kenntt BOm 572222041 IA.	0
	in airworthy condition. Despection and found to be

DATE 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE 19 39	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
					6-8	6-91.0		14	replaced air filter olement BA 4108
					-	591.03			changed oil Egts areashell 40 TAE
10	-28-8	38,	tack:	84 - Replaced Spinns Back plate					Jetergant so grade owner operator
		/		Sika A4p1388102	7-21	591,76	Rea	bred	2 oil lines for the oil prescure gauge
			11-1-88	and lach	-0		Test	- Flight	- Thes Ok. Met On 540723724 AP.
			inspection	per FAR 43. Appendix D. comission	# 1 = 75/2	embre	2,150		12 Time 593.91 5.M.O.H. 532.75 hrs. Perform
			cernity in	this aircraft was inspected in accordance ANNUAL inspection and found to be	# 2 - 75/80	unnue	ling	pection	500k ing. Return may Survive sparkflug.
			in airwor	hy condition.	3=76/80	Suell !	mag	on pe	wines has been inspected as per
				hy condition & Owe 572222081 IA	4= 20/00	ann	cal	wellt	and determined assisted
					-				The Parkage for (231109 1.A.

								_	
DATE 1827	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE 1987	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6-15-	546.0			5 gts aeroshell 40° Delingent	10/15				REPLACED AIR FILTER ELEMENT THIS DATE OWNER-OFERFIOR CE SPufu
				otones/aperator CEStrafter 485,7 SMOH	10/17				REPLACED VACOUM SYSTEM FILTER This DATE
Oct.	10,190	97 70	Toke	558.86 hrs. 497.7 5 m.o. H. Reyform					D-9-14-5 owner operator CE Sheper
#1	75/80			dress peop, c/w. A.D 86-24-07 thattle ball	26	-88	574.	61	changed oil checked and cleaned oil screen serviced
#5	7480	you		the second of felle element change				5	with 6 gts A\$40w oil Replaced
		pu	asinu	Steve faction And determined assisted				N	to ingene, ground rema leak
-									IN2/4/8/2

19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)	DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
				I CERTIFY THAT THIS AIRCRAFT ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. DATED 8-4-85 TOTAL TIME Y (49, 9) HRS	Se H /	15/80		tack In	ne 526.83 hrs 465.7 S.M.O.A. Perform
				Michael D. White A & P 541666351 I A	#3	77/80 77/80 15/80	Spar wit	- /	dress prap. replace starter clutch icable used unit. I certify this
February R-9-8	488-75			Changed Oil 6975 40° Aero Shell Detergent.					Steve fantonin fer 173/1091.A.
	510.86			Changed Oil 6975 40° Bero Shell Detergent	10/20	530, 9	5		Changed OIL 5 Ots 310° Apro Shell Detergent

DATE 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
			3 0	TACK TIME 425.88
Sopt.	16 89		TALM	Changed Oil 6 gts 40° detergent
-	1		36.00	
land 3	85			Tack Time 454.64
			VX.	Changed Oil 69ts 40° detergent
-4-85				Tach time 464.97 Annual Insp. changel
7 00				Of serviced with 6 gts Asposhed 40w
				compression test #179/0 0#276/ #3 78/ #17 70/
				cleaned spack plugs, checked timing. tightened
				10055 docker boxes, changed Auclistness
	/			checked Exhaust System All OK (DUST

	ENGINE RECORD — GEN	IERAL INFORMATION	
MANUFACTURER -	Continentel N	10DEL <u>3-20</u>	3-A
SERIAL 68511-8-A		TYPE	CERTIFICATE
THIS ENGINE IS CURRENTLY INSTALLED IN $N22859$	AIRCRAFT CRSSNA	150H SUR	in L # 15068568
MINIMUM OCTANE FUEL	OIL GRADE	SUMMER	WINTER
MAGNETO TIME	POINT SETTING		FIRING ORDER
SPARK PLUG GAP	_		
MFG. RECOMMENDED OVERHAUL AT		HOURS.	

The Standard







ZNGINE

AND PROPELLER LOG

N22859 SERIAL NO. 68511-8-A

ENGINE LOG DATE ACCUMULATED DURATION TOTAL TIME REPAIRS --- ADJUSTMENTS LICENSE HOURS IOTHS SIGNATURE NUMBER TACH time Changed och lence 396. installed new main tires of Tubes New rose tire q tube - installed New air tilten CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

	ENGINE LOG	Page 37	ENGINE LOG Page 38	
DATE DURATION TOTAL TIME HOURS INTHE	REPAIRS ADJUSTMENTS	SIGNATURE LICENSE NUMBER	DATE DURATION ACCUMULATED TOTAL TIME HOURS IOTHS REPAIRS ADJUSTMENTS SIGNATURE NUM	
1	PS Changed oil Ggts 40° deter	gent oil	July 21 1983 Tack time 236.14 Changed oil legts 40° detergent oil	
12/ 11/80	Changed oil 6 gts 40° detergent Cleand oil screen Checked fuel strainer Serviced battery Time 221.35 et companion tenia general condition of engine Service & filter lighter lovae intake have of their engine has been imported importion and determined annum Steine Hankonin	Jul and ail soman	Sept 4, 1983 Tach 275.59 Changed oil 6 gts 40° detergent oil Washed + waged leading edges Serviced bouttery Octes 1983 Tach time 3/1.28 Changed oil 5915 148° detergent Oil, Bired times March 5 1984 Tach time 340.63 Changed Oil 59ts 40° detergent Oil 80 Grade Cleand oil Screen New Sacal on Screen	
CAF	RRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEX	XT PAGE	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE	

DATE	ENGINE LOG	Page 35					ENGINE LOG Pepe 30		
19 8/ DURATION TOTAL TIME	MEI AINS ADJOSTMENTS	SIGNATURE	LICENSE NUMBER	DATE D	URATION	ACCUMULATED TOTAL TIME HOURS IOTHS	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
	hrs Checked oil screen depend & reinst comp #1. 860 #2-760 #5#6 #4-760. cleaned & gapped place. English abstract, a convey to check proper operation. One A&P.	Checked timing		725/82	Date Je / Learning been inso / C / C mined to Signature CH is	hat this bected in according be in all worth	F. McGALL, IDAHO F. W.C. 0288 Fime	veen. Cleaned ≠ cl	
Total Lime 2067 13.9 hs 5 MOH	Mechanic (2n) 234 80 RRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEX	(T PAGE		70/82	Tach)		From Changed oil, checked & Cleaned 3C Sporkploys. Serviced enc with 6 gts 40 eng & coust, ron up & checked for leaks	Son Concessed A & P 518707115	rshred

	-	-	ENGINE LOG	Page 33	
DATE	DURATION	CCUMULATED TOTAL TIME	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE
19		HOURS IOTHS		SIGNATURE	NUMBER
			reartify that this sincraft has	Dear inspected in accordan	
			OGAN & REAVIS AIR, INC. with . A notice 1	spection and was determine	d
		ı N	edford - Jackson County Airport to be in survently condition.		
			Medford, Oregon 97501 Total Time 29.3.2	Date of Insp. 5- Nun 8	20
	1		Mechanic Sign , Way.	to the state of the same	
			A A & B I will a	Approximately the Machinetty proposed	3
			Dilchanged, oil screen insp.	M. M	¥
			sow Heroshell Compression #1-	2 /80 # 3 /80	7 1/80
			Cylinder # / removed for low com	pression. Insp	,
			following; Exhaust value Pla 629	4 1	ed
			63810941, locks value stem 2136	1	
			539840, oil return tube, Cyl.	base seal, val	
			cover gasket 530/62, Eng. bastle	repaired.	ve_
					0.
		CARE	RY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEX	TPAGE	

ENGINE LOG Page 34

DATE 19 8/	DURATION	ACCUMU TOTAL HOURS	TIME	REPAIRS ADJUSTMENTS SIGNATURE	LICENSE
5/3/8		2054	1	Tach Time 61.1 prs.	
				Engine remed from N22859 and over booked in accordance	
				with Continental publication # X30010 Installed the following	
				new parts. Pistons, rings & piston pins, intoke & exhaust values, values springs & value returners. New scals, gaskets & hose	
				used, Calinders were honed to t.015 & new intoke and exhoust	
				sects installed as per Flightenoft 46 # 88002. Comstatt reworked	
				05 per Aircraft Engine & Priessory to # 22640, red littus and tolkier	
				reassembly. Crankcose & accessory case inspected by Zuglo method.	
				Frame reinstalted in N22859 with new motor mounts, feel have to air ducts & new Slick The 4201R inagnetes. New beginns and	
				brushes installed in alternator. Engine serviced with Shell 400	
				mineral & test run to check for leakage & proper operation. Engine test flown I by & vechecked for leakage. Yellow tags to	
				conshaft & calindors in voca of legbook On Greenwold	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOTAL TRAGE 45 3170/15


DURATION	CCUMULATE TOTAL TIME	REPAIRS ADJUSTMENTS		LICENSE
	HOURS IOTH	REFAIRS ADJUSTIMENTS	SIGNATURE	NUMBER
14.32 200 5 Give		Testily that this sircraft has been inspected in accordance with a ADDUAL Inspection and was determined to be in sirworthy condition. Total Time 1971, O Date of Insp. 5		

					ENGINE LOG Page	50	
	DATE 19 79	DURATION	TOTAL HOURS	TIME	REPAIRS ADJUSTMENTS	SIGNA TURE	LICENSE NUMBER
Î	<u>D⊵cio</u>	1979 TIACI	7.1		changed on and msp on Screen - serviced with your Aevoshell on		
	4/30/	Rd Tach	Time	3	7.6 hrs Adjusted all press relief value		
					Maximum press found to be ck. App 31707115		
	7	2					
					TOTAL TIME FORWARD TO TOP OF NEX	TRACE	

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE DURATION TOTAL TIME HOURS 10THS REPAIRS ADJUSTMENTS SIGNATURE NUMBER	DATE DURATION ACCUMULATED TOTAL TIME REPAIRS ADJUSTMENTS SIGNATURE NUMBER
8/5/77 TACH 1880 33 Complies with a.D. note 77-13-05 Retiment may to 24 degree 825. and stamped data plate - Come Day At 1901930.	to be in sirworthy condition.
9/12/11 DENHORES INSTALLED HUS DENHUG 0008,0 CLA READING 1837.3 Delle 2-8-78 TRCH 1879.2 Oil change d, Screen inso, Service d with Shell 40 W. 69ts. leak checked. 12/p 2027288 Flood Coloner	Mechanic Sign Law Your Mechanic Sign Law Your (I) or A/8 E 1763480 CHANGED OIL CLEANED FILTER SCREEN CHECKED ENG COMP # 1 72/80 #2 70/80#3 7880 # 4 78/80 CHECKED TIMING & LEADS CLEANED PLUGS # GAPED
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE ENGINE LOG	ENGINE LOG PRZ8
DURATION TOTAL TIME REPAIRS ADJUSTMENTS SIGNATURE LICENSE NUMBER	DATE DURATION ACCUMULATED TOTAL TIME HOURS
SIGNATURE I	DURATION TOTAL TIME HOURS IOTHS REPAIRS ADJUSTMENTS SIGNATURE NUMBER REPAIRS ADJUSTMENTS SIGNATURE NUMBER NUMBER Inspection and was determined Alth a Firmu 2 Inspection and was determined
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE



	ENGINE LOG	169023		V		ENGINE LOG	724	
DATE DURATION OTAL TIME HOURS IOTHS	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	DATE DURATION	ON ACCUMULATED TOTAL TIME HOURS IOTHS	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE NUMBER
3-22-25 1585/	cleans gap plans chest may to		non	2400	Engine a	head 1700.1 oil changed - Oil Copec	d checked OR	
	Clean series check with from policy clean segins clauding dress prop	maistin system	fore	*	Sullean Contable	beauted - Visual Co, Exhaust boysten +	hached on	* CALC
17906 1975 The	h Mand 1624,3 A23 Minspection has been completed	3-22-75 TACH 15	85.1		**	this da	inspection has been controlled in the second to the second	d the
50 all flogs de	this date, on this Lagrand and the is certified to be airworthy	WITH GINNER IT IN ACT	ORDANGE ELECTION DE IN			SANTA ROSA AIR CENTER 3842 Finley Avenue Santa Rosa, CA. 95401	FAA Cert. 75	1883 Mg
Conflession Spec	12-74/80 FAA Cert 17 35-888	Ten Baley T Bit.	39365			Tally file comments		
Prograd Arash	ALLEN AVIATION SANTA ROSA AIR CENTER 3842 Finley Avenue			V		N		
CAR	Santa Rosa, CA. 95401 RRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NE	XT PAGE			CARRY ACCU	MULATED TOTAL TIME FORWARD TO TOP OF NE	XT PAGE	

	ENGINE LOG								
DATE	DURATION	TOTAL HOURS	TIME	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE NUMBER			
3-31	-74-	THE	4.	1496:22 INSTALLED ALL N	SPARK	PLUGS,			
		_ E F3		CHANGED ON PLEANED SCRE	EN 50 UNC.				
				I CEPTIFY THIS ENGINE HA.	(BEEN				
				INSPECTED IN ACCORDAINACE					
				ANNUAL INSPERTION AND IN		WED			
-				TO. BE IN AIRWORTHY BAD	1171011.				
				FUBRIH31,1974 4	In Share	Academic Co.			
-				50	4.1094504				
10.1	2 74	TAC		1546. Chance Oil 6 075 Ac	2 1 1 2001	US.7 6/2/51			
19.1	3 14	3140	H	Engine Change Quick DRAIN	asshell 100W-	(A			
	10	1 AT		Schen OX - Security Checked?		Jumg			
(43)		1		STACKS MAGS, CARB, etc. Servi	co Boller Tea	Marian			
To Section 1	101	12	1	AND Flinker out Botton Box of Re	Tuesdata Carrico	IN (IN-013			
-	- 11		1	10:13:14	Mines 100 157	279			
				Therete of a sure will divide by	131				
		1	1	17 - wat 1) with which it get it		A CAR			
			CAR	RY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEX	(T PAGE				

ď	A 1	-	ř			The state of the s	Past 2 C	
L	DATE	V	2	ACCUML	JLATED	ENGINE LOG Page	22_ATL	1
ľ	18-LAN	DURA	TION	HOURS	TIME		SIGNATURE	LICENSE NUMBER
	75			1573	-	Replaces # 7 0 9 Bottom	13670 71	
	1		V	4	-	TRU LEADE OFECKO OK	I Markis	70369
1		6	ų	-		When the test when the		
		-		*		I down deposted to the same		
0.	TO SEE	- Sid		1 .	60			
y	A CONTRACTOR OF THE PARTY OF TH	100 Ag						
	100	CELEC	C	250				
				- 10.		(1		
2	d Pare	1		4.5				
		14						
	- Section 1	1.4			CARR	Y ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEX	T PAGE	

ENGINE LOG	ENGINE LOG
DATE DURATION TOTAL TIME HOURS IOTHS REPAIRS ADJUSTMENTS SIGNATURE LICENS NUMBE	DATE DURATION ACCUMULATED TOTAL TIME FOR PAIRS ADJUSTMENTS SIGNATURE NUMBER
10-17 1296 25 Change int and 8 hell IN (1) Clean engine Billy Leon Beiley HP/13486 MARCH 9, 1973 TACH 1356 - 100 HR. VISTERTION - ON CHONGED + Screen CHECKED - ARRIBATION - COMMENTED HJ - 80/22 #2 - 80/94 #3 - 80/94 - REPORTED CARB. TISTENE - INTERC -	My 6 1408.2 Oil CHANGE AND General Engine Inspection. 6 OTI OF Phillips Av. Companies 80. Oil Screen Cleans O. Oil Becother Tube Regarder. Lack Checker. OX 7 - 6-73 Dal & Musphy Dd. 1573779
I certify that this aircraft has been inspected in accordance with an annual/lattice, inspection and was determined to be in airworthy condition. Date 39-73 Tach Time 13-56 David M. Lehman IA 1922165 Concord, California CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE	SOT 18 1443.31 Hobbs 1153.5 Engine Top OverHand, Cythiofer Machineo by (Ky Rouch, Sh Chamerie CA. Details unose Work of Dec # 18753. 9-17-73; #3 cyl ground E.O. 16 #4 cyl Replaced with Servicable #015. # 14 #2 Ale #4 cyl Replaced with Servicable #015. # 14 #2 Ale STANDARD. NEW > Rocker Bushings Valver, Sents Guid Keepers, Pittans, Rings, Pins Sents and gaskets. Also one Rocker Shaft. 2 New Exhaut STNOS. Assembled And Rocker Shaft. 2 New Exhaut STNOS. Assembled And Test Run in Accordance with Manufatures instructions Rocker School Strice See Munder ANE 1573779 CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF HEXT PAGE
- SAME TO THE PORWARD TO TOP OF NEXT PAGE	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOT OF REATT AGE

ENGINE LOG ENGINE LOG CUMULATED DURATION ACCUMULATED TOTAL TIME DATE DURATION TOTAL TIME LICENSE LICENSE REPAIRS --- ADJUSTMENTS SIGNATURE SIGNATURE REPAIRS --- ADJUSTMENTS HOURS IOTHS NUMBER NUMBER F HOURS IOTHS 6 time 1240 #3-70 #4-70 chuch insqueto posits - tempore sprile plugs, check inshe and ashinst bry 6/2 les wash engine certify that this _________ to be in airworthy condition. 4-2-71 L.B. Rusel A-R1063280 has been inspected in accordance with a Hunvel insp and was datasminad to be in airworthy condition 5-15-12 h-BKine CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

ENGINE LOG	ENGINE LOG
DATE DURATION TOTAL TIME HOURS IOTHS REPAIRS ADJUSTMENTS SIGNATURE LICENSE NUMBER	DATE DURATION ACCUMULATED TOTAL TIME REPAIRS ADJUSTMENTS SIGNATURE LICENSE
Jul 25 1900 Tack Time 1132:97 Complete & 25 hs 1220 Changed ail added Shell take Claims of Changed ail added Shell take Claims of Changed and ak again tack compressed at 3-45 ft 4-45	Dec 3 Tack Time 121- Complete 50 he insp. Clean - Check all screens Dec 3 Tack Time 121- Complete 50 he insp. Clean - Check all screens Land Complete 50 he insp. Clean - Check all screens
	CARRY ACCOUNT

DATE ENGINE LOG	ENGINE LOG
DURATION TOTAL TIME REPAIRS ADJUSTMENTS SIGNATURE LICENSE NUMBER	DATE DURATION ACCUMULATED TOTAL TIME HOURS NOTHS REPAIRS ADJUSTMENTS SIGNATURE NUMBER
MARCH 6 1975 TACH TIME 1035.99 COMPLETE R5 HR INSPECTION CHALGE OIL CHECK OIL AIR FUEL SCREEN, CHECK FOR OIL LEAKS LEGENERAL CONDITION, CLEAN ENGL COURT. TO B. HUNGHADOW (5335054). MARCH 31, 1970 TACH TIME 1078 COMPLETE 100 HR TASPICTION FOR RELICENSE. CHANGES OIL CHECKED + CLEAN OIL FUEL AIR SCREEN. CHECKED + REGIN CHECKED MAG TIMING COMPRESSION CK. 80 7 80 4 80 4 80 4 80 4 80 4 80 4 80 4	MAY 25, 1970 TACH TIME 1099:57 COMPLETE 25 HR FINSD. CHANGED OIL ADD'D HENSHELL 40W CLEBALED + CHECKED OPL AIR FUEL SCREENS CHECK FOR OIL LEAKS, PAIN ENC + CHECKED ENGINE AGAIN! AC RELEASED FOR FULLY- DE. GUILLAND 157525
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE DURATION TOTAL TIME REPAIRS ADJUSTMENTS LICENS		ENGINE LOG									
11-10 978 - Change oil cleaned oil screen	10	DURATION	ON TOTAL TIME REPAIRS AD HISTAGATE								
(Sealing Care a la latera	11-10		978 - Change vil cleaned vil screen								
a comment gaped and tested speakelya	-	Marie Contract	Cleaned gaped and tested sparkelyas								
Express system checked mullers.	1		The aust system checked mullers.								
muched for leaks		1 = 2 2 1	mached for leaks								
I CERTIFY THAT THIS CAGALINAS BEEN INSPECTED			I CERTIFY THAT THIS CURLINIAN BEEN INCOME.								
THE ACCORDANCE WITH ALLMANA HE INCORPORT			IN ACCORDANCE WITH Alluming HIP INCORPORT								
AND WAS DETERMINED TO SE IN AN AIRWORT IN CO.	-		AND WAS DETERMINED TO SE IN AN AIRWORT IN CO.								
PROCEDURES.			INST. IN COMPLIANCE WITH MER TO LAS								
TOTAL TIME 978: TACH, TIME 978:			Total Time Quick								
AUTHORIZED SIGNATURE LICENSE NO.	-		AUTHORIZED SIGNATURE LICENSE NO.								
CALIF. AVIATION SERVICE			CALIF. AVIATION SERVICE								
OAKLAND, CALIF.											
12-20 1004 - Oil Change & screen chech 1 0 601	12-20										
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE	6		CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT TAGE								

ENGINE LOG

DATE 19 <i>70</i>	DURATION	ACCUMU TOTAL HOURS	TIME	REPAIRS ADJUSTMENTS	SIGNATURE	LICENS
JAN.30	TACH	1034	.0	50HR INSP CHANGED OIL (GOT HEROSHELLW	80) CLEHNED ANDL	HECKE
				BIL SCREEN AND SREVICED AIR MAZE - CLEAN	ED, GAPPIED AND TESTI	TO STATE
				PLUGS - DRESSED MICKS FROM PROP BLADES - LU	BED & CHECKED TENGI	NE
				CONTROLS HETER WASHING ENGINE & COWLING		
				MAGNETO BASIE GASKET AND RETINED RIGHT		
				BETLACED RECETICALFOR COUR FASTENER AT 10	REAR LEFTSIDE OF C	DULLIN
				SHAMED IP BREATHER LINE CLAMP AND AP		
				WORN AREKS - RUNGET COMPLETED - CEFTA		
				UPON REMOVING LEAD COVER FROM LEFT MAGNE		
				BLOCK LOOSE IN THE MAGRETO HOUSING - INSTALL		
				IN LEFT POSITION - MAGNETO CHECK, OK-	1200.7	927
				1,		
			- 1			

CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE	ENGINE LOG			ENGINE LOG	
DURATION TOTAL HOURS	TIME REPAIRS AD USTAINE	SIGNATURE LICENSE NUMBER	DATE DURATION ACCUMULATE TOTAL TIME HOURS TOTAL		SIGNATURE LICENSE NUMBER
		7	7 IVOV. 978 -	P. Aun IDC I	s + exb. value.
	1 CENTURY TO 1			Replaced intaked Value. Installed	new picton +
	IN ACCORDANCE WITH A CONTRACT OF THE SECONDANCE WITH A CONTRACT OF THE SEC			monute Specke	er formed in A/w
	AND WAS DETERMINED TO BE IN AN AIRWORTHY CON-			George Sta	AE1705099
	DITION. INSP. IN COMPLIANCE WITH MER TO TAKE			N P S	,
	TOTAL THE 201			1	
	STALL TIME 891: TACH. TIME 891:				
	AUTHORIZED SIGNATURE LICENSE NO. DATE				
-	OAKLAND CALIB				
0-21-69 959	- Oil Change & screen cherted				
	Stiller Charles				
	CARRY ACCUMULATED TOTAL	eser laje P106705I			
	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PA	AGE	CA	RRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NE	XT PAGE

	ENGÎNE LOG					NELOG	SIGNATURE	LICENSE
DATE DURATION TOTAL TIME HOURS IOTHS	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	DATE DURATION ACCU	MULATED REPAIRS	ADJUSTMENTS	SIGNATORE	NUMBER
	I CERTIFY THAT THIS ENG. HAS BEEN INSPECTED				IN ACCORDANCE WITH	A 100 HR. INSPECTION		
	IN ACCORDANCE WITH A _/OO_ HR. INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CON-				AND WAS DETERMINED T	TO BE IN AN AIRWORTHY CON-		
	DITION. INSP. IN COMPLIANCE WITH MFR & FAA PROCEDURES.	-111			PROCEDURES.	200		
	TOTAL TIME . TACH. TIME 694:				Deo. L. John	ALIZANCE NO DATE	9	
	THE PLANT OF THE PARTY OF THE P	9			CALLE AVIATION SERVICE			
	OAKLAND, CALIF. 6 gts Aeroshell "w" 40	wt.			GAKLAND, CALIF. 6 gts Aeroshell	80 W		
	A. O. olik, W. larks							
				1				
CARR	Y ACCUMULATED TOTAL TIME FORWARD					TIME FORWARD TO TOP OF NE	XT PAGE	

DATE ENGINE LOG		ENGINE LOG
SIGNATURE	LICENSE NUMBER	DATE DURATION ACCUMULATED TOTAL TIME HOURS IOTHS REPAIRS ADJUSTMENTS SIGNATURE LICENSE NUMBER
IN ACCORDANCE WITH A 100 HR. INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY COM-		12 Feb 1969 Replaced # 1 cylinder. Installed new piston-
AND WAS DETERMINED TO BE IN AN AIRWORTHY CON-		Gio. S. Davis At 1205099
1 CERTIFY THAT THE EARS	,	3.12-69 TT 592 - Changed oil, Cleaned oil screen gas screen
AUTHORIZED SIGNATURE LICENSE NO. DATE AND WAS DELEGRANGE WITH A TOOK! HR. INSPECTION		Checked Compression Checked I CERTIFY THAT THIS EIGHE, HAS BEEN INSPECTED
OAKLAND, CALIF. W/O 9430 DITION. INSP. IN COMPLIANCE WITH MER & FAA		Charles oil seal Min Spirmer AND WAS DETERMINED TO BE IN AN AIRWORTHY CON-
TOTAL TIME 496 TACH TIME 491		PROCEDURES. INTAL TIME 572 TACH, TIME 592
CALIF. AVIATION SERVICE	-68	AUTHORIZED SIGNATURE LICENSE NO. DATE
OANLAND, CALIF		CALIF. AVIATION SERVICE OAKLAND, CALIF.
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PACE		CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE

DATE			ENGINE LOG			
19	DURATION	HOURS IOTHS	REPAIRS ADJUSTMENTS	SIGNATURE	LICENSE NUMBER	
			IN ACCORDANCE WITH A OO HR, INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. INSP. IN COMPLIANCE WITH MFR & FAA PROCEDURES. TOTAL TIME 100 TACH TIME 100 AUTHORIZED SIGNATURE LICENSE NO DATE CALIF. AVIATION SERVICE OAKLAND, CALIF.	68		
CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT BY						

LOG ENGINE

REPAIRS --- ADJUSTMENTS

LICENSE SIGNATURE NUMBER I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED

N COMPLIANCE WITH MER & FAA TACH. TIME 200:

ACCUMULATED

HOURS IOTHS

enos

HAS BEEN INSPECTED

HR INSPECTION

DURATION TOTAL TIME

AVIATION SERVICE

IN ACCORDANCE WITH

K AND CALL

DATE

DITION, INSP. IN COMPLIANCE WITH MFR & 70.66 DATE

PROCEDURES.

. TACH. TIME 298

AND WAS DETERMINED TO BE IN AN AIRWORTHY CON-

OAKLAND, CALIF.

CALIF. AVIATION SERVICE

IN ACCORDANCE WITH

7-31-68 LICENSE NO.

HR. INSPECTION

ENGINE DESCRIPTION	
Mfgr. Continental Place	ENGINE LOG
Type Z-2222 Model A 2 Date	DATE DURATION ACCUMULATED TOTAL TIME REPAIRS ADJUSTMENTS SIGNATURE NUMBER
Maximum H D	19 68 HOURS IOTHS
Rated R. P. M. 2757 Maximum R. P. M. 2007 Weight (Dry)	1 CERTIFY THAT THIS 2 TO THAT PLEN INSPECTED
Oil Pressure	IN ACCORDANCE WITH A INTEST FIR. INSPECTION
Displacement Cu In	AND WAS DETERMINED TO BE IN AN AIRWORTHY CON-
Compression Ratio Supercharger Ratio Gear Ratio	DITION, INSP. IN COMPLIANCE WITH MFR G FAA
(m) A	PROCEDURES.
Propeller Hub Design /A/O/ Hub Serial No. 0 20 25	TOTAL TIME 28 TACH, TIME 28 HAS 20 HAS 4-1-68
Blade Serial Blade Serial Blade Serial	AUTHORIZED SIGNATURE LICENSE NO. DATE
Maximum Hub H. P. Maximum Plada V. – Maximum Plada V. –	CAME AVIATION SERVICE
Pitch 48° Diameter 66	OAKLAND, CALLE.
Length	Serviced with Arreshall W" & go oil.
Owner's Name	
Address	
City	
	CARRY ACCUMULATED TOTAL TIME FORWARD TO TOP OF NEXT PAGE