



RECORDING DATE TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
---------------------------	------------------	-----------------------------	---



110 BOEING WAY PH:817-909-8945
ROANOKE, TX 76262

HOURS OF OPERATION: M-SAT/8AM-5PM

ENGINE ENTRY: N7756N

DATE: 05/08/2023

TACH TIME: 63.4

S/N: 28-5200

COMPLIED WITH AN ANNUAL INSPECTION IAW 14 CFR PART 43
APPENDIX D AND THE LYCOMING DIRECT DRIVE OVERHAUL
MANUAL. CYLINDER COMPRESSIONS WERE AS FOLLOWS: 1-76,
2-74, 3-74, 4-77. SEARCHED FOR AD'S THROUGH 05/08/2023.
CLEANED AND GAPPED SPARK PLUGS, CHECKED MAG TIMING,
RETORQUED ROCKER COVERS, ADJUSTED MIXTURE UP TO
30RPM ON SHUT DOWN. CLEANED ENGINE WITH MINERAL
SPIRITS AND LUBED CONTROLS WITH LPS-1. POST RAN ENGINE
WITH NO OTHER DISCREPANCIES TO NOTE. I CERTIFY THIS
ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION
AND WAS FOUND TO BE IN AN AIRWORTHY CONDITION AT
THIS TIME. *[Signature]* 3101571A&P/IA.

Number: N7756N
Make: Lycoming
Tach: 65.8

Bat Aviation Inc.
Model: O-360-A4A
SMOH: 1496.7

Date: 09/03/2024
S/N: L-13594-36A
Total Time: 3826.7

Compression: #1/78, #2/74, #3/78, #4/79

Completed annual inspection and service. Changed the engine oil with 9 quarts of Aeroshell
W100 Plus oil and AA48110-2 oil filter. Removed and replaced the alternator belt. All work
performed in accordance with current Federal Aviation Administration regulations and service
manuals. I certify that this Engine has been inspected in accordance with an Annual inspection
and was determined to be in airworthy condition.

Brian Broderhausen, A&P 3014994 IA

[Signature]

Inspections, Tests, Repairs and Alterations
Endorsed with Name, Rating and Certificate Number of
Air Facility. (See back pages for other specific entries.)

N7756N Engine

Date: 9-01-2025 Mdl: Piper PA28-180 SN: 28-5200 Mfg: 1968 Tach: 66.5 AFTT: 3827.5
Lycoming O-360-A4A SN-L13594-36A ETT: 3827.5 ETSMO: 1497.5

Annual 09-2025 Inspection

Completed Annual Inspection IAW Lycoming Maintenance Manual and FAR 43 app-D. Cylinder
compression Cyl/Psi of 80, 1/73, 2/74, 3/75, 4/73. Cleaned, Gaped and Rotated Sparkplugs and
torqued IAW T.O. 1. Adjusted Magneto to Engine Timing IRT Engine Data Tag. Serviced Engine
Oil System with 8Qrts of Phillips 20W50 Oil, and a new AA48110-2 oil filter. Confirmed all engine
accessories to be secure. All AD Complied with IAW FAA Released as of 9-1-2025 See Airframe
LB Entry dated 9-1-2025 for details. All above work completed IRT LMM, and PMM PA28-180 I
certify the work completed on this Engine is airworthy with respect to the details above, Engine is
Airworthy and Released for Service.

Signature: *[Signature]* Stephen Vyyjala A&P 3833741IA

Date: 9/1/2025

NOTHING FOLLOWS

DATE 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
------------	---------------------------	------------------	-----------------------------	---



110 BOEING WAY PH:817-909-8945
ROANOKE, TX 76262 PH:817-909-6496

HOURS OF OPERATION: M-SAT/8AM-5PM

ENGINE ENTRY: N7756N	DATE: 03/11/2019
TACH TIME: 1640.7	S/N: 28-5200

REMOVED CARBURETOR FROM ENGINE AND INSTALLED AN OVERHAUL UNIT P/N: MA-4-5, S/N: MS05CJ07. RERIGGED CONTROLS AND ADJUSTED MIXTURE UNTIL A RANGE OF 25-50 RPM WAS FOUND. POST RAN ENGINE WITH NO LEAKS AND VERIFIED PROPER CARB OPERATION. *Bill B...* 3101571A&P.



110 BOEING WAY PH:817-909-8945
ROANOKE, TX 76262 PH:817-909-6496

HOURS OF OPERATION: M-SAT/8AM-5PM

ENGINE ENTRY: N7756N	DATE: 05/07/2019
TACH TIME: 1640.9	S/N: 28-5200

DRAINED OIL, REMOVED OIL FILTER, INSTALLED A NEW OIL FILTER AND PICKLED ENGINE USING AVBLEND IN EACH CYLINDER AT OWNER REQUEST DUE TO OWNER BEING UNABLE TO FLY AIRCRAFT FOR UNFORSEEN REASONS. *Bill B...* 3101571A&P.

DATE 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See
------------	---------------------------	------------------	-----------------------------	---



110 BOEING WAY PH:817-909-8945
ROANOKE, TX 76262 PH:817-909-6496

HOURS OF OPERATION: M-SAT/8AM-5PM

ENGINE ENTRY: N7756N	DATE: 04/14/2020
TACH TIME: 1640.9	S/N: 28-5200

COMPLIED WITH A 100HR/ANNUAL INSPECTION IAW 14CFR PART 43 APPENDIX D AND THE LYCOMING DIRECT DRIVE OVERHAUL MANUAL. CHECKED FOR AD'S THROUGH 04/2020. UNPICKLED ENGINE, FILLED WITH 6QTS OF PHILLIPS X/C 20W50 AND PRE RAN. CYLINDER COMPRESSIONS WERE AS FOLLOWS: 1-74, 2-78, 3-78, 4-77. INSPECTED ENGINE INLET FILTER, CHECKED MAGNETO TIMING, CLEANED AND GAPPED SPARK PLUGS, CHECKED BELT TENSION AND INSPECTED ALL SCAT TUBING. POST RAN ENGINE WITH NO OTHER DISCREPANCIES TO NOTE. I CERTIFY THIS ENGINE HAS BEEN INSPECTED IAW AN ANNUAL INSPECTION AND FOUND TO BE IN AN AIRWORTHY CONDITION. *Bill B...* 3101571A&P/IA.

110 BOEING WAY PH:817-909-8945
ROANOKE, TX 76262 PH:817-909-6496

HOURS OF OPERATION: M-SAT/8AM-5PM




ENGINE ENTRY: N7756N

TACH TIME: 1640.9

DATE: 05/08/2020

REPLACED VACUUM PUMP P/N: 215CC WITH AN OVERHAUL UNIT P/N: 215CC, S/N: 189916. BLEW OUT VACUUM LINES AND REPLACED RAB3-5-1 FILTER WITH NEW. POST RAN TO VERIFY PROPER OPERATION OF NEW PUMP. ALL WORK DONE IAW THE LYCOMING DIRECT DRIVE OVERHAUL MANUAL. *Bill B...* 3101571A&P.

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				



WALKER AVIATION SERVICES LLC (817) 629-3890

N7756N 03-20-2017 TACH - 1611.2 TSO - 1395.6

MODEL - LYCOMING O-360-A4A S/N - L-13594-36A


PERFORMED AN ANNUAL / 100HR INSPECTION. CHECKED CYLINDER COMPRESSIONS - 1-78/80, 2-76/80, 3-78/80, 4-78/80. CHANGED ENGINE OIL & FILTER. CUT OPEN & INSPECTED OLD FILTER. SERVICED ENGINE WITH PHILLIPS 20-50 X/C OIL. CHECKED MAGNETO TIMING & POINTS. REPLACED BRACKETT INDUCTION AIR FILTER ELEMENT. CLEANED & GAPPED SPARK PLUGS. LUBRICATED STARTER BENDIX. FABRICATED & INSTALLED DOUBLER ON LH, FORWARD BAFFLE AT ATTACH AREA. INSULATED CARBURETOR HEAT DUCT FROM LOWER COWLING WITH RTV. REPLACED CABIN HEAT DUCT. CLEANED DEBRIS FROM OIL COOLER FINS. SEALED BETWEEN OIL COOLER & ADAPTER WITH RTV. WASHED ENGINE, RAN & LEAK CHECKED. CHECKED A.D.s THROUGH BW2017-05. "I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL / 100HR INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION AT THIS TIME."

B. Michael Walker

B. Michael Walker A&P/I.A. - 2737904

03-20-2017

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				



WALKER AVIATION SERVICES LLC (817) 629-3890

N7756N 05-10-2018 TACH - 1634.2 TSO - 1418.6

MODEL - LYCOMING O-360-A4A S/N - L-13594-36A

PERFORMED AN ANNUAL / 100HR INSPECTION. CHECKED CYLINDER COMPRESSIONS - 1-72/80, 2-78/80, 3-80/80, 4-80/80. CHANGED ENGINE OIL & FILTER. CUT OPEN & INSPECTED OLD FILTER. SERVICED ENGINE WITH PHILLIPS 20-50 X/C OIL & CAMGUARD. CHECKED MAGNETO TIMING & POINTS. REPLACED BRACKETT INDUCTION AIR FILTER ELEMENT. CLEANED & GAPPED SPARK PLUGS. LUBRICATED STARTER BENDIX. WASHED ENGINE, RAN & LEAK CHECKED. CHECKED A.D.s THROUGH BW2018-09. "I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL / 100HR INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION AT THIS TIME."


B. Michael Walker

B. Michael Walker A&P/I.A. - 2737904

05-10-2018

DATE

19



WALKER AVIATION SERVICES LLC (817) 629-3890

N7756N 10-23-2015 TACH - 1557.7

MODEL - LYCOMING O-360-A4A S/N - L-13594-36A

REMOVED ALL (4) CYLINDER ASSEMBLIES AND REPLACED WITH REPAIRED, SERVICEABLE ASSEMBLIES (SEE YELLOW TAG FROM SAL'S AIRCRAFT CYLINDERS, ORDER # S-4137). REMOVED #2 CONNECTING ROD & REINSTALLED WITH NEW BEARINGS, BOLTS & NUTS AFTER INSPECTION & REPAIR BY AIRCRAFT SPECIALTIES SERVICES (SEE YELLOW TAG). INSTALLED CYLINDERS WITH NEW GASKETS & SEALS. INSTALLED PROPER PUSHRODS TO OBTAIN CORRECT VALVE LASH CLEARANCES. REPLACED ALL ROCKER BOX OIL RETURN LINE HOSES. REPLACED #1 CYLINDER CHT PROBE. REPLACED ALTERNATOR (+) WIRE CLAMPS. REPLACED (1) INTAKE HOSE CLAMP AT #2 CYLINDER. REPAIRED ENGINE BAFFLES AS NECESSARY. CHANGED ENGINE OIL & FILTER, SERVICED WITH PHILLIPS 20W50 X/C OIL. RAN ENGINE & CHECKED FOR PROPER OPERATION & LEAKS.


B. Michael Walker A&P/I.A. - 2737904

10-23-2015

ions
of
es.)

DATE

19



WALKER AVIATION SERVICES LLC (817) 629-3890

N7756N 02-09-2016 TACH - 1577.5 TSO - 1361.9

MODEL - LYCOMING O-360-A4A S/N - L-13594-36A


PERFORMED AN ANNUAL / 100HR INSPECTION. CHECKED CYLINDER COMPRESSIONS - 1-74/80, 2-76/80, 3-79/80, 4-80/80. CHANGED ENGINE OIL & FILTER. CUT OPEN & INSPECTED OLD FILTER. SERVICED ENGINE WITH PHILLIPS 20-50 X/C OIL. CHECKED MAGNETO TIMING & POINTS. REPLACED BRACKETT INDUCTION AIR FILTER ELEMENT. REPLACED ALL SPARK PLUGS. WASHED ENGINE, RAN & LEAK CHECKED. CHECKED A.D.s THROUGH BW2016-03. "I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL / 100HR INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION AT THIS TIME."

B. Michael Walker A&P/I.A. - 2737904

02-09-2016

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations
19				Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

DATE		ons of es.)
19		




WALKER AVIATION SERVICES LLC (817) 629-3890

N7756N 01-17-2015 TACH - 1518.3 TSO - 1302.7

MODEL - LYCOMING O-360-A4A S/N - L-13594-36A

PERFORMED AN ANNUAL / 100HR INSPECTION. CHECKED CYLINDER COMPRESSIONS - 1-70/80, 2-70/80, 3-66/80, 4-68/80. CHANGED ENGINE OIL & FILTER. CUT OPEN & INSPECTED OLD FILTER. SERVICED ENGINE WITH AEROSHELL W100 PLUS OIL. CHECKED MAGNETO TIMING. APPLIED SEALER TO UPPER & LOWER CRANKCASE SPLIT. RAN ENGINE & LEAK CHECKED. CHECKED A.D.s THROUGH BW2015-01. "I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL / 100HR INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION AT THIS TIME"

B. Michael Walker
B. Michael Walker A&P/I.A. - 2737904
01-17-2015



WALKER AVIATION SERVICES LLC (817) 629-3890

N7756N 03-21-2015 TACH - 1531.1

MODEL - LYCOMING O-360-A4A S/N - L-13594-36A

REMOVED PROPELLER & FLYWHEEL, REPLACED CRANKSHAFT OIL SEAL, RE-INSTALLED FLYWHEEL & PROPELLER. SEALED CRANKCASE SPLIT ON FORWARD SECTION OF ENGINE. REPLACED ALL ENGINE FUEL HOSES. INSTALLED FUEL SCAN FS-450 FUEL FLOW TRANSDUCER IN ACCORDANCE WITH STC SA0086NM AND ASSOCIATED INSTALLATION INSTRUCTIONS (SEE FAA FORM 337 DATED 03/21/2015). LUBRICATED STARTER BENDIX. RAN ENGINE & LEAK CHECKED.

B. Michael Walker
B. Michael Walker A&P/I.A. - 2737904
03-21-2015

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
19				DALLAS AIR REPAIR-NW REGIONAL AIRPORT DATE: 1/18/2012 MAKE/MODEL:LYC. O-360-A4A TTAF:3624.5 SMOH: 1285.9 PROP O/H:704.4 C/W A 100 HR. INSPECTION PER FAR 43 APPENDIX D. DRAINED OIL AND SENT SAMPLE TO AVIATION LAB FOR ANALYSIS. SERVICED WITH 8 QTS. OF AEROSHELL 80W. REPLACED OIL FILTER WITH CH48110-1. CUT OPEN FILTER AND NO F.O.D. FOUND. REMOVED, CLEANED, GAPPED, TESTED, ROTATED AND REINSTALLED ALL SPARK PLUGS. REPLACED AIR FILTER WITH BRACKETT BA 3 ELEMENT. COMP. TEST #1 73, #2 68, #3 72 AND #4 70/80. WASHED DOWN AND GROUND RUN ENGINE TO CHECK OPERATION AND CHECK FOR LEAKS. COWLED ENGINE. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED I/A/W A 100 HR. INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. <i>Jack Schedcik</i> JACK SCHEDCIK AP14856931A

DATE	RECORDING	TODAYS	TOTAL	Description of Inspections, Tests, Repairs and Alterations
19				DALLAS AIR REPAIR-NW REGIONAL AIRPORT DATE:1/2/2013 MAKE/MODEL:LYC. 0-360-A4A TTAF:3638.9 SMOH: 1300.3 PROP O/H:718.8 C/W A 100 HR. INSPECTION PER FAR 43 APPENDIX D. DRAINED OIL AND SENT SAMPLE TO AVIATION LAB FOR ANALYSIS. SERVICED WITH 8 QTS. OF AEROSHELL 80W. REPLACED OIL FILTER CH48110-1. CUT OPEN FILTER AND NO F.O.D. FOUND. REMOVED, CLEANED, GAPPED, TESTED, ROTATED AND REINSTALLED ALL SPARK PLUGS. COMP. TEST #1 70, #2 71, #3 74 AND #4 72/80. REPLACED AIR FILTER P/N BA-3. WASHED DOWN ENGINE, GROUND RUN TO CHECK OPERATION AND FOR LEAKS. COWLED ENGINE. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED I/A/W A 100 HR. INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION. <i>Jack Schedcik</i> JACK SCHEDCIK 3873472021A

DATE 19____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
----------------	---------------------------	------------------	-----------------------------	---

DALLAS AIR REPAIR-NW REGIONAL AIRPORT

DATE: 1/19/2010

MAKE/MODEL: LYC. O-360-A4A

N# 7756N

TTAF: 3497.7

SMOH: 1159.1

PROP O/H: 577.6

TACH: 1374.7

DRAINED OIL AND SENT SAMPLE TO AVIATION LAB FOR ANALYSIS. SERVICED WITH 8 QTS. OF CASTROL A100. REPLACED OIL FILTER CH48110-1. SET IDLE AND MIXTURE. REMOVED, CLEANED, GAPPED, TESTED AND REINSTALLED SPARK PLUGS.

I CERTIFY THIS ENGINE HAS BEEN REPAIRED/INSPECTED I/A/W CURRENT FEDERAL AVIATION REGULATIONS AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION WITH RESPECT TO WORK PERFORMED AND IS HEREBY RETURNED TO SERVICE.


JACK SCHEDCIK
3873472021A

DATE 19____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
----------------	---------------------------	------------------	-----------------------------	---

DALLAS AIR REPAIR-NW REGIONAL AIRPORT

DATE: 12/7/2010

N# 7756N

MAKE/MODEL: LYC. O-360-A4A

S/N: L-13594-36A

TTAF: 3567.5

SMOH: 1228.9

PROP O/H: 647.4

TACH: 1444.5

C/W A 100 HR. INSPECTION PER FAR 43 APPENDIX D. DRAINED OIL AND SENT SAMPLE TO AVIATION LAB FOR ANALYSIS. SERVICED WITH 8 QTS. OF AEROSHELL 80W. REPLACED OIL FILTER CH48110-1. CUT OPEN FILTER AND NO F.O.D. FOUND REMOVED, CLEANED, GAPPED, TESTED AND REINSTALLED ALL SPARK PLUGS. COMP. TEST #1 68, #2 72, #3 72 AND #4 64/80. REPLACED BOTH MUFFLERS, P/N 66894-03 AND CARB HEAT SHROUD LT, P/N 62981-6 AND RT. P/N 62981-7. WASHED DOWN ENGINE AND GROUND RUN TO CHECK OPERATION AND FOR LEAKS.
I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED I/A/W A 100 HR. INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION.


JACK SCHEDCIK
AP14856931A

DATE 19 ____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
-----------------	---------------------------	------------------	-----------------------------	---

9-08-06

N7756N

Tach: 1,164.7

Drained oil, opened and inspected filter. Installed new Ch48110-1 filter and 8 qts. Aeroshell 15w50. Washed down and ran up with no leaks.

H.A. Randall, Jr.
H.A. Randall, Jr. AP461496634

3-07-07

N7756N

Tach: 1,222.9

Drained oil, opened and inspected filter. Installed new AA48110 filter and 8 qts. Aeroshell 15w50. Washed down and ran up with no leaks.

H.A. Randall, Jr.
H.A. Randall, Jr. AP461496634

9-05-07

N7756N

Tach: 1,230.1

Total: 3,352.1

Compression results: #1. 74/80, #2. 75/80, #3. 74/80, #4. 73/80. Gapped, inspected and cleaned all Spark plugs and ignition leads. Installed 4 new, lower REM40E spark plugs. Check Magneto timing. Pressure tested and inspected Exhaust system. Installed O/H, d Model# 215CC-9, ser.# 13678 Vac. Pump, see H.A.I. w/o # 13678. Washed down and ran up, normal operation with no leaks.

H.A. Randall, Jr.
H.A. Randall, Jr. AP461496634

I certify that this Engine has been inspected I.A.W. an Annual Inspection and has been determined to be in Airworthy condition.

H.A. Randall, Jr.
H.A. Randall, Jr. AP461496634IA

DATE

19_____

DATE 19 <u>2005</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
6/29/05	964			Changed oil & Filter Serviced with 8 qts Aeroshell 15W50 and one Champion CH48110 Filter. Cleaned & inspected oil Sump screen. Test ran engine and checked for leaks. All OK. Walter G Lamm 511583026

8-17-05

N7756N

Tach: 970.50

R & R both Magnetos after J.A.I.S. repairs, see W.O.# 1308 & 1310. Installed new Part # CH12364
ignition harness. Ran up and function tested ~~with no leaks~~.

H.A. Randall, Jr.
H.A. Randall, Jr. AP461496634

9/23/05	1015			Changed oil & Filter, Serviced with 8 qts Aeroshell 15W50 and one Champion CH 48110 Filter. Cleaned & inspected oil Sump screen. Test ran engine & checked for leaks. All OK. Walter G Lamm 511583026
---------	------	--	--	--

DATE 19 _____	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9/23/05	1015			Cleaned & inspected Fuel screen. Test ran engine & checked for leaks. All OK. Walter G Lamm 511583026
1/7/06	1065			Cleaned oil Filter, serviced with 8 qts Aeroshell 15W50 and one Champion CH48110 Filter. Cleaned & inspected fuel screen. Test ran engine & checked for leaks. All OK. Walter G Lamm 511583026

5-6-06

N7756N

Tach: 1,105.3

S.M.O.H: 889.7

Compression results: #1. 76/80, #2. 77/80, #3. 75/80, #4. 76/80. Drained oil sump and cooler,
opened and inspected filter, installed new Ch48110-1 filter and 8 qts. Aeroshell 15w50. Gapped,
cleaned, inspected and tested all Spark plugs and Ign. Leads. Checked Mag. timing. Pressure tested
and inspected Exh. system. Installed new Part # LW-12545 oil suction screen plug. Washed down
and ran up with no leaks.

I certify that this Engine has been inspected I.A.W. an Annual Inspection and has been deter-
mined to be in Airworthy condition.

H.A. Randall, Jr.
H.A. Randall, Jr. AP461496634IA

DATE 2004 19	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
11-28-04	910		694.4	Changed oil & Filter. Serviced with 8 qts Aeroshell 15w-50, 1 ea Champion CH48110 filter. Cleaned & inspected oil sump screen. Test ran engine and checked for leaks - O.K. <i>[Signature]</i> 2699445

4-01-05

N7756N

Tach: 922.4

S.M.O.H: 706.8

Compression results: #1. 72/80, #2. 75/80, #3. 75/80, #4. 75/80. Cleaned, gapped and inspected
all spark plugs and ign. leads. Checked Mag. Timing. Pressure tested and inspected Exh. system.
Washed down and ran up with no leaks.

I certify that this Engine has been inspected I.A.W. an Annual Inspection and has been
determined to be in Airworthy condition.

[Signature]
H.A. Randall, Jr. AP461496634IA

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
	689.0			D & B AIRCRAFT ENGINES, INC. 5508 N. ROCKWELL BETHANY, OKLA. 73008 (405) 495-0457 Certified Repair Station # HX2R888K Customer: Barry Beeson W.O. #: 7230 Component: S4LN magneto Mfg.: Bendix Remarks: New points, condensor. Svcble gear and block. Bench test OK. Inspected By: JLM Date: 4-3-03
6-12-03	729.1			CHANGED OIL & FILTER. SERVICED WITH 8qts of Aeroshell 15W-50 & 1EA Champion OIL FILTER. RAN & CHECKED FOR LEAKS. L. Ayo AIP 466435615

Limited Maintenance
Release

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8-25-03	778			CHANGED OIL & FILTER. SERVICED WITH 8qts OF AEROSHELL 15W-50 & 1EA Champion OIL FILTER. RAN & CHECKED FOR LEAKS. L. Ayo AIP 466435615
				N7756N 3-1-04 Tach: 820.0 SMOH: 604.4 Compression results: #1 73/80 #2 74/80 #3 73/80 #4 72/80. Drained oil sump, cooler and filter. Opened and inspected filter. Installed new Ch48110 filter and 7 qts. Aeroshell 15W50. Cleaned, inspected and gapped all spark plugs and ignition leads. R & R left magneto w/new part#10-51324 spring, part#10-51370 washer, part#10-51643 nut and part# 10-90751-18 cotter pin. Checked both mag. Timing. Pressure tested and inspected Exh. System, installed new part# 66894-03 forward muffler. R & R carb. heat shrouds after weld repairs, see Aircraft Welding WO#491010. Washed down and ran up, normal operation and no leaks. I certify that this Engine has been inspected I.A.W. an Annual Inspection and has been determined to be in airworthy condition. <i>H.A. Randall, Jr.</i> H.A. Randall, Jr. AP461496541A
7-25-04	870		654.4	CHANGED OIL & FILTER, SERVICED WITH 8qts OF AEROSHELL 15W-50 & 1EA Champion oil filter. RAN UP AND leak checked. Fuel sump screen checked, Installed 4 new Champion Plugs, top plugs in all 4 cyl. *REMOVE. 7/26/99

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
7-5-02	0470.2			CHANGED OIL + FILTER, SERVICED WITH 8qts. AEROSHELL 15W-50 AND ONE CHAMPION CH48110 FILTER. RAN AND CHECKED FOR OIL LEAKS. L: Andy AP466435615
9-7-02	524.9			CHANGED OIL + FILTER, SERVICED WITH 8qts. AEROSHELL 15W-50 + CHAMPION FILTER (CH48110). CLEANED AND GAPPED SEA. PLUGS. RAN FOR OIL LEAKS. L: Andy AP466435615
9-21-02	533.2			INSTALLED 8EA. CHAMPION PLUGS (NEW) REM 40E L: Andy AP466435615

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
10-27-02	573.8			CHANGED OIL + FILTER. SERVICED WITH 8qts. AEROSHELL 15W-50 + 1 CHAMPION CH48110 FILTER. RAN + CHECKED FOR LEAKS. L: Andy AP466435615
12-11-02	603.9			PERFORMED 100hr Inspection Compressions are AS FOLLOWS. 1) 73 2) 75 3) 75 4) 75/80. Retorqued CRANK CASE BOLTS. REMOVED EXHAUST FOR WELD REPAIR REINSTALLED WITH NEW HARD BASKETS. RE SERVICED STARTER CABLES. INSTALLED NEW ROCKER BOX COVERS. RETORQUED OIL FILLER NECK PER AD. RETORQUED VACC. PUMP. OUTLET TUBE. I certify this Aircraft has been Inspected I/A/w a 100hr Inspection and was determined to be in an Airworth Condition. Chadwick AP2679250481A

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT H	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				<i>Row Compression check 1) 75/80 2) 74/80 3) 77/80 4) 75/80</i> <i>Serviced with 89ts Shell W-100 R&D 2000-18-53 Oil Filter</i> <i>adaptor gasket NA model. Washed row and checked</i> <i>for oil leaks.</i> I certify that this Aircraft Engine was inspected in accordance with a 100 Hour ANNUAL inspection and was found to be in airworthy condition. <i>James P. O'Neill</i> <i>EA1942027</i> <i>Changed oil, drained oil and replaced</i> <i>oil and oil filter this date.</i> <i>Bar 432467</i> <i>changed oil & filter - replaced oil &</i> <i>filter. J. H. 442407064</i>
FEB 18, 2001	0353.0			
JUN 15, 2001	0422.8			

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT H	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
				<i>11-16-01 Tach 440.6 TSOH 225.0 Changed oil & Filter, Serviced</i> <i>with 89ts AeroShell 15W 50 oil. Cleaned gapped and tested</i> <i>Plugs. Checked mag Timing To engine. Lubed controls, cleaned</i> <i>Fuel section, Replaced Induction air Filter BA-3. Row Comp</i> <i>check. 1) 74/80 2) 77/80 3) 74/80 4) 76/80 Washed row and checked</i> <i>for oil leaks.</i> I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>100 HOUR</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. <i>James P. O'Neill</i> <i>EA1942027</i>

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
8-11-98	Tach	229.5		Cleaned gapped and Tested plugs checked mag Timing To engine. Replaced induction air Filter. Lubed controls. Ran compression check 1) 78/80 2) 78/80 3) 78/80 4) 78/80 Washed ran and checked For oil Leaks. I certify that this Aircraft Engine was Inspected in accord- ance with a 100 Hour ANNUAL Inspection and was found to be in airworthy condition. James P. O'Neill IA1742027
2/15/99	Tach		242.3	Drained oil and changed oil filter Replaced oil with 8 qts of Aeroshell 100 Mineral Oil. Checked for leaks J Beck 432667

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
9-15-99	Tach	250.5		Changed oil and Filter, cleaned gapped and Tested plugs. Checked mag Timing To engine, Replaced induction air Filter. Lubed controls, Ran compression check 1) 77/80 2) 78/80 3) 77/80 4) 78/80 Washed ran and checked For oil leaks. TSOH 34.9 I certify that this Aircraft Engine was Inspected in accord- ance with a 100 Hour ANNUAL Inspection and was found to be in airworthy condition. James P. O'Neill IA1742027
7/30/2000				Changed oil and replaced with Aeroshell 100 - Checked for leaks OK J Beck 432667
10-6-00	Tach	300.1		Changed oil and Filter, cleaned gapped and Tested plugs, Replaced (1) plug Checked mag Timing To engine. Replaced induction air Filter Lubed controls

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	------------------	-----------------------------	--

Date 3-25-98

WO # 5942

N- 7756N


405-495-0457

FAA CRS # HX2R888K
FAX: 405-495-9021
5508 N. Rockwell
Bethany, OK 73008 USA

Eng Type O-360-A4A

S/N L-13594-36A

Tach Time 0215.6

Hobbs: 1571.1

This engine removed from N7756N for overhaul. Major overhauled this date in accordance with Lycoming Overhaul Manual 60294-7. All steel parts magnafluxed. All aluminum parts zygloed. Crankshaft is standard and within limits. Connecting rods rebushed and installed with new bearings, bolts and nuts. Camshaft, certified by CRS RA7R115J, installed with certified lifters. Serviceable crankcase assembled with all new bearings. Cylinders are Satin chrome by CRS HT2R884K, assembled with new pistons and rings. New exhaust valves, rocker shafts, and piston pins. Engine assembled with new seals and gaskets. New ignition harness and spark plugs. Magnetos, S/N 8051332 and 1023390, overhauled. Starter, S/N 697; and alternator, S/N 594231298, overhauled. Carburetor, S/N CP1928, over

cont'd on next page..

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
--------------	---------------------------	------------------	-----------------------------	--

Page 2 of 2

W.O.# 5942

N- 7756N

hailed and certified by CRS PQ111NM. Engine installed on aircraft with new mounts and hoses. Filled with AeroShell 50 Non Detergent oil and ground run satisfactorily as per Lycoming Service Instruction 1427A. Complied with AD 91-14-22 Amdt 39-5916 on crankshaft gear inspection/modification; AD 96-09-10 Amdt 39-9586 on oil pump and gears; AD 96-23-03 Amdt 39-9825 on fuel pump by installing new; Service Bulletin 240N on 100% parts replacement and SB 518C on thermal bypass valve. AD 97-01-03 Amdt 39-9874 not applicable. See rear of log book for certification tags and parts list.

----- --END-----

This engine and/or component was repaired and inspected in accordance with current regulations of the F.A.A. and is approved for return to service. Pertinent details of the repair are on file at this agency under work order


No. 5942

Signed [Signature] Date 3/25/98

D & B AIRCRAFT ENGINES
5508 N. ROCKWELL
BETHANY, OKLA. 73008
FAA Certified repair station #HX2R888K

3/27/98 Tach: 0215.6 Hobbs: 1571.1

This log book opened this date. Log book
#1 closed. All times carried forward.



O.V. Shoun A#P 441360983

Engine Record General Information

Manufacturer Lycoming

Model

O-360-A4A

Serial L-13594-36A

Type Certificate

This engine is currently installed in aircraft:

Minimum Octane Fuel

Oil Grade Summer

Winter

Magneto Time

Point Setting

Firing Order

Spark Plug Gap

Manufacturer's Recommended Overhaul at _____ hours

Date 3-25-98
WO # 5942
N- 7756N



FAA CRS # HX2R888K
FAX: 405-495-9021
5508 N. Rockwell
Bethany, OK 73008 USA

Eng Type 0-360-A4A
S/N L-13594-36A

Tach Time 0215.6
Hobbs: 1571.1

WARRANTY CERTIFICATE

D & B Aircraft Engines warrants the above listed engine, overhauled by D & B, to be free from defects in material and workmanship under normal use and service for a period of 6 months or 200 hours.

The obligation of D & B under this warranty is limited to the repair or replacement at D & B's option of any part, component or engine which, in the opinion of D & B, is defective. D & B must be informed of problems and authorize work at any facility other than D & B before warranty will be honored.

This warranty shall not apply to engines, component parts or accessories which have been improperly installed, adjusted, stored, handled, repaired, altered or operated contrary to current manufacturers recommendation, service letters and bulletins, FAA Airworthiness Directives or subject to misuse, neglect or accident.

Warranty will not be granted for removal or installation of engines, components or accessories, or for normally required maintenance functions. Loss of revenue or use of aircraft claims will not be allowed.

This warranty is expressly in lieu of all other warranties and representations expressed or implied and all other obligations and liabilities, either direct or consequential, on the part of D & B Aircraft Engines.

O. V. Shoun,
D & B Aircraft Engines

Book #1

PIPER LOG




PIPER AIRCRAFT CORPORATION



ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7/17/97	Brought Forward →			
	Engine found to be in airworthy cond for flight from KID TO 22N Just AT 185488949			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
97-8-21 TT 2315		
Performed an annual insp Lubed all controls cond		
Diff comp Check 1/4 2/72 3/73 4/70 changed oil and		
filter serviced with Aeroshell 15-50 Timed mag's		
Cleaned and gapped plugs Insp Exhaust Replaced oil		
pump Replaced ATT Belt Replaced air filter		
Replaced composite float with metal and stamped carb		
MF C/W ALL ADS		
"I certify that this aircraft/engine has been inspected in accordance with an <u>Annual</u> inspection and was determined to be in airworthy condition." GARY W. ROACH A & I 185488949 		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
1-24-95	Brought Forward →	2304	2304	Compression test cylinder # 1 72/80 #2 75/80 #3 75/80 #4 75/80
				Drained oil & Replaced Filter, check oil screen, oil
				Service with AvcoShell 40wt AD. checked & capped
				plugs, Replaced #4 Intake Gasket, check mag Timing
				Replaced Brackett Air Filter, 4/10 Pipe 100 hr
				Inspection Form. Edward Gibson AP 18544877
				I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE ON AIRWORTHY CONDITION.
				SIGNATURE <i>Ken Bell</i>
				NO. AP 17540251274
				DATE 1/24/95 ENGINE HOURS 2304.0
Total To Carry Forward				

and Remarks	Signature	Certificate No.
5-2-96 tach 2310 - Annual - Oil & Filter changed Magnet Timing checked, screen checked, spark plugs checked, exhaust system checked, SB 518C changed cirth, Oil sample taken, Compression 178 78 377 478 new bracket filter, oil cooler hose checked		
I CERTIFY THAT THIS <u>engine</u> HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>Annual</u> INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION TOTAL TIME IN SERVICE <u>2310</u> DATE <u>5-2-96</u> AUTHORIZED SIGNATURE <u>HP Bell</u> <u>116492</u> WORK ORDER NUMBER LANES VALLEY FORGE AVIATION INC PERKIOMEN VALLEY AIRPORT 67 COLLEGEVILLE ROAD COLLEGEVILLE, PA 19426		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
				Compression check 1.77/80 2.78/80
				3.78/80 4.78/80 Drained oil + check
				oil screen Replaced Filter, Service
				with Aeroshell 65W cleaned +
				Gaped plugs
				I CERTIFY THAT THIS <u>Engine</u> HAS BEEN INSPECTED IN
				ACCORDANCE WITH A <u>100hr Annual</u> INSPECTION AND WAS
				DETERMINED TO BE IN AN AIRWORTHY CONDITION
				TOTAL TIME IN SERVICE <u>2277.8</u> DATE <u>1-20-93</u>
				AUTHORIZED SIGNATURE <u>Edward Giblin</u>
				WORK ORDER NUMBER <u>IA185448777</u>
				PIERCE VALLEY FORGE AVIATION INC.
				PIERCE VALLEY AIRPORT
				167 COLLEGEVILLE ROAD
				COLLEGEVILLE, PA 19426
Total To Carry Forward				

and Remarks	Signature	Certificate
Compression test, 1.78/80 2.78/80 3.78/80 4.78/80		
Drained oil + check oil Filter, Service with 6 Qts		
Aeroshell 40wt. cleaned + Craped plugs, Replaced Air		
Filter cleaned Fuel Bowl		
I CERTIFY THAT THIS <u>Engine</u> HAS BEEN INSPECTED IN		
ACCORDANCE WITH A <u>Annual</u> INSPECTION AND WAS		
DETERMINED TO BE IN AN AIRWORTHY CONDITION		
TOTAL TIME IN SERVICE <u>2294</u> DATE <u>1-20-94</u>		
AUTHORIZED SIGNATURE <u>Edward Giblin</u>		
WORK ORDER NUMBER <u>IA185448777</u>		
PIERCE VALLEY FORGE AVIATION INC.		
PIERCE VALLEY AIRPORT		
167 COLLEGEVILLE ROAD		
COLLEGEVILLE, PA 19426		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
8-8-91	Brought Forward →		2250.0	Remove Left mag + Replaced Re-installed mag used New Bendix Harness with cleaned + Gaped plugs, Drained service with 7. Qts Avtol Replaced 1 st Exhaust Gasket. Mag Timing cleared Fuel screen Air Filter.
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Impulse Cam Assy. P/N 10-59437 New Gasket + Time to engine, Replaced New Stick Harness P/N M2364	Edward Miller IA18544877 AdP	
oil + Replaced oil Filter, cut open for inspect 65W. Compression test all cylinder 78/80. check Replaced		
I CERTIFY THAT THIS <u>Engine</u> HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>Annual</u> INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION TOTAL TIME IN SERVICE <u>2256.</u> DATE <u>1-21-91</u> AUTHORIZED SIGNATURE <u>Edward Miller</u> <u>IA18544877</u> WORK ORDER NUMBER LANES VALLEY FORGE AVIATION INC. PERKIOMEN VALLEY AIRPORT 167 COLLEGEVILLE ROAD COLLEGEVILLE, PA 19308		

[illegible][illegible]

Date	Engine Time		This Date	Since Major	Recorder Reading
1-25-91	Brought Forward →	2221.6	2221.6	Compressor test all cyl. Replaced Air Filter, Replaced Fuel primer Hose, oil pressure hose, Replaced Brackets, shut. Replaced doctors, Run-up oil.	Maintenance
Total To Carry Forward					

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
1-25-91	Brought Forward →	2221.6	2221.6	Compressor test all cyl. Replaced Air Filter, Replaced Replaced Fuel pump hose, oil pressure hose, Replaced Brackett's shut. Replaced doctors, Run-up oil.
Total To Carry Forward				

[illegible]

Date	Engine Time		This Date	Since Major	Recorder Reading
1-25-91	Brought Forward →	2221.6	2221.6		
				Compressor test all cyl.	
				Replaced Air Filter, Replaced Fuel primer Hose,	
				oil pressure hose, Replaced Brackets, shut. Replaced	
				doctors, Run-up oil. —	
Total To Carry Forward					

Date	Engine Time		This Date	Since Major	Recorder Reading
1-25-91	Brought Forward →	2221.6	2221.6		Maintenance
					Compressor test all cyl.
					Replaced Air Filter, Replaced
					Replaced Fuel pump hose,
					oil pressure hose, Replaced
					Brackett's stud, Replaced
					dorlocks, Run-up oil. —
Total To Carry Forward					

[illegible]

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. Check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

and Remarks

7/8/80. check oil seen, Replaced oil Filter
BA-3, Replaced crankshaft seal 11/19/97
Fuel pressure hose, main Fuel hose,
oil pressure switch in good, Replaced Alt
2 south plugs Rem 40E. Luke

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
				Compression test all 20 (cold) Drained oil & check oil screen ok., Replaced oil Filter Service with Aeroshell 4wt. 8Qts. cleaned Plugs & check Exhaust, Drained Fuel Bowl Replaced air Filter
				I CERTIFY THAT THIS <u>Engine</u> HAS BEEN INSPECTED ACCORDANCE WITH A <u>Annual</u> INSPECTION AND DETERMINED TO BE IN AN AIRWORTHY CONDITION TOTAL TIME IN SERVICE <u>2154</u> DATE <u>1-16-80</u> AUTHORIZED SIGNATURE <u>Edmund Hill</u> WORK ORDER NUMBER <u>801654487724P</u> LANES VALLEY FORGE AVIATION INC. PERKIOMEN VALLEY AIRPORT 767 COLLEGEVILLE ROAD COLLEGEVILLE, PA 19426
Total To Carry Forward				

[illegible]

ENGINE LOG

[illegible]

and Remarks	Signature	Cert
<i>House. Check oil screen. OK Replaced</i> <i>P/N 10-51360-45 see yellow Tag.</i> <i>2. $\frac{72}{80}$ 3. $\frac{74}{50}$ 4. $\frac{72}{80}$. test Run OK.</i>		
I CERTIFY THAT THE <u>Engine</u> HAS BEEN INSPECTED IN ACCORDANCE WITH <u>Annual</u> INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION TOTAL TIME <u>SERVICE 2122.3</u> DATE <u>1-19-89</u> SIGNATURE <u>Edward L. L...</u> ORDER NUMBER <u>FA185448777</u> VALLEY FORGE AVIATION INC. VALLEY AIRPORT COLLEGEVILLE ROAD COLLEGEVILLE, PA 19426		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
1-24-88	Brought Forward →	1.1 2106.0	—	Compression 1.22 80 OK, Drained oil & Repl
Total To Carry Forward				

and Remarks	Signature	Certificate No.
2. $\frac{24}{80}$ 3. $\frac{74}{80}$ 4. $\frac{74}{80}$ check oil screen and Filter check mag Timing.		
I certify that this Engine Has been Inspected In accordance with a Annual Inspection and was found to be in Airworthy condition.		
JA185448777 A+D		
Edward Miller		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
1-27-87	Brought Forward →		Tach 2091	Annual - Oil & Filter others cleaned & gapped,
1-28-87			2091	Installed overhauled Pist OK. See yellow Tag. Return
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Change 4 new spark plugs Compression 178 278 377 476		
WE CERTIFY THAT THIS ENGINE/AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND IS IN COMPLIANCE WITH ANNUAL INSPECTION AND IS DETERMINED TO BE IN AIRWORTHY CONDITION due to coil & magnetos	H. Ray Collins	11611977A
ht mag. Time to Engine, Test Run ed to Service — EIVD —	Edward J. [Signature]	#155448777

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
1-26-86	Brought Forward →		2032	Annual - Oil & Filter changed, exhaust gaskets, compression
8/14/86			2074	change oil & Filter clean & topped
Total To Carry Forward				

and Remarks	Signature	Certificate No.
gas sprake plugs cleaned & oiled, timing run 1742 1743 1744, heads checked CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. H. Ray Collins 11/19/77		
used 8 qts aeroshell 50wt AD plugs sent AOA oil Analysis	Edward Collins	11P 18544-8777

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
7/26/85	Tach	1968	changed oil with Aeroshel 40wt. changed filter & checked screen cleaned & gaped plugs. sent oil sample to A.O.P.A. 14P 158547861 Patent of [Signature]	
9-12-85	Tach	1998	Replaced #2 leads Right Mag. Edward Gibbons ATP 185-44-8777	
Total To Carry Forward				

and Remarks	Signature	Certificate No.
10/29/85 Tach. 2018 changed oil & Filter & checked screen & 20W50 Phillips. cleaned & gaped plugs. ATP 185-44-8777. Edward Gibbons		
8/14/86 Tach, 2028 Replaced Air Filter. ATP 185448777 Edward Gibbons		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
9/27/84	1884 Tach.	Drain oil, clean screen, change Simpson CH48103 filter. Service with Phillips 66 20W50. Run-up test check O.K.		
		Raymond J. Deneckeh 199381128 ACP		
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Tach 1927 hrs 1-8-85 - Annual - Oil & Filter changed, plugs cleaned & gapped, timing checked, compression 113 113 113 113 adjust valve heat control, repaired alternator		
I CERTIFY THAT THIS ENGINE/AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.		
	A. Ray Collins	116119274
4/31/85 Tach: 1928 Replace #4 Bottom Spark plug Lead. Raymond J. Bernacki 199381128 ACP		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
12/28/83	Brought Forward →	TT 1779.7	C/W on Annual Inspection as per form	
# 230-207,	Drained oil, added 8qts Aeroshell 80grade oil W, installed new oil filter, replaced #4 ignition lead insulator, replaced gasket on cyl #3 intake, cleaned engine and ran for leak check, all operations normal.			
PRO AERO FLIGHT SERVICE Morgantown Municipal Airport Morgantown, WV 26505 I certify that this aircraft engine has been inspected in accordance with a <u>annual</u> inspection and was determined to be in airworthy condition. All work accomplished on file, W. O. # <u>0548</u> this station. <u>Kevin G. Deegan (Insp)</u> (signature) Repair Station # <u>122-26</u> Date <u>12/28/83</u> TT <u>1779.7</u> ENGINE COMPRESSION TEST #1 <u>74</u> /80 #2 <u>76</u> /80 #3 <u>80</u> /80 #4 <u>80</u> /80 #5 <u>X</u> /80 #6 <u>X</u> /80				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
6-9-84 TT 1825 Replace alternator with overhauled unit and replace alternator belt. Recharge battery. Ed. Reeves A&P Reeves Air, Inc., Waterford, CN		
6/27/84 TT 1831 Drain oil, clean screen, change Champion CH48103 oil filter. Service with 8 qts Aeroshell 50 wt. AD. Clean bottom plugs. Run-up and leak check O.K. Raymond S. Bonickel 199381128 A&P		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
4/26/82	Brought Forward →	T/T 1740.2		Removed & Replaced STARTER + Bendix Drive Assembly OPS CKD. GOOD.
			Approved for RETURN TO SERVICE Date <u>4-26-82</u> W.O.# <u>2406</u> Repair Station # <u>122-14</u> <u>Paul E. Shimmer</u> (signature)	
Total To Carry Forward				

and Remarks	Signature	Certificate No.
10-1-82 TACH TIME 1754.3 COMPLETED ANNUAL INSPECTION C/w AD 82-20-01 By inspection A/O 81-18-04 DUE 2000 HRS Changed oil Replaced oil Filter, cleaned & checked SPARK Plugs, Replaced #4 EXH GASKET.		
I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Date <u>10-1-82</u> . AIRCRAFT TIME IN SERVICE <u>1754.3</u>		
ENGINE COMPRESSION TEST #1 <u>76</u> /80 #2 <u>76</u> /80 #3 <u>26</u> /80 #4 <u>25</u> /80 #5 <u> </u> /80 #6 <u> </u> /80		
Approved for RETURN TO SERVICE Date <u>10-1-82</u> W.O.# <u>0088</u> Repair Station # <u>122-26</u> <u>H. Z. Shockey</u> (signature)		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
8-6-80	TACH. 1659.9	CHANGED OIL & FILTER. ADDED 8 QTS. AEROSHELL 40 WT. AD. CLEANED & GRAPED ALL PLUGS - REMOVED #2 CYL. - SENT TO CUYADAKE A/C CORP. FOR REWORK - REINSTALLED CYL. USING ALL NEW SEALS & GASKETS. CLEANED ENG & RAN FOR OPERATION & LEAK CHECK.		
ENGINE COMPRESSION TEST				Morgantown Piper, Inc. Repair Station #12219 Rt. 6, Box 1-B
#1	74/80	#2 72/80	#3 75/80	Morgantown, WV 26505 Date 8-6-80 TT 1659.9
#4	75/80	#5 1/80	#6 1/80	I certify that this aircraft engine has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. All work accomplished on file, W.O. #1477
Total To Carry Forward				this station. <u>Daniel R. Dunson</u> (signature)

and Remarks	Signature	Certificate No.
9-4-81 ^{T.T.} TACH. 1713.4 CHANGED OIL & FILTER - ADDED 8 QTS. 20W50 XC OIL - CLEANED & GRAPED ALL PLUGS - LUBED ALL CONTROLS - REMOVED LT. MAG. - C/W AD NOTE 78-09-07 By INSP. IMPULSE COUPLING I/A/W DENDIX SB 599A - FOUND IMPULSE COUPLING OK FOR SERVICE - REINSTALLED MAG. & TIMED TO ENG. NEXT INSPECTION DUE WITHIN 500 HRS. - CLEANED ENG. & RAN FOR OPERATION & LEAK CK.		
ENGINE COMPRESSION TEST		
#1 75/80	#2 76/80	#3 76/80
#4 76/80	#5 1/80	#6 1/80
Morgantown Piper, Inc. Repair Station #12219 Rt. 6, Box 1-B 26505 Date 9-4-81 TT 1713.4 I certify that this aircraft engine has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. All work accomplished on file, W.O. #2114		
this station. <u>Daniel R. Dunson</u> (signature)		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
7-1-79 T.T. 1599.2 CHANGED OIL & FILTER. ADDED 80/150 AEROSHELL 50 WT. AD OIL. CLEANED & GRAPED ALL RINGS. PATCHED GASKET ON #3 CYL. REPLACED SCAT TUBING TO HEATER. REPLACED STARTER WITH USED SERVICABLE DELCO REMY STARTER. LUBED ALL CONTROLS, CLEANED ENG. & PAN FOR OPERATION & LEAK CHECK.				
ENGINE COMPRESSION TEST #1 <u>74</u>/80 #2 <u>74</u>/80 #3 <u>74</u>/80 #4 <u>73</u>/80 #5 <u>74</u>/80 #6 <u>74</u>/80 Morgantown Piper, Inc. Repair Station # <u>12279</u> Rt. 6, Box 1-B Morgantown, WV 26505 Date <u>7-1-79</u> TT <u>1599.2</u> I certify that this aircraft engine has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. All work accomplished on file, W.O. # <u>928</u> this station. <u>Daniel E. Denson</u> Shop Supp. (signature)				
Total To Carry Forward				

and Remarks	Signature	Certificate No.
12/18/79 TT 1625.4 Drained oil, installed new oil filter adapter P/N OF712 and new oil filter P/N OF51A, added 8qts 40.wt Peroshell AD, ran engine for leak check, checked OK.	Approved for RETURN TO SERVICE Date 12/18/79 W.O.# 1145 Repair Station # 122-19 Kris G. Deegan (at shop only) (signature)	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
5-11-77	TACH. 1495.7	CHANGED OIL & FILTER. ADDED 8QTS AEROSHELL 50 WT. REPLACED POINTS IN BOTH MAGS. REPLACED SPARK PLUG LEAD LOWER #4 CYL. REPAIRED BUFFER IN CARB. HEAT BOX. LUBED ALL CONTROLS. CLEANED ENG. GRD RAN FOR OPERATION & LEAK CHECK. ALL OPS. NORMAL. NO LEAKS FOUND.		
ENGINE COMPRESSION TEST		I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Date <u>5-11-77</u> .		
#1	<u>74</u> /80	#2 <u>77</u> /80	#3 <u>78</u> /80	#4 <u>76</u> /80
#5	<u>—</u> /80	#6	<u>—</u> /80	
		AIRCRAFT TIME IN SERVICE <u>1495.7</u>		
		Daniel R Dunson AI236687983		
Total To Carry Forward				

and Remarks	Signature	Certificate No.
11-9-77 TACH. 1541.2 CHANGED OIL & FILTER. ADDED 8QTS AEROSHELL 40WT. AD OIL. CLEANED ENG. RAN FOR LEAK CHECK.	Daniel R Dunson	AI236687983
6-1-78 T.T. 1557.3 CHANGED OIL & FILTER. ADDED 8QTS. AEROSHELL 50WT. AD. (CLEANED) & CAPPED ALL PLUGS. REPLACED (1) SPARK PLUG. QW AD NOTE 77-23-03 BY INSP. CONT. ROD END BEGS. CLEANED ENG. & RAN FOR LEAK CHECK.	I certify that this ^{ENG.} aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Date <u>6-1-78</u> .	AIRCRAFT TIME IN SERVICE <u>1557.3</u>
ENGINE COMPRESSION TEST		
#1 <u>76</u> /80 #2 <u>76</u> /80 #3 <u>76</u> /80		
#4 <u>75</u> /80 #5 <u>7</u> /80 #6 <u>7</u> /80		
	Daniel R Dunson	AI236687983

ENGINE LOG

MORGANTOWN PIPER, INC.
Route 6, Box 1A
Morgantown, WV 26505
Maintenance

Date	Engine Time		Recorder Reading
	This Date	Since Major	
	Brought Forward →		
4-1-76	1402.7	TACH-AD'S REVIEWED TO DATE-	
	AD# 75-08-09- LVC	OIL PUMP DRIVE - N/A BY	
	S/N - Ralph L Whipkey	1507428-1A	
ENGINE COMPRESSION TEST I certify that this aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Date <u>4-1-76</u>. AIRCRAFT TIME IN SERVICE <u>1402:7</u> Total To Carry Forward <u>Ralph L Whipkey 1507428-1A</u>			

and Remarks	Signature	Certificate No.
3/31/76 TT=1402.7 Cleaned & Gapped Plugs, Replaced Rocker Cover Gaskets #1 & #3 Cylinders	Michael Sharbaugh	AIP 178460912
10-12-76 TT - 1454.56 oil Changed Aero Shell 40w oil Filter		
Replaced. Bag washed down & run-up checked for health		
all ops. normal D.T. Shockey		AIP 1325678

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →	9-10-75 T.T.	1355	INSTALLED
	HEATED PITOT TUBE PIPER P/N 757140. KIT			
	APPROVED UNDER FLIGHT MANUAL EQUIPMENT LIST.			
	EQUIPMENT LIST REVISED & WEIGHT & BALANCE AS			
	FOLLOWS.			
	S/N OF AIRCRAFT LISTED UNDER KIT INSTRUCTIONS.			
	EMPTY WEIGHT	1387.7	Jack T. White I.A. 1624867	
	" C.G.	85.99		
	" MOMENT	119340.0		
	USEFUL LOAD NORMAL	1012.3		
	" UTILITY	562.3		
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
I certify that this ^{ENGINE} aircraft has been inspected in accordance with a <u>100 HR.</u> inspection and was determined to be in airworthy condition. Date <u>2-28-74.</u> AIRCRAFT TIME IN SERVICE <u>1248.</u>				
CHANGED OIL & FILTER. USED 40WT DET. REPLACED IMPULSE COUPLING ON LEFT MAG. RETMED BOTH RIGHT & LEFT MAGS. REPLACED ALL SPARK PLUGS WITH REM 38E PLUGS.				
Total To Carry Forward				Blaine Barclay AP 2205790

and Remarks	Signature	Certificate No.
10/22/74 TACH 1303		
CHANGED OIL & FILTER SERVICED WITH 8QT OF AEROSHELL 40W John R. Krichner ACP2013434		
3-17-75 TT. 1324. 100 HR INSPECTION COMPLETED PER PIPER INSPECTION FORM. CHANGED OIL & FILTER USED 40WT AEROSHELL DET. RUN-UP & OPERATIONAL FLIGHT CHECK SATISFACTORY.		
I certify that this ^{ENGINE} aircraft has been inspected in accordance with a <u>ANNUAL</u> inspection and was determined to be in airworthy condition. Date <u>3-17-75.</u> ENGINE COMPRESSION TEST #1 <u>70/80</u> #2 <u>70/80</u> #3 <u>72/80</u> #4 <u>70/80</u> #5 <u>—/80</u> #6 <u>—/80</u> AIRCRAFT TIME IN SERVICE <u>1324.</u> Jack I. White F.A. 1624867		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
2-27-73	Brought Forward →	1148.0		Changed Oil 40AD. Gulf Removed #4 Cyl. Low Valve.
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
8-11-72		1090:99		
Total To Carry Forward				C/w A.D.# 72-6-5 Marred

and Remarks	Signature	Certificate No.
1-28-72 TT 1023	After annual inspection oil changed oil screen elements Filter OK & Replaced spark plugs replaced starter Bendix replaced engine given run up checks for oil heats all operations normal I certify that this aircraft has been inspected in accordance with a <u>Annual</u> inspection and was determined to be in airworthy condition. Date <u>1-28-72</u>. AIRCRAFT TIME IN SERVICE <u>1023</u> <u>TT 1023</u> <u>A5213256782A</u>	IA 1490133
Shebler Carb, SAE Tec	William K. Shultz	

[illegible]

Skaneateles, New York.

By W. Knight No. A. 5. 1159

Time on Tack. 891 Total Time. 891

Date: 12/18/70

See rear of log for A. D. notes.

2/07519

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
5-21-70	T.T.	796.78		
10-18-70	T.T.	863.51		
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
Oct 20, 1969	Brought Forward →	592	592	Oil changed 50A Gulf
11-20-69	25 hr. inspection completed this date.			
	Checked & serviced tires, battery, lights, hyd. fluid,			
Dec. 9, 69,	T.T. 659.0 hrs, 100 hrs, Changed oil,			
	with Pet's Gulf 50R, Compressor check.			
	Checked mag points & timing. Drain			
	APD 69-24-3 doesn't work. Checked intake			
	Alt. Brush & Belt. Cleaned Air filter			
Total To Carry Forward				complied with

and Remarks	Signature	Certificate No.
Cleaned lower spark plugs. W/H Chapman		AP 1631302
Changed oil & refilled with 8 qts. of *50 wt. reg. oil.		
brakes, & stall warning. T.T.=631 hrs. Chas. Stader		AP 1615490
Cleaned screen & filter replaced. Refilled		
made 74/80, Cleaned & gapped plugs.		
carb. screens & gasket gasector screens		
& exhaust sys. Checked starter, Replaced		
Checked eng controls, Checked APD for		
D M Grain		AP 1524089

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
	Brought Forward →			
9-2-69	25 hr. inspection completed this date. Changed the oil and refilled with 8 qts. of #50 wt. reg. oil. Serviced tires, battery, hyd. fluid, and checked lights and stall warning. T.T. = 525. Chas. Strader AWP #1615490			
9-22-69	25 hr. inspection completed this date. Changed the oil & refilled with 8 qts of #50 wt. reg. oil. Serviced tires, battery, & hyd. fluid. Checked brakes, lights, and stall warning. T.T. = 551:26 Chas. Strader AWP #1615490			
Total To Carry Forward				

and Remarks	Signature	Certificate No.
10/3/69 - Tack 565 hrs 100 hr. inspection. All fuel & oil screens cleaned. Compression checked O.K. Cleaned & re-gaped spark plugs installed new points in L.H. Magneto. Magn. starter & alt. checked O.K. Exhaust system O.K. Installed 4 new ex. gaskets. Re-filled with 8 qts DDB Gulf Oil. Engine run up and found to be airworthy. Cecil A. Tyler ATE 358118		
I CERTIFY THAT THIS AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH A <u>Annual</u> INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION.	SHOWALTER Flying Service, Inc. MUNICIPAL AIRPORT - ORLANDO, FLORIDA MAINTENANCE & SERVICE FAA Approved Repair Station #4449	
INSPECTION AUTHORIZED. Wm. O. Maurer ATE 765172 10-4-69		AIRFRAME

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
7/24/69	Brought Forward →		446	25 hr engine check & oil change. checked fluid in battery & brakes. Re-filled engine with 8 qts 50R Oil Cecil A. Tyler HC 358/18
Total To Carry Forward				

and Remarks	Signature	Certificate No.
Tack 475.60 hrs.		
8/5/69 - Tack 475 ⁵⁴⁵ hrs 100 hr. inspection completed this date. All fuel & oil screws cleaned. dis- stalled 8 new REM40E spark plugs. Checked maps. for condition & timing. Starter & alt. O.K. Intake & ex. system checked for condition. Carb. drained. Re-filled engine with 8 qts DOR Oil. Engine run up and found to be airworthy.	Cecil A. Tyler ATE 358118	

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
6/2/69	Brought Forward →	—	361	25 hr inspection completed this date. Change oil filled with 8qt 50 R. Allen B. Wallace III A/P 1904251
6/11/69			381	100 hr. inspection completed. All full foil screws cleaned. New oil filter. Cleaned & re-gaped spark plugs. Checked mags, starter & alt. Compression check all up. 70/80 a better. Engine run up and found to be airworthy.
Total To Carry Forward				Oil & Filter 358/18

7756N

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
4/28/69	Brought Forward →		292	100 hr inspection. All check all cyl. 72/80 + timing. Cleaned & checked O.K. Intake. Re-filled with 8 qts. be airworthy.
May 15, 1969	—	—	335	Oil changed 50R
Total To Carry Forward				

and Remarks	Signature	Certificate No.
fuel & oil screens cleaned. Compression or better. Magn. checked for condition. re-gaped spark plugs. Starter & alt. & ex. system checked. Carb. drained. 50R Gulf Oil. This engine found to	Civil A Tyler AHE	358118
Gulf. W.H. Chapman J AWP 1631302		

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
3/6/69	Brought Forward →	—	215.97	25 hr inspection completed this date: Changed oil, filled with 8 qt. 50R. Checked Battery and hydraulic fluid. Engine washed & checked for leaks after run up. Allen B Wallace W ACP 1404257
4-11-9			247.14	25 hr. inspect 8 qts. 50R. Sr Batt, hydra found. run up
Total To Carry Forward			247.14	aircraft are

and Remarks	Signature	Certificate No.
ion completed, changed suced tires, struts, ulics. No other defects ch. ok. consider this eng as worthy —	J. Chronister	1793259

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
3-13-9	Brought Forward →		189	Cont. pressure checked noted. drained gts 40 & changed 25 ft lbs. run up. OK. pauzer section
3-13-9			189	
4-11-9			247	
Total To Carry Forward				

[illegible]

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
2-25-9	Brought Forward →		148	25 hr check, changed oil 40 R. run up noted OK!
3-13-9			189	100 hr inspect and, as serv leads, plugs, cables and complete.
Total To Carry Forward			189	plate. cleaned

and Remarks	Signature	Certificate No.
and inspection, oil serviced with 8 qts check for defects inspection.	J. Chronister	1792259
work completed. checked iced mags, points all mechanical linkages, prop power section work and gaped, plugs, cones		
Cont. kept large		

ENGINE LOG

Date	Engine Time		Recorder Reading	Maintenance
	This Date	Since Major		
12-13-68	Brought Forward →		2.2	RECORDING "0" TIME
1/6/69		41.0		25 hr engine check Checked fluid in
1/25/69		82.5 hrs		25 hr engine check.
Feb. 7, 1969	—	—	97.5	100 hr inspection com
+	—	—	—	Gulf. Oil filter changed
—	—	—	—	Fuel strainer checked. Adj
—	—	—	—	spark plugs. Remadell
Total To Carry Forward		—	—	W.H. Crossman

and Remarks	Signature	Certificate No.
HR. METER, INSTALLED THIS DATE	G. Shindler	AHE 1198932
+ oil change. 8 qts 40R Gulf Oil		
battery + brakes.	Clair A. Tyler	AEC 338118
8 qts Gulf 40R. Checked brake fluid + battery		
Raymond H. Bassett	A+E 1013241	
plate + eng found to be airworthy. Oil changed 40R		
Magneto checked. #1 intake gasket replaced. Carb. drained.		
carb. heat valve. Open + check calin heat muff. Clean + gap		
spinner + cowl. Tighten ex. clamps. Run Eng up.		
HP 1631302		

ENGINE DESCRIPTION

Manufacturer:

Lycoming

Serial No.

L-13594-36A

Horsepower:

180

Model:

WILLIAMSPORT, PENNA.

FAA T. C. No.

E-286

O-360-A4A

[illegible]