



MTR ID # 2424483 Replaces MTR ID # 2424473

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-May-2015	KAUO	2011.1	2148	2011.1	2011.1	2082	2082			1125.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
732500 732500 : L	1 1	LEFT ENGINE FADEC	LEFT ENGINE	121188		CL12AW2073	UN	R		
Comments: Removed part no: 117787 Removed serial no: CL8APW1072. INSTALLED P/N 121188 S/N CL12AW2073. LOADED ENGINE DATA. SYSTEM OPS CHECKS SATISFACTORY AT THIS TIME. DONE I/A/W 525B MM 76-12-00.										
732500 732500 : R	2 1	RIGHT ENGINE FADEC	RIGHT ENGINE	121188		CL8APW1415	UN	R		
Comments: Removed part no: 117787 Removed serial no: CL8APW1101. INSTALLED P/N 121188 S/N CL8APW1415. LOADED ENGINE DATA. SYSTEM OPS CHECKS SATISFACTORY AT THIS TIME. DONE I/A/W 525B MM 76-12-00.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	15749
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-May-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE <i>Kyle Steele</i>	Certificate No.	CNQ7918C	Date	01-May-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B-0304	304	N20AH	4/22/15	Auo	2000.1	2136	No. 1 2000.1	No. 2 2000.1	No. 1 2070	No. 2 2070			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1	1	maine tire	left	026-615-0		4016R00308	W	N				
Do Not	2	1	Gasket	left	65-1463		N/A	W	N				
Write	3	1	seal	left	65-1482		N/A	W	N				
In This	4	1	Fuse Plug	left	542-6		N/A	W	N				
Space	5												
	6												
	7												
	8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

} **Detail Method Of Compliance Under Comments Below**

Removal Reason
 Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status

Enter One: N - New
 R - Repaired
 S - Serviceable
 O - Overhauled
 If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Installed New maine tire on left side
- 2 Installed New gasket
- 3 Installed New seal
- 4 Installed New Fuse plugs all 3

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>[Signature]</i>	Certificate No. <i>ATP 42192311</i>	Date <i>4-22-2015</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>[Signature]</i>	Certificate No. <i>ATP 42192311</i>	Date <i>4-22-2015</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2420822

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	21-Apr-2015	KFTW	1998.7	2135	1998.7	1998.7	2069	2069			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2420822	1 1	CABLE, FWD RUDDER	LEFT	6361004-3		N/A	N	N 0 MTH 0 HRS		
Comments: Removed left forward rudder cable. PN:6361004 - 3 S/N: N/A Due to broken strands. Installed new cable. Complied with tensions, travels and safeties on rudder system. I/A/W 525 B ch. 27 20-00.										
2420822	2 -	MAINT NOTE: CABLE INSPECTION								
Comments: MAINT NOTE. COMPLIED WITH INSPECTION OF ALL FLIGHT CONTROL SYSTEMS PRIMARY AND TRIM CABLES. NO DEFECTS NOTED. ALL WORK DONE IAW 525B 27-10-01, 27-20-00 and 27-30-01.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	SAN ANTONIO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ5918C	Work Order No.	REV# 15176
Work Performed By	SAN ANTONIO CESSNA CITATION SERVICE CENTER	Certificate No.	CNQ5918C	Date	21-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	ROGER HOWELL	Certificate No.	CNQ5918C	Date	21-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2414601

Page 1 of 1


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	03-Apr-2015	KAUO	1985.4	2121	1985.4	1985.4	2055	2055			1105.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
345056 345056 : 2	1 1	NO.2 GPS RECEIVER	NO.2	822-2189-002 GPS-4000S		26XPH	UN	O		
Comments: Removed part no: 822-2189-002 Removed serial no: 3VKYX. DUE TO FAILED. INSTALLED OVERHAULED NO.2 GPS RECEIVER PN 822-2189-002 SN 26XPH RTS BY ROCKWELL COLLINS CRS# NZ2R049L ON 16 MAR 2015 IAW CE525B MM CH 34-60-00 OPS CHECK GOOD.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CRS# CNQ7918C	Work Order No.	14380
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CRS# CNQ7918C	Date	03-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MICHAEL S BENSON	Certificate No.	CRS# CNQ7918C	Date	03-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

**CESCOM****Maintenance Transaction Record**

MTR ID # 2406461

Page 1 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	INSPECTION DOCUMENT 1 (INTERVAL 1A)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 1 IAW 525B MM 5-12-01										
5-12-05 051205	2 2	INSPECTION DOCUMENT 5 (INTERVAL 1C)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 5 IAW 525B MM 5-12-05										
B342100	3 2	CAPACITY TEST STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 5 (INTERVAL 1C)		501-1712-01		80008				
Comments: COMPLIED WITH INSPECTION DOCUMENT 5 IAW 525B MM 5-12-05										
5-12-09 051209	4 2	INSPECTION DOCUMENT 9 (INTERVAL 6C)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 9 IAW 525B MM 5-12-09										
A262002 051209 CABIN	5 2	SPECIAL DETAILED INSPECTION CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 9 (INTERVAL 6C)	CABIN	C352TS		X625949				
Test Date: 23-Mar-2015 Comments: COMPLIED WITH INSPECTION DOCUMENT 5 IAW 525B MM 5-12-05										
A262002 051209 CKPT	6 2	SPECIAL DETAILED INSPECTION COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 9 (INTERVAL 6C)	COCKPIT	C352TS		X626086				
Test Date: 23-Mar-2015 Comments: COMPLIED WITH INSPECTION DOCUMENT 5 IAW 525B MM 5-12-05										

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2406461

Page 2 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1

Serial No. _____

☐ Eng. #2

Serial No. _____

☐ APU

Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-12 051212	7 2	INSPECTION DOCUMENT 12 (INTERVAL 2A/2C)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 12 IAW 525B MM 5-12-12										
5-12-14 051214	8 2	INSPECTION DOCUMENT 14 (INTERVAL 4A/2C)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 14 IAW 525B MM 5-12-14										
5-12-17 051217	9 2	INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 17 IAW 525B MM 5-12-17 AND 14 CFR 91.207. ELT BATTERY EXPIRES: JAN 2019										
B256001	10 2	OPERATIONAL CHECK ELT TRANSMITTER EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)		453-5060		06388				
Comments: COMPLIED WITH INSPECTION DOCUMENT 17 IAW 525B MM 5-12-17 AND 14 CFR 91.207										
B262002 051219 - CABIN	11 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949				
Weight Check Date: 23-Mar-2015 Comments: COMPLIED WITH INSPECTION DOCUMENT 19 IAW 525B MM 5-12-19										
B262002 051219 - CKPT	12 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	COCKPIT	C352TS		X626086				
Weight Check Date: 23-Mar-2015 Comments: COMPLIED WITH INSPECTION DOCUMENT 19 IAW 525B MM 5-12-19										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2406461

Page 3 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSN/TSO/TSR	Material Costs	Man Hours
5-12-22 051222	13 2	INSPECTION DOCUMENT 22 (INTERVAL 4A/3C)									
		Comments: COMPLIED WITH INSPECTION DOCUMENT 22 IAW 525B MM 5-12-22									
B342101	14 2	PERIODIC TEST/CHECK STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 38		501-1712-01		80008					
		Comments: COMPLIED WITH INSPECTION DOCUMENT 38 IAW 525B MM 5-12-38									
5-12-40	15 2	INSPECTION DOCUMENT 40									
		Comments: COMPLIED WITH INSPECTION DOCUMENT 40 IAW 525B MM 5-12-40									
5-12-MC 0512MC	16 2	INSPECTION DOCUMENT MC									
		Comments: COMPLIED WITH INSPECTION DOCUMENT MC IAW 525B MM 5-12-MC									
324204	17 1	DISCARD BRAKE HYDRAULIC PACK ASSEMBLY FILTER ELEMENT		9912372-1	TASK# 32-42-05-960	NSN	SC	N	0 MTH 0 HRS		
		Comments: REMOVED AND REPLACED BRAKE HYD PACK FILTER IAW 525B MM CHP 32-42-00. OPS AND LEAK CK'D GOOD									
324205	18 1	DISCARD BRAKE RESERVOIR AIR FILTER ELEMENT		AN6237-1	TASK# 32-42-04-960	NSN	SC	N	0 MTH 0 HRS		
		Comments: REMOVED AND REPLACED BRAKE RESERVOIR AIR FILTER IAW 525B MM CHP 32-42-00. OPS AND LEAK CK'D GOOD									
341055 051218 L-ADC	19 2	CALIBRATION TEST NO. 1 AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18	NO. 1	822-1109-014		3966C					
		Calibration Date: 23-Mar-2015									
		Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.411 REQUIREMENTS PER ITEM CODE B341001 OF THE 525B MM TO A TEST ALTITUDE OF 45,000 FT IAW 14 CFR 91.411									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER		Certificate No.	CNQ7918C	Date 01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



CESCOM

Maintenance Transaction Record

MTR ID # 2406461

Page 4 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
341056 051218 : R-ADC	20 2	CALIBRATION TEST NO. 2 AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Calibration Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.411 REQUIREMENTS PER ITEM CODE B341001 OF THE 525B MM TO A TEST ALTITUDE OF 45,000 FT IAW 14 CFR 91.411	NO. 2	822-1109-014		396VM				
341057 051218 : STDBY	21 2	CALIBRATION TEST STANDBY AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Calibration Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.411 REQUIREMENTS PER ITEM CODE B341001 OF THE 525B MM TO A TEST ALTITUDE OF 45,000 FT IAW 14 CFR 91.411	STANDBY	501-1890-04		2559				
341060 051218 : RVSM	22 2	INSPECT RVSM SKIN WAVINESS: INSPECTION DOCUMENT 18 Test Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.411 REQUIREMENTS PER ITEM CODE B341001 OF THE 525B MM AND IAW 14 CFR 91.411								
B341001 051218 : L	23 2	FUNCTIONAL CHECK LEFT PITOT STATIC SYSTEM (AIRPLANES -0001 THRU -0056 AND -0058 THRU -0450): INSPECTION DOCUMENT 18 Test Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.411 REQUIREMENTS PER ITEM CODE B341001 OF THE 525B MM TO A TEST ALTITUDE OF 45,000 FT IAW 14 CFR 91.411	LEFT							
B341001 051218 : R	24 2	FUNCTIONAL CHECK RIGHT PITOT STATIC SYSTEM (AIRPLANES -0001 THRU -0056 AND -0058 THRU -0450): INSPECTION DOCUMENT 18 Test Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.411 REQUIREMENTS PER ITEM CODE B341001 OF THE 525B MM TO A TEST ALTITUDE OF 45,000 FT IAW 14 CFR 91.411	RIGHT							

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 2406461

Page 5 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B345001 051218 : 1	25 2	CALIBRATION CHECK NO. 1 TRANSPONDER (FAR 91.413) (AIRPLANES -0001 THRU -0056 AND -0058 THRU -0450); INSPECTION DOCUMENT 18 Calibration Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.413 REQUIREMENTS PER ITEM CODE B345001 OF THE 525B MM IAW 14 CFR 91.413	NO. 1	622-9210-409		393JR				
B345001 051218 : 2	26 2	CALIBRATION CHECK NO. 2 TRANSPONDER (FAR 91.413) (AIRPLANES -0001 THRU -0056 AND -0058 THRU -0450); INSPECTION DOCUMENT 18 Calibration Date: 23-Mar-2015 Comments: C/W INSPECTION DOCUMENT 18, 14 CFR 91.413 REQUIREMENTS PER ITEM CODE B345001 OF THE 525B MM IAW 14 CFR 91.413	NO. 2	622-9210-409		393BP				
B237001 051206	27 2	FUNCTIONAL CHECK CVR RECORDER : INSPECTION DOCUMENT 6 (INTERVAL 2C) Comments: C/W Inspection Document 6 functional check cvr recorder iaw ce525b m/m 05-12-06 ops check good.		2100-1020-02		0000547199				
A530007	28 2	EDDY CURRENT INSPECTION SKIN JOINT: INSPECTION DOCUMENT 24 Comments: C/W Inspection Document 24 eddy current skin seam inspection iaw ce525b m/m 05-12-24.no defects noted.								
A561001	29 2	INSPECT WINDSHIELD OPTICAL PRISM: INSPECTION DOCUMENT 24 Comments: C/W Inspection Document 24 windshield optical prism inspection iaw ce525b m/m 05-12-24.no defects noted								
801101 801101 : R	30 1	RIGHT STARTER GENERATOR Comments: Removed part no: 300SGL129Q Removed serial no: 1525XL2.due to scheduled overhaule.installed overhauled starter and rts by skurka aerospace CRS #S7G035N IAW CE525B M/M 80-10-00 ops and leak check good.	RIGHT	300SGL129Q	9912125-2	6017XL2	SC	O	0 HRS	

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(not in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	5



Maintenance Transaction Record

MTR ID # 2406461

Page 6 of 8

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
051217E	31 2	NO. 1 ENGINE - FJ44 CHECK 3								
		Comments: Reinstalled customers repaired engine and accessories after williams completed williams check 3,check 1 and check 2. IAW ce525b m/m 71-01-00.ops and leak check good.								
051217E	32 2	NO. 2 ENGINE - FJ44 CHECK 3								
		Comments: Reinstalled customers repaired engine and accessories after williams completed williams check 3,check 1 and check 2. IAW ce525b m/m 71-01-00.ops and leak check good.								
335000 335000 : L	33 1	LEFT EMERGENCY EXIT BATTERY	LEFT	CBS28		5665	UN	R		
		Comments: Removed part no: CBS28 Removed serial no: 3026.Has no output.Installed repaired battery pack and rts by Radiant Power CRS # W9PR345Y.Ops check good.IAW ce525B m/m 33-50-00.								
335000 335000 : R	34 1	RIGHT EMERGENCY EXIT BATTERY	RIGHT	CBS28-1		4388M	UN	S		
		Comments: Removed part no: CBS28 Removed serial no: 3855.Battery overheating.Installed Modified battery pack and RTS by Radiant Power CRS # W9PR345Y.IAW ce525b m/m 33-50-00.Ops check good.								
245018	35 1	PRESSURIZATION PCB		6318349-26		0399	UN	N	0 MTH 0 HRS	
		Comments: Removed part no: 6318349-26 Removed serial no: 0150.Failed fuctional check.Installed PCB NZ123 IAW ce525B m/m 24-60-02.Ops check good.								
2406461036	36 1	AILERON WING CABLE	L/H UPPER I/B	6361004-7		NSN	UN	N	0 MTH 0 HRS	
		Comments: REMOVED AND REPLACED L/H AILERON UPPER I/B CABLE DUE TO FLAT SPOTTED.IAW CE525B M/M 27-10-01.SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.								
2406461037	37 1	AILERON WING CABLE	L/H LOWER I/B	S3779-4L195.5D		NSN	UN	N	0 MTH 0 HRS	
		Comments: REMOVED AND REPLACED L/H AILERON LOWER I/B CABLE DUE TO FLAT SPOTTED.IAW CE525B M/M 27-10-01.SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable					

Maintenance Log	
Section	Page
3	6



Maintenance Transaction Record

MTR ID # 2406461

Page 7 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2406461038	38 1	AILERON WING CABLE	R/H LOWER I/B	S3779-4L193.4D		NSN	UN	N 0 MTH 0 HRS		
Comments: REMOVED AND REPLACED R/H AILERON LOWER I/B CABLE DUE TO FLAT SPOTTED IAW CE525B M/M 27-10-01. SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.										
2406461039	39 1	AILERON WING CABLE	R/H UPPER I/B	6361004-8		NSN	UN	N 0 MTH 0 HRS		
Comments: REMOVED AND REPLACED R/H AILERON UPPER I/B CABLE DUE TO FLAT SPOTTED IAW CE525B M/M 27-10-01. SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.										
2406461040	40 1	RUDDER CABLE	FWD CABIN RUDDER	6361004-3		NSN	UN	N 0 MTH 0 HRS		
Comments: REMOVED AND REPLACED FOWARD RUDDER PRIMARY CABLE IN COCKPIT CABLE DUE TO BROKEN STRANDS IAW CE525B M/M 27-20-00. SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.										
2406461041	41 1	YOKE CABLE	R/H	S3779-4C54.4N		NSN	UN	N 0 MTH 0 HRS		
Comments: REMOVED AND REPLACED R/H YOKE CABLE DUE TO BROKEN STRANDS IAW CE525B M/M 27-10-01. SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.										
2406461042	42 1	YOKE CABLE	R/H	S3779-4D46.1M		NSN	UN	N 0 MTH 0 HRS		
Comments: REMOVED AND REPLACED R/H YOKE CABLE DUE TO BROKEN STRANDS IAW CE525B M/M 27-10-01. SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.										
2406461043	43 1	YOKE CABLE	L/H	S3779-4D58.2L		NSN	UN	N 0 MTH 0 HRS		
Comments: REMOVED AND REPLACED L/H YOKE CABLE DUE TO BROKEN STRANDS IAW CE525B M/M 27-10-01. SYSTEM TENSIONED AND RIGGED AND TRAVELS CHECKED GOOD.										
215001	44 1	FWD EVAPORATOR MODULE		1134300-3	9912583-9	768	UN	O 5 MTH 0 HRS		
Comments: Removed part no: 1134300-3 Removed serial no: 837. DUE TO BROKEN DRAIN INSTALLED OVERHAULED ASSEMBLY IAW ENVIRO CMM 21-00-08 AND CE525B M/M 21-50-00. SERVICED WITH 2.8 LBS OF FREON R134A. OPS AND LEAK CHECK GOOD.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	7



Maintenance Transaction Record

MTR ID # 2406461

Page 8 of 8

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1105.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
215007	45 1	DRYER ASSY RECEIVER		1134275-1 9912583-3		NSN	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 1134275-1 Removed serial no: NSN. INSTALLED NEW RECEIVER DRYER IAW ENVIRO CMM 21-00-08 AND CE525B M/M 21-50-00. SERVICED WITH 2.8 LBS OF FREON R134A OPS AND LEAK CHECK GOOD.										
2406461046	46 1	COUPLING HYD. RETURN		9912407-10		2449	UN	N 0 MTH 0 HRS		
Comments: REMOVED P/N 9912407-10 S/N 2220: DUE TO LEAKING. INSTALLED NEW HYDRAULIC RETURN COUPLING IAW CE525B M/M 29-10-00. OPS AND LEAK CHECK GOOD.										
345056 345056-2	47 1	NO.2 GPS RECEIVER	NO.2	822-2189-002 GPS-4000S		3VKYX	CO	O 2 MTH 0 HRS		
Comments: Removed part no: 822-2189-001 Removed serial no: 370WH. SENT OUT FOR SOFTWARE UPGRADE. INSTALLED OVERHAULED UNIT AND RTS BY ROCKWELL COLLINS CRS #NZ2R049L IAW CE525B M/M 34-60-07. OPS CHECK GOOD.										
D243201	48 2	CAPACITY CHECK BATTERY (NICKEL-CADMIUM) : INSPECTION DOCUMENT 29		30978-002		10001411				
Comments: C/W INSPECTION DOCUMENT 29 CAPACITY CHECK MAIN SHIP BATTERY IAW CE525B M/M 05-12-29 OPS CHEK GOOD.										
2406461049	49 2	FUEL LEAK REPAIRS								
Comments: ALL FUEL LEAKS REPAIRED BY AEROTEAMS CRS #3A9R293B IAW CE525B M/M 28-10-00 AND 57-20-02. LEAK CHECK GOOD.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	8



Maintenance Transaction Record

MTR ID # 2411920

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2015	GSO	1985.4	2121	1985.4	1985.4	2055	2055			1106.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIB-28-01	1 3	FIREWALL SHUTOFF VALVE GROUND IMPROVEMENT, SERVICE BULLETIN								
Comments: C/W SB CIB-28-01 completed all instructions including the intent therein. firewall shutoff valve ground improvement.										
525B-57-02 R1	2 3	ANTI-ICE EXHAUST OUTLET IMPROVEMENT, SERVICE BULLETIN								
Comments: C/W SB525B-57-02R1 completed all instructions including the intent therein. anti-ice exhaust outlet improvement.										
CIL-32-03	3 3	NLG UPLOCK ROLLER BRACKET INSPECTION, SERVICE LETTER								
Comments: C/W SL CIL-32-03 Completed all instructions including the intent therein. NLG uplock roller inspection.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, .. Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	REV.13157
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	01-Apr-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	01-Apr-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1



Maintenance Transaction Record

MTR ID # 2396492

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1

Serial No. _____

☐ Eng. #2

Serial No. _____

☐ APU

Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Feb-2015	KAUO	1975.3	2103	1975.3	1975.3	2037	2037			1095.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324107	1 1	BRAKE ANTISKID ACCUMULATOR		7550-2	9912644-2	0955	UN	O		
Comments: Removed part no: 7550-2 Removed serial no: 0597. INSTALLED P/N 7550-2 S/N 0955. OPS/LEAK CHECKS GOOD. DONE I/A/W 525B MM 32-42-05.										
324109	2 1	BRAKE PRESSURE PUMP		640929	9912364-2	3033A	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 640929 Removed serial no: 2496A. INSTALLED P/N 640929 S/N 3033A. OPS/LEAK CHECKS GOOD. DONE I/A/W 525B MM 32-42-05.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	12033
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	17-Feb-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE <i>Kyle Steele</i>	Certificate No.	CNQ7918C	Date	17-Feb-2015
Pertinent details of this maintenance are on file at your facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM Maintenance Transaction Report

CSNA-1023-A



A Textron Company

This Maintenance Transaction Report Is To Be Solely For (Check One)

 **Airframe Entries**

Eng. #1
Serial No.

Eng. #2
Serial No.

APU
Serial No

☐ Freon
Serial No

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
425B-304	304	N20AY	2/2/15	AUD	1955.0	2057	No. 1 1955.0 No. 2 1955.0	No. 1 2021 No. 2 2021			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

[illegible]

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Entered
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

[illegible]

Repair Facility

Certificated Repair
Station Number

Work
Order No.

Work Performed By

Certificate No. ADP 422192311 Date 7-2-2015

Date 2-2-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. ADP421923/1 Date 2-2-2015

Date 7-2-2015

Signature

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log

Section	Page
---------	------

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A


☒ Airframe
 Entries

☐ Eng. #1
 Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
 Serial No.

☐ APU
 Serial No.

☐ Freon
 Serial No.

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	0304	N20AU	1/30/15	AUO	1953.4	2084	1953.4	1953.4	2015	2015	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

	Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Install- ed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man. Hours
	1 1	Tire	right	026-618-0		4015R00175	WN					
Do Not	2 1	Seal	right	68-1482		N/A	WN					
Write	3 1	Gasket	right	68-1463		N/A	WN					
In This	4 1	Fuse Plug	right	542-6		N/A	WN					
Space	5	Seal	right	68-1316		N/A	WN					
	6											
	7											
	8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

 } Detail Method Of Compliance
 Under Comments Below

Removal Reason

Enter One:

- W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

 If Overhauled Part Enter
 Overhaul Agents Name
 Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Replaced right main tire
- 2 Replaced right main Seal
- 3 Replaced right main Gasket
- 4 Replaced all 3 Fuse plugs right main
- 5 Replaced Seal right main

O.P.S. check good

Repair Facility

 Certified Repair
 Station Number

 Work
 Order No.

Work Performed By

Certificate No.

AHP 422192311

Date

1-30-2015

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration

☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No.

AHP 422192311

Date

1-30-2015

Signature

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOM

Maintenance Transaction Report

CSNA-1023-A



A Textron Company

This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	Ctry Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Fuelon Hours
525B-304	304	N20A4	1/23/15	A40	1938.4	2071	No. 1 1938.4	No. 2 1938.4	No. 1 2005	No. 2 2005			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

[illegible]

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Entered
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Ehab M. Zing</i>	Certificate No. <i>A2P422192311</i>	Date <i>1-23-2015</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☐ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Ehab M. Zing</i>	Certificate No. <i>A2P422192311</i>	Date <i>1-23-2015</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOM

Maintenance Transaction Record

MTR ID # 2380851

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1800, SUITE 1807
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	07-Jan-2015	KAUO	1894.4	2032	1894.4	1894.4	1966	1966			1073.6

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
215003	1 1	COMPRESSOR DRIVE MOTOR		1134146-1		275A	UN	O		
Comments: Removed part no: 1134146-1 Removed serial no: 264. INSTALLED P/N 1134146-1 S/N 275A. OPS CHECKS GOOD. DONE I/A/W ENVIORO SYSTEMS CJ3 MM 21-10-00.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	10394
Work Performed By	GREENSBORO CITATION SERVICE CENTER		Certificate No.	CNQ7918C	Date 07-Jan-2015
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE					
Work Inspected By	KYLE STEELE <i>Kyle Steele</i>	Certificate No.	CNQ7918C	Date	07-Jan-2015
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.
Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo./Day-Yr.)	Cat Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AU	12/3/14	AUO	1844.9	1986	No. 1 1844.9 No. 2 1844.9	No. 1 1919 No. 2 1919			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	BRAKE MULTIPLE DISK	right	2-1695 (9912672)		0470	W	O				
2 1	Tire	left	026-618-0		4162RC0065	W	N				
3											
4											
5											
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Installed overhauled Brake on right side part # 2-1695 seal # 0470
- 2 Installed New tire left main replaced all packing

O.P.S. check good

Repair Facility

Certified Repair
Station NumberWork
Order No.

Work Performed By

Certificate No.

A&P 422192311

Date

12-3-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No.

A&P 422192311

Date

12-3-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section

Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOM

Maintenance Transaction Record

MTR ID # 2353094 Replaces MTR ID # 2353049

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	21-Oct-2014	KAUO	1818.5	1952	1818.5	1818.5	1886	1886			1023.8

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-07 051207	1 2	INSPECTION DOCUMENT 7 (INTERVAL 3C)								
Comments: Complied with Inspection Document 7 IAW CHP 5-12-07 of the CE 525B Maintenance Manual. All systems operational check satisfactory at this time.										
5-12-11 051211	2 2	INSPECTION DOCUMENT 11 (INTERVAL 1A/1C)								
Comments: Complied with Inspection Document 11 IAW CHP 5-12-11 of the CE 525B Maintenance Manual. All systems operational check satisfactory at this time.										
5-12-23 051223	3 2	INSPECTION DOCUMENT 23 (INTERVAL 1A/2C)								
Comments: Complied with Inspection Document 23 IAW CHP 5-12-23 of the CE 525B Maintenance Manual. All systems operational check satisfactory at this time.										
5-12-38 051238	4 2	INSPECTION DOCUMENT 38								
Comments: Complied with Inspection Document 38 IAW CHP 5-12-38 of the CE 525B Maintenance Manual. All systems operational check satisfactory at this time.										
5-12-40	5 2	INSPECTION DOCUMENT 40								
Comments: Complied with Inspection Document 40 IAW CHP 5-12-40 of the CE 525B Maintenance Manual. All systems operational check satisfactory at this time.										
5-12-MK	6 2	INSPECTION DOCUMENT MK								
Comments: Complied with Inspection Document MK IAW CHP 5-12-MK of the CE 525B Maintenance Manual. All systems operational check satisfactory at this time.										
237000	7 1	CVR LOCATOR BEACON		DK120		SD41475	SC	N	0 MTH 0 HRS	
Comments: Removed part no. DK120 Removed serial no. SC55899. Installed part no. DK120 Installed serial no. SD41475. Removed and replaced DK120 IAW CHP 23-70-00 of the CE 525B Maintenance Manual. System operational check satisfactory at this time. Battery expiration date is 07/2020.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	7555
Work Performed By	GREENSBORO CITATION SERVICE CENTER				
	Certificate No.	CNQ7918C		Date	21-Oct-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	21-Oct-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOM

Maintenance Transaction Record

MTR ID # 2353094 Replaces MTR ID # 2353049

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	21-Oct-2014	KAUO	1818.5	1952	1818.5	1818.5	1886	1886			1023.8

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
323020	8 1	EMERGENCY PNEUMATIC STORAGE BOTTLE		40005320-2	9912368-2	6407	SC	O 73 MTH		
Manufacture Date: 01-Sep-2008 Comments: Removed part no: 40005320-2 Removed serial no: 5241 Installed part no:4005320-2 Installed serial no: 6407. Removed and replaced Emergency Pneumatic Storage Bottle IAW CHP 32-30-20 of the CE 525B Maintenance Manual. System operational check and leak check satisfactory at this time. Installed unit overhauled by Pacific Scientific (P94R580N) ASSEMBLY DATE OF MANUFACTURE: 09/2008 CYLINDER DATE OF MANUFACTURE: 09/2008 CURRENT HYDRO TEST DATE: 09/2014 NEXT HYDRO TEST DUE: 09/2017 CYLINDER EXPIRATION DATE: 09/2032										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	7555
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	21-Oct-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	21-Oct-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable					

Maintenance Log	
Section	Page
3	2

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	Qty Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AM	9/24/14	AUD	1801.1	1931	No. 1 1801.1 No. 2 1801.1	No. 1 1865 No. 2 1865			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	2	main Battery Niced										
Do Not	2											
Write	3											
in This	4											
Space	5											
	6											
	7											
	8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - OverhauledIf Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including: Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	c/w Document 29 Task 24-32-00-720	No corrosion or cracks O.P.S. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. ACP 422192311 Date 9-24-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☐ Federal Aviation Administration☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Signature Certificate No. ACP 422192311 Date 9-24-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)


Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AU	9/17/14	AUD	1796.2	1922	No. 1 1796.2 No. 2 1796.2	No. 1 1856 No. 2 1856			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter a Change Desired	TBO Installed Part	Material Costs	Man Hours
1		1 wheel Assy	right	3-1607		2597						
2	Do Not											
3	Write											
4	in This											
5	Space											
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Installed wheel Assy 3-1607 Serial# 2597
Removed wheel Assy 3-1607 Serial # 2247
orlando service center did Eddy Current

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AJP 422192311 Date 9-17-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the:

☐ Federal Aviation Administration☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AJP 422192311 Date 9-17-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2336831

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	09-Sep-2014	KAUO	1782.1	1906	1782.1	1782.1	1840	1840			986

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
341007	1 1	AOA SENSOR		C-12717-1		151434-01	UN	N 0 MTH 0 HRS		
Comments: Removed part no: C-12717-1 Removed serial no: 2367. INSTALLED P/N C-12717-1 S/N 151434-01. PERFORMED ADJUSTMENT/TEST. OPS CHECKS GOOD. DONE I/A/W 525B MM 34-10-09.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	6358
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	09-Sep-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	09-Sep-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

**CESCOM****Maintenance Transaction Record**

MTR ID # 2322269

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	14-Aug-2014	MCO	1760	1892	1760	1760	1826	1826			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A262002 051209 : CABIN	1 2	SPECIAL DETAILED INSPECTION CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 9 (INTERVAL 6C)	CABIN	C352TS		X625949				
Comments: Complied with per Cessna 525B Maintenance Manual Ch 05-12-09. Fire extinguisher internal inspection complied with by: Firemaster LLC, Orlando FL. Bottle weight: 4.95.										
A262002 051209 : CKPT	2 2	SPECIAL DETAILED INSPECTION COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 9 (INTERVAL 6C)	COCKPIT	C352TS		X626086				
Comments: Complied with per Cessna 525B Maintenance Manual Ch 05-12-09. Fire extinguisher internal inspection complied with by: Firemaster LLC, Orlando FL. Bottle weight: 4.95.										
5-12-19	3 2	INSPECTION DOCUMENT 19								
Comments: Complied with per Cessna 525B Maintenance Manual Ch 05-12-19.										
B262002 051219 : CABIN	4 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949				
Weight Check Date: 02-Aug-2014 Comments: Complied with per Cessna 525B Maintenance Manual Ch 05-12-19. Fire extinguisher internal inspection complied with by: Firemaster LLC, Orlando FL. Bottle weight: 4.95.										
B262002 051219 : CKPT	5 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	COCKPIT	C352TS		X626086				
Weight Check Date: 02-Aug-2014 Comments: Complied with per Cessna 525B Maintenance Manual Ch 05-12-19. Fire extinguisher internal inspection complied with by: Firemaster LLC, Orlando FL. Bottle weight: 4.95.										
312001A	6 2	REPLACE LEFT DIGITAL CLOCK BATTERY	LEFT	M877A5V		19553				
Comments: Complied with per Cessna 525B Maintenance Manual CH 31-20-01. Operational checks good.										
2322269009	7 1	SKIN/NOSE	R	6313010-12		NSN	UN	N	0 MTH 0 HRS	
Comments: Removed and replaced r/nose skin IAW the 525 SRM ch 51-40-03. Ref EEDS drawing #6313010. Primed, Painted and buffed as required.										

Trans. Type: 1 - Component 2 - Inspection 3 - SB 4 - AD - - Misc.

Removal Reasons: WO - Worn to Limits; SC - Scheduled; UN - Unscheduled; CO - Convenience; N - Other (note in comments)

Installed Part Status: N - New; R - Repaired/Rebuilt; S - Serviceable; O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6048183
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	14-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE					
Work Inspected By	TOMMY AUTON	Certificate No.	CNQ8918C	Date	14-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2322269

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	14-Aug-2014	MCO	1760	1892	1760	1760	1826	1826			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
345040 345040 - A	8 1	NO.2 TRANSPONDER ANTENNA	NO.2	DMNI50-2-2		122397	UN	N 0 MTH 0 HRS		
Comments: Removed part no: DMNI50-2-2 Removed serial no: 115968. Installed new antenna per Cessna 525B Maintenance Manual CH 34-50-04. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6048183
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	14-Aug-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	TOMMY AUTON	Certificate No.	CNQ8918C	Date	14-Aug-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2314294

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	13-Jul-2014	KAUO	1741.9	1879	1741.9	1741.9	1813	1813			969.8

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2314294001	1 -	MAINTENANCE NOTE								
Comments: Secured Anti Skid grounds. Work done IAW CE525B WDM 20-10-02.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No. CRS# CNQ8918C
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		Date 13-Jul-2014
☒ Federal Aviation Administration		☐ Other (Specify) _____ and
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.		
Work Inspected By	MARIO HANNAN	Certificate No. CRS# CNQ8918C
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		Date 13-Jul-2014

Maintenance Log	
Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AU	6/12/14	BFM	1728.2	1861	No 1 1728.2 No 2 1728.2	No 1 1797 No 2 1797			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man. Hours
1	1	Tire	right	026-618-0		4015R00181	U	N				
2	1	Seal	right	68-1482		N/A	W	N				
3	1	Gasket	right	68-1463		N/A	W	N				
4	1	Fuse Plugs all 3	right	542-6		N/A	W	N				
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced ^{Installed} Wheel ASSY 3-1607 serial # 2454 and tire / Removed wheel ASSY 3-1607-1 serial # 2597
2	Replaced Seal
3	Replaced Gasket
4	Replaced all 3 Fuse plugs O.P.S. check good
	Tire went down on landing due to F.O.D.

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. A7P422192311 Date 6-12-2014

(I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. A7P422192311 Date 6-12-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



CESCOM

Maintenance Transaction Record

MTR ID # 2301917

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1

Serial No. _____

☐ Eng. #2

Serial No. _____

☐ APU

Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	09-Jun-2014	KAUO	1724	1857	1724	1724	1791	1791			950.2

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	INSPECTION DOCUMENT 1 (INTERVAL 1A)								
Comments: Complied with Inspection Document 1 IAW CHP 5-12-01 of the CE 525B Maintenance Manual. System operational check satisfactory at this time.										
5-12-MA 0512MA	2 2	INSPECTION DOCUMENT MA								
Comments: Complied with Inspection Document 1 IAW CHP 5-12-MA of the CE 525B Maintenance Manual. System operational check satisfactory at this time.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Work to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	3784
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	09-Jun-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	09-Jun-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AM	5/14/2014	AHD	1688.1	1617	No. 1688.1 No. 1688.1	No. 1751 No. 1751			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	Brake Assy	Left	2-1695EX		0097	W O					
Do Not 2 1	Tire	right	026-613-0		3324R00296	W N					
Write 3 1	Tire	Nose	031-613-8		3148S00371	W N					
In This 4											
Space 5											
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Replaced left main Brake Assy & Bleed Brake servos reservoir
- 2 Replaced right main tire and all packing, Fuse plugs, packed Bearings
- 3 Replaced Nose tire and all packing packed Bearings

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. ATP 422192311

Date 5-14-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration.☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. ATP 422192311

Date 5-14-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2286738

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	29-Apr-2014	AUO	1670.9	1765	1670.9	1670.9	1729	1729			906.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
215011	1 1	AIR CONDITIONER DRIVE BELT		225L100		NSN	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 225L100 Removed serial no: NSN due to motor failure. Installed drive belt part no: 17232L100, serial no: NSN. Ops check good. Work done IAW Envir Systems 525A/B C/M/M 21-00-08. Hobbs meter 906.7.										
215003	2 1	COMPRESSOR DRIVE MOTOR		1134146-1		264	UN	O 0 MTH 0 HRS		
Comments: Removed part no: 1134146-1 Removed serial no: 1204A due to motor failure. Installed Part no: 1134146-1, serial no: 264 overhauled by ENVIRO SYSTEMS INC CRS BD2R712K. OPS check good. Work don IAW Enviro Systems 525A/B C/M/M 21-00-08.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - GB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	REV. 2811
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	29-Apr-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MARK E. SMITH <i>Mark E Smith</i>	Certificate No.	CNQ7918C	Date	29-Apr-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AU	4/10/14	AND	1655.3	1746	No. 1655.3 No. 2 1655.3	No. 1 1710 No. 2 1710			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man. Hours
1	i	Restraint	Toilet	9919051-10-243		N/A	W N					
2												
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below
Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)
Installed Part Status
Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced Seat Belt on Toilet Q.P.S. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 4-10-14

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 4-10-14

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)


Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N2044	4/9/14	AUD	1655.3	1746	No. 1 1655.3 No. 2 1655.3	No. 1 1710 No. 2 1710			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 2	main Battery Nical										
Do Not	2										
Write	3										
In This	4										
Space	5										
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Warn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

H - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

c/w Document 29 Task 24-32-00-720 No corrosion or cracks O.P.S. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 4-9-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 4-9-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



MTR ID # 2277380 Replaces MTR ID # 2273571

Maintenance Transaction Record

Page 1 of 2

This Maintenance Report is To Be Used Solfely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1807
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2014	MCO	1645.7	1767	1645.7	1645.7	1701	1701			876.2

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-05 051205	1 2	INSPECTION DOCUMENT 5 (INTERVAL 1C)								
Comments: Complied with IAW CE 525B MM 05-12-05. Operational checks good.										
B342100	2 2	CAPACITY TEST STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 5 (INTERVAL 1C)		501-1712-01		80008				
Comments: Complied with IAW CE 525B MM 05-12-05. Operational checks good.										
A256001	3 2	DETAILED INSPECTION ELT TRANSMITTER : INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)		453-5060		06388				
Comments: Complied with IAW CE 525B MM 05-12-17. ELT battery due: JAN 2019. Operational checks good.										
B256001	4 2	OPERATIONAL CHECK ELT TRANSMITTER EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM: INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)		453-5060		06388				
Comments: Complied with IAW CE 525B MM 05-12-17. ELT battery due: JUN 2010. Operational checks good.										
B262002 051219 CABIN	5 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949				
Weight Check Date: 27-Mar-2014 Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.90 lbs. Date of MFR: 2008.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6046224
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	01-Apr-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	WAYNE J. HEISELMAN	Certificate No.	CNQ8918C	Date	01-Apr-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



MTR ID # 2277380 Replaces MTR ID # 2273571

Maintenance Transaction Record

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2014	MCO	1645.7	1767	1645.7	1645.7	1701	1701			876.2

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B262002 051219 : CKPT	6 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19 Weight Check Date: 27-Mar-2014 Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.85 lbs. Date of MFR: 2008.	COCKPIT	C352TS		X626086				
D243201	7 2	CAPACITY CHECK BATTERY (NICKEL-CADMIUM) : INSPECTION DOCUMENT 29 Comments: Complied with IAW CE 525B MM 05-12-29 and per manufacturers instructions. Operational checks good.		30978-002		10001411				
B342101	8 2	PERIODIC TEST/CHECK STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 38 Comments: Complied with IAW CE 525B MM 05-12-38. Operational checks good.		501-1712-01		80008				
5-12-40	9 2	INSPECTION DOCUMENT 40 Comments: Complied with IAW CE 525B MM 05-12-40. Operational checks good.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - = Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6046224
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	01-Apr-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	WAYNE J. HEISELMAN	Certificate No.	CNQ8918C	Date	01-Apr-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2277384 Replaces MTR ID # 2275509

Page 1 of 1



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2014	MCO	1645.7	1767	1645.7	1645.7	1701	1701			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

CIL-35-01 1 3 TRANSMITTAL OF BE AEROSPACE SERVICE
BULLETIN 118077-35-01, SERVICE LETTER

Comments: Complied with by visual inspection and found the part number of the installed smoke goggles is not affected by this CIL.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility ORLANDO CITATION SERVICE CENTER Certified Repair Station Number CNQ8981C Work Order No. 6046224

Work Performed By ORLANDO CITATION SERVICE CENTER Certificate No. CNQ8918C Date 01-Apr-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration

☐ Other (Specify) _____

and

THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.

Work Inspected By WAYNE J. HEISELMAN *Wayne J. Heisel* Certificate No. CNQ8918C Date 01-Apr-2014

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
4	1



Maintenance Transaction Record

MTR ID # 2275509

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Apr-2014	MCO	1645.7	1767	1767	1767	1701	1701			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-35-01	1 3	TRANSMITTAL OF BE AEROSPACE SERVICE BULLETIN 118077-35-01, SERVICE LETTER								
Comments: Complied with by visual inspection and found the part number of the installed smoke goggles is not affected by this CIL.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8981C	Work Order No.	6046224
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	01-Apr-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	WAYNE J. HEISELMAN	Certificate No.	CNQ8918C	Date	01-Apr-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1

CESCOM

CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20AU	2/26/14	AUD	1624.2	1744	No 1 1624.2 No 2 1624.2	No 1 1678 No 2 1678			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	Landing Light	right	LDL100-01EX		206000111	W	O				
2	1	Tire	left	026-618-0		2355R00351	W	N				
3	1	Fuse Plugs	left	542-6		N/A	W	N				
4	1	Gasket	left	18-1463		N/A	W	N				
5	1	Seal	left	68-1482		N/A	W	N				
6												
7												
8												

- Type Transaction
- 1. Component Change
 - 2. Inspection Accomplished
 - 3. Service Bulletin Accomplished
 - 4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced Landing Light
2	Replaced left main tire packed Bearings
3	Replaced Fuse plugs left side
4	Replaced Gasket left side
5	Replaced Seal left side

O.P.S. good

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By SHAD McLeary	Certificate No. AP422192311	Date 2-26-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration and the aircraft identified above is presently airworthy and approved for return to service.		
☐ Other (Specify)		
Work Inspected By SHAD McLeary	Certificate No. AP422192311	Date 2-26-2014

CESCOM
CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	



Maintenance Transaction Record

MTR ID # 2257977

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	15-Feb-2014	AUO	1616.3	1731	1616.3	1616.3	1665	1665			876.2

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
211001 211001 - L	1 1	LEFT PRESS SHUTOFF VALVE	LEFT	5253-00-3		2206A	UN	O		

Comments: Removed the L/H PSROV part no: 5253-00-3 serial no: 2629, and installed an Overhauled PSROV, part no: 5253-00-3 serial no: 2206A, overhauled by Dukes Aerospace certificate #1DUR590B. All work IAW CE 525B M/M 21-10-00 operational check is satisfactory at this time.

Trans: Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CESSNA CITATION SERVICE CE	Certified Repair Station Number	CNQ7918C	Work Order No.	534965
Work Performed By	GCSC	Certificate No.	CNQ7918C	Date	15-Feb-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CHRISTOPHER C. WARD	Certificate No.	CNQ7918C	Date	15-Feb-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section _____ Page _____



Maintenance Transaction Record

MTR ID # 2257820 Replaces MTR ID # 2257776

Page 1 of 1



☒ Airframe
Entries

☐ Eng. #1

Serial No. _____

☐ Eng. #2

Serial No. _____

☐ APU

Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	14-Feb-2014	AUO	1616.3	1731	1616.3	1616.3	1665	1665			876.2

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
213003	1 1	PRESS CONTROLLER		52770-116 9912408-13		1381	UN	Q		
Comments: Removed Cabin Altitude Controller part no: 52770-116 Removed serial no: 2814, due to erratic power loss of controller. Installed an Overhauled Cabin Altitude Controller part no: 52770-116 serial no: 1381. Unit overhauled by Enviro systems inc. certification no: BD2R712K all work IAW CE 525B M/M 21-30-00. Operational check satisfactory at this time										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CESSNA CITATION SERVICE CE	Certified Repair Station Number	CNQ7918C	Work Order No.	534965
Work Performed By	GCSC	Certificate No.	CNQ7918C	Date	14-Feb-2014
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	CHRISTOPHER C. WARD	Certificate No.	CNQ7918C	Date	14-Feb-2014
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
---------	------

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Cessna**
A Textron Company

Aircraft Identification and Status												APU Hours	APU Events	Freon Hours
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	No. 1	No. 2	No. 1	No. 2			
525B-304	0304	N20AU	2/3/14	AUD	1614.1	1727	1614.1	1614.1	1661	1661				

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished														
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours		
1	1	Clamp ring	Main Battery	6318374-4		N/A	W	N						
2	1	Packing		A53209-312		N/A	W	N						
3														
4														
5														
6														
7														
8														

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1) Replaced both vent clamp on main battery and packing O.P.S. good
2)

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Blad M'Zung</i>	Certificate No. <i>AP422192311</i>	Date <i>2-3-2014</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☐ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Blad M'Zung</i>	Certificate No. <i>AP422192311</i>	Date <i>2-3-2014</i>
Signature		

CESCOM
CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Cessna**
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AQ	1/24/2014	AWD	1587.6	1701	No. 1 1587.6 No. 2 1587.6	No. 1 1635 No. 2 1635			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 2	main Battery (Niced)										
2											
3											
4											
5											
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

c/w Document 29 Task 24-32-00-720 No corrosion or cracks battery check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 1-24-2014

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 1-24-2014

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____☐ Freon
Serial No. _____

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	12/16/13	Auo	1541.3	1654	No. 1 1541.3 No. 2 1541.3	No. 1 1589 No. 2 1589			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter a Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1 Wheel & Tire Assembly	right	3-1607-1/026-618-0		2454/2313R00279	W N					
2											
3											
4											
5											
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Installed wheel and tire Assembly Serial # 2454/2313R00279 EDDY current by orlando service
center A.P.S. check good
Removed wheel Assembly Serial # 2597

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No.

Date

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No.

Date

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

**CESCOM****Maintenance Transaction Record**

MTR ID # 2233655

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	11-Dec-2013	MCO	1525.6	1641	1525.6	1525.6	1575	1575			820.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2233655	1 -	FUSELAGE SKIN REPAIR NEAR PITOT TUBE								
		Comments: Repaired right side of fuselage at pitot tube area due to bird strike. Repair was accomplished and doubler was installed in accordance with Cessna 525B Structural Repair Manual chapter 51-40-03 and 51-70-02. Pitot static system operational and leak checks good in accordance with Cessna 525B maintenance manual chapter 34-10-00.								
2233655002	2 2	FOREIGN OBJECT DAMAGE CHECK								
		Comments: Performed inspection in accordance with Cessna 525B Maintenance manual chapter 5-50-00. No damage noted at this time.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6044686
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	11-Dec-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MICHAEL OUELLETTE	Certificate No.	CNQ8918C	Date	11-Dec-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2222343

Page 1 of 3

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	25-Nov-2013	MCO	1512.8	1627	1512.8	1512.8	1561	1561			820.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-11 051211	1 2	INSPECTION DOCUMENT 11 (INTERVAL 1A/1C)								
Comments: Complied with Inspection Document 11 IAW Cessna 525B Maintenance Manual chapter 5-12-11. Operational check good.										
5-12-23 051223	2 2	INSPECTION DOCUMENT 23 (INTERVAL 1A/2C)								
Comments: Complied with Inspection Document 23 IAW Cessna 525B Maintenance Manual chapter 5-12-23. Operational check good.										
5-12-MK	3 2	INSPECTION DOCUMENT MK								
Comments: Complied with Inspection Document MK IAW Cessna 525B Maintenance Manual chapter 5-12-MK and chapter 4. Operational check good.										
256002	4 1	ELT BEACON BATTERY PACK		452-0133		361146-041	SC	N 0 MTH 0 HRS		
Expiration Date: 31-Jan-2019										
Comments: Removed part no: 452-0133 Removed serial no: 0098473. Installed new battery IAW Artex doc. 571-0406. Operational check good. Battery expires Jan 2019.										
2222343	5 1	LIGHTED PANEL		9912770-1		0029	UN	R		
Comments: Removed and replaced lighted panel in accordance with Cessna model 525B MM31-10-00										
2222343007	6 -	AIRCELL ATG-5000 INSTALLATION								
Comments: Installation of AirCell ATG-5000 Broadband system with wireless router IAW Cessna Aircraft Company Modification Order(MO) # CI0052B-160, supported by FAA form 337 dated 25 November 2013. Preformed aircraft weigh, revised the equipment list and updated the Aircraft Flight manual.										
2222343008	7 1	ATG-5000 TRANSCEIVER, AIRCELL		P15864-001		1586411897	N	N 0 MTH 0 HRS		
Comments: Installed new AirCell ATG-5000 Transceiver IAW Cessna Aircraft Company Modification Order(MO) # CI0052B-160, supported by FAA form 337 dated 24 November 2013. Operational check good.										
2222343	8 1	CONFIGURATION MODULE, AIRCELL		P14126		1412612103	N	N 0 MTH 0 HRS		
Comments: Installed new AirCell configuration module for the ATG-5000 Transceiver IAW Cessna Aircraft Company Modification Order(MO) # CI0052B-160, supported by FAA form 337 dated 24 November 2013. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6044567
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	25-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOE A RICHARDSON	Certificate No.	CNQ8918C	Date	25-Nov-2013

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3	1

**CESCOM****Maintenance Transaction Record**

MTR ID # 2222343

Page 2 of 3

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	25-Nov-2013	MCO	1512.8	1627	1512.8	1512.8	1561	1561			820.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2222343010	9 1	ROUTER, AIRCELL		P12083-001		1208372592	N	N 0 MTH 0 HRS		
Comments: Installed new Aircell router for the ATG-5000 system IAW Cessna Aircraft Company Modification Order(MO) # CI0052B-160, supported by FAA form 337 dated 24 November 2013. Operational check good.										
2222343011	10 1	ANTENNA, AIRCELL	FWD	P12949		419498	N	N 0 MTH 0 HRS		
Comments: Installed new forward antenna for the ATG-5000 system IAW Cessna Aircraft Company Modification Order(MO) # CI0052B-160, supported by FAA form 337 dated 24 November 2013. Operational check good.										
2222343012	11 1	ANTENNA, AIRCELL	AFT	P12949		419498	N	N 0 MTH 0 HRS		
Comments: Installed new aft antenna for the ATG-5000 system IAW Cessna Aircraft Company Modification Order(MO) # CI0052B-160, supported by FAA form 337 dated 24 November 2013. Operational check good.										
D262001 051220 : R	12 2	HYDROSTATIC TEST RIGHT FIRE EXTINGUISHER BOTTLE : INSPECTION DOCUMENT 20	RIGHT	30401102-2		59765B1				
Hydro Check Date: 12-Jul-2013 Comments: Hydrostatic test complied with by Pacific Scientific, Miami FL, CRS# P94R580N, Mfr date: 05/2008, Hydro date: 07/2013.										
262001 262001 : R	13 1	RIGHT FIRE EXTINGUISHER BOTTLE	RIGHT	30401102-2	9912048-6	59765B1	SC	O 4 MTH 0 HRS		
Comments: Removed part no: 30401102-2 Removed serial no: 60929B1. Hydrostatic test complied with by Pacific Scientific, Miami FL, CRS# P94R580N, Mfr date: 05/2008, Hydro date: 07/2013. Installed IAW CE525B MM26-20-00.										
262002 262002 : R1	14 1	RIGHT ENGINE NO.1 FIRE EXTINGUISHER (REPLACE) CARTRIDGE	RIGHT ENGINE NO.1	13083-5		NSN	UN	N 5 MTH		
Manufacture Date: 30-Jun-2013 Comments: Removed part no: 13083-5 Removed serial no: 325001. Installed New Cartridge IAW CE525B MM 26-20-00.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6044567
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	25-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOE A RICHARDSON	Certificate No.	CNQ8918C	Date	25-Nov-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2222343

Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	25-Nov-2013	MCO	1512.8	1627	1512.8	1512.8	1561	1561			820.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
262002 262002 - R2	15 1	RIGHT ENGINE NO.2 FIRE EXTINGUISHER (REPLACE) CARTRIDGE	RIGHT ENGINE NO.2	13083-5		NSN	UN	N 5 MTH		

Manufacture Date: 30-Jun-2013

Comments: Removed part no: 13083-5 Removed serial no: 325001. Installed New Cartridge IAW CE525B MM 26-20-00.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6044567
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	25-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOE A RICHARDSON 	Certificate No.	CNQ8918C	Date	25-Nov-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 2222347

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)


☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	25-Nov-2013	MCO	1512.8	1627	1512.8	1512.8	1561	1561			820.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
525B-24-09	1 3	GENERATOR CONTROL UNIT WIRE BUNDLE ROUTING, SERVICE BULLETIN								
Comments: Complied with SB525B-24-09 by rerouting the GCU wire bundle per the Service Buletin instructions.										
525B-71-03	2 3	COWL STIFFENER INSTALLATION, SERVICE BULLETIN								
Comments: Complied with SB525B-71-03 by adding stiffeners to the lower engine cowlings per the Service Letter instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8981C	Work Order No.	6044567
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	25-Nov-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOE A RICHARDSON 	Certificate No.	CNQ8918C	Date	25-Nov-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1



Maintenance Transaction Record

MTR ID # 2204913

Page 1 of 3

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	29-Sep-2013	GSO	1479.3	1581	1479.3	1479.3	1515	1515			819.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B262002 051219 : CABIN	1 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19 Weight Check Date: 27-Sep-2013 Comments: C/W INSPECTION DOCUMENT 19 ON CABIN PORTABLE FIRE BOTTLE IAW 525B MM CHP 5-12-19. BOTTLE WT: 4 LB 14.5 OZ. DOM: 2008	CABIN	C352TS		X625949				
B262002 051219 : CKPT	2 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19 Weight Check Date: 27-Sep-2013 Comments: C/W INSPECTION DOCUMENT 19 ON COCKPIT PORTABLE FIRE BOTTLE IAW 525B MM CHP 5-12-19. BOTTLE WT: 4 LB 13.6 OZ. DOM: 2008	COCKPIT	C352TS		X626086				
D262001 051220 : L	3 2	HYDROSTATIC TEST LEFT FIRE EXTINGUISHER BOTTLE : INSPECTION DOCUMENT 20 Hydro Check Date: 31-Aug-2013 Comments: C/W INSPECTION DOCUMENT 20 ON LH ENGINE FIRE BOTTLE IAW 525B MM CHP 5-12-20. BOTTLE CURRENT HYDRO DATE: AUG 2013	LEFT	30401102-2		59679B1				
B342101	4 2	PERIODIC TEST/CHECK STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 38 Comments: C/W INSPECTION DOCUMENT 38 IAW 525B MM CHP 5-12-38		501-1712-01		80008				
5-12-40	5 2	INSPECTION DOCUMENT 40 Comments: C/W INSPECTION DOCUMENT 40 IAW 525B MM CHP 5-12-40								
5-12-MD 0512MD	6 2	INSPECTION DOCUMENT MD Comments: C/W INSPECTION DOCUMENT MD IAW 525B MM CHP 5-12-MD								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	REVISION 678
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	29-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	PAUL Z RUTER II <i>Paul Z Ruter II</i>	Certificate No.	CNQ7918C	Date	29-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2204913

Page 2 of 3

This Maintenance Report is To Be Used Solely For (Check One)


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	29-Sep-2013	GSO	1479.3	1581	1479.3	1479.3	1515	1515			819.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
312001A	7 2	REPLACE LEFT DIGITAL CLOCK BATTERY	LEFT	M877A5V		19553				
		Comments: REMOVED AND REPLACED LH DIGITAL CLOCK BATTERY IAW 525B MM CHP 31-20-01. OPS CK'D GOOD								
351002	8 1	COPILOT OXYGEN MASK	COPILOT	MC10-16-101	9914067-41	S-18408	SC	O 2 MTH		
351002 : R		Comments: REMOVED COPILOTS O2 MASK P/N MC10-16-101 S/N 123030 FOR SCHEDULED OVERHAUL. INSTALLED EXCHANGE MASK OVERHAULED AND RTS @ AVOX, XRS LX1R312K. INSTALLED, LEAK AND OPS CK'D GOOD IAW 525B MM CHP 35-10-00								
351002	9 1	PILOT OXYGEN MASK	PILOT	MC10-16-101	9914067-41	111727	SC	O 2 MTH		
351002 : L		Comments: REMOVED PILOTS O2 MASK P/N MC10-16-101 S/N 122757 FOR SCHEDULED OVERHAUL. INSTALLED EXCHANGE MASK OVERHAULED AND RTS @ AVOX, XRS LX1R312K. INSTALLED, LEAK AND OPS CK'D GOOD IAW 525B MM CHP 35-10-00								
262001	10 1	LEFT FIRE EXTINGUISHER BOTTLE	LEFT	30401102-2	9912048-6	59679B1	CO	O 1 MTH 0 HRS		
262001 : L		Comments: REMOVED LH ENGINE FIRE BOTTLE P/N 30401102-2 S/N 60733B1 FOR SCHEDULED HYDROSTATIC INSPECTION. INSTALLED EXCHANGE BOTTLE OVERHAULED AND RTS @ PACIFIC SCIENTIFIC, CRS P94R580N. INSTALLED IAW 525B MM CHP 26-10-00								
262002	11 1	LEFT ENGINE NO.1 FIRE EXTINGUISHER (REPLACE) CARTRIDGE	LEFT ENGINE NO.1	13083-5		ESD13RF484-001	CO	N 3 MTH		
262002 : L1		Manufacture Date: 30-Jun-2013 Comments: REMOVED AND REPLACED LH ENGINE FIRE BOTTLE #1 CARTRIDGE IAW 525B MM CHP 26-20-00								
262002	12 1	LEFT ENGINE NO.2 FIRE EXTINGUISHER (REPLACE) CARTRIDGE	LEFT ENGINE NO.2	13083-5		ESD13F484-001	CO	N 3 MTH		
262002 : L2		Manufacture Date: 30-Jun-2013 Comments: REMOVED AND REPLACED LH ENGINE FIRE BOTTLE #2 CARTRIDGE IAW 525B MM CHP 26-20-00								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	REVISION 678
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	29-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	PAUL Z RUTER II	Certificate No.	CNQ7918C	Date	29-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 2204913

Page 3 of 3

This Maintenance Report is To Be Used Solely For (Check One)


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	29-Sep-2013	GSO	1479.3	1581	1479.3	1479.3	1515	1515			819.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2204913013	13 2	EDDY CURRENT INSPECTION	LH MAIN	3-1607-1		2247	SC	S		
		Comments: C/W EDDY CURRENT INSPECTION OF LH MLG WHEEL ASSY IAW BFG MANUAL AND 525B NDI MANUAL PART 6. NO DEFECTS NOTED								
324003 324003 : L	14 1	LEFT MAIN LANDING GEAR TIRE	LEFT MAIN LANDING GEAR	026-618-0	9912622-1	3205R00417	WO	N 0 MTH 0 HRS		
		Comments: REMOVED WORN LH MLG TIRE P/N 026-618-0 S/N 2312R00365. INSTALLED NEW TIRE I/A/W CE525B M/M 34-41-00. LEAK CHECK GOOD.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	REVISION 678
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	29-Sep-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	PAUL Z RUTER II	Certificate No.	CNQ7918C	Date	29-Sep-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Cessna**
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	9/19/13	AUO	1477.1	1578	No. 1 1477.1 No. 2 1477.1	No. 1 1512 No. 2 1512			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	Tire 18X4.	Nose	031-613-8		2123500472	W	N				
2	1	Packing	Nose	68-216		N/A	W	N				
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced Nose tire & wheel ASSY Removed S.N. 8251 Installed S.N. 8155 O.P.S. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 9-19-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service

Work Inspected By

Certificate No. AP422192311

Date 9-19-2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**


Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report is To Be Solely For (Check One)

**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	304	N20A4	9/18/13	AUO	1477.1	1578	No. 1 1477.1 No. 2 1477.1	No. 1 1512 No. 2 1512			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	Light, over wing	right	OWL 100-03		115005379	WN					
Do Not	2										
Write	3										
in This	4										
Space	5										
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status
Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced right fwd. over wing light part# owl 100-03 Serial # 115005379 OPS. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.Work Performed By: *Shad Pittman*

Certificate No. AP422192311

Date 9-18-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By: *Shad Pittman*

Certificate No. AP422192311

Date 9-18-2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2193037

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	28-Aug-2013	KAUO	1465	1566	1465	1465	1500	1500			788.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2193037001	1 1	RELAY	RIGHT	M83536/32-003		N/A	UN	N 0 MTH 0 HRS		
Comments: REMOVED PART NO: M83536/32-003 REMOVED SERIAL NO: N/A. INSTALLED PART NO: M83536/32-003 INSTALLED SERIAL NO: N/A. REMOVED AND REPLACED RELAY KF013 IAW CHP 24-30-00 OF THE CE 525B M/M. SYSTEM OPERATIONAL CHECK SATISFACTORY AT THIS TIME.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	534432
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	28-Aug-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	TIMOTHY E. JONES JR	Certificate No.	CNQ7918C	Date	28-Aug-2013
Pertinent details of this maintenance are on file at our facility under the above Work Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2189783

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	20-Aug-2013	KAUO	1461.7	1559	1461.7	1461.7	1493	1493			788.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B351002 051225 OXY	1 2	RESTORATION (HYDROSTATIC TEST) OXYGEN CYLINDER AND REGULATOR ASSEMBLY: INSPECTION DOCUMENT 25 Hydro Check Date: 13-Aug-2013 Comments: C/M INSPECTION DOCUMENT 25. NO FAULTS FOUND		176276-50		1855-766				
350006	2 1	OXYGEN CYLINDER Manufacture Date: 01-Sep-2008 Comments: Removed part no: 176276-50 Removed serial no: 1632574. INSTALLED OVERHAULED BOTTLE P/N 176276-50 S/N 1855-766. SERVICED TO 1800PSI. LEAK/OPS CHECKS GOOD. DONE I/A/W 525B MM 35-10-00.		176276-50	DOT E-10945	1855-766	SC	O 60 MTH		

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	534376
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	20-Aug-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	20-Aug-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

Cessna
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/G Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	0304	N20AU	8/7/2013	ACU	1453.1	1549	No. 145B.1	No. 1453.1	No. 1453	No. 1483	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1		1 Main Wheel/Tire Assy.	Left	6341360-3		2597	W	N				
2	Do Not											
3	Write											
4	in This											
5	Space											
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below
Removal Reason Enter One:

- W - Warn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status Enter One:

- N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced Left main wheel / Tire Assembly part # 6341360-3 / Serial # 2597
 Removed Left main wheel / Tire Assembly, part # 3-1607-1 Serial # 2454 O.P.S. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.Work Performed By SHAD MCLANEYCertificate No. AP422192311Date 8-7-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.Work Inspected By SHAD MCLANEY

Signature

Certificate No. AP422192311Date 8-7-2013**CESCOM**CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section _____ Page _____

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

cescom

Maintenance Transaction Record

MTR ID # 2179269

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	24-Jul-2013	KAUO	1442.9	1541	1442.9	1442.9	1475	1475			758.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

231006 1 1 NO.1 VHF COMM TRANSCEIVER NO.1 822-1468-102 VHF-4000 2X7FL UN O
231006 - T
Comments: Removed part no. 822-1468-102 Removed serial no: 22DKT. Installed P/N 822-1468-102 S/N 2X7FL. Ops check good. Ref CE 525B M/M 23-10-00

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GCSC	Certified Repair Station Number	CRS-CNQ7918C
Work Order No.	534277		
Work Performed By	GCSC	Certificate No.	CRS-CNQ7918C
		Date	24-Jul-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY AND APPROVED FOR RETURN TO SERVICE.			
Work Inspected By	DOUG WILSON	Certificate No.	CRS-CNQ7918C
		Date	24-Jul-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.			

Maintenance Log	
Section	Page

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)


Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B0304	D304	N20AY	7/22/2013	AYO	1437.6	1538	No. 1 1437.6 No. 2 1437.6	No. 1 1472 No. 2 1472			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter if Change Desired	TBO Installed Part	Material Costs	Man Hours
1 2	main Battery (Nical)										
Do Not	2										
Write	3										
in This	4										
Space	5										
	6										
	7										
	8										

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	C/w Tasks	24-32-00-720	No corrosion or cracks battery capacity check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 7-22-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 7-22-2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

Cessna
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20A4	7/19/2013	AYD	1434.2	1536	No. 1 1434.2 No. 2 1434.2	No. 1 1470 No. 2 1470			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	Landing Light Assembly	Left	LDL 100-01		206000106	U	O				
2												
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below

Removal Reason

Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced Landing Light Left side O.P.S. good part# LDL 100-01 Removed part# LDL 100-01 serial# 206000065

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By SHAD McLaney

Certificate No. AP422192311

Date 7-19-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 7-19-2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2169034

Page 1 of 1


☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	27-Jun-2013	KAUO	1428.1	1528	1428.1	1428.1	1462	1462			758.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	INSPECTION DOCUMENT 1 (INTERVAL 1A)								
Comments: Complied with Inspection Document 1 IAW CHP 5-12-01 of the CE 525B M/M. All systems operational check satisfactory at this time.										
5-12-12 051212	2 2	INSPECTION DOCUMENT 12 (INTERVAL 2A/2C)								
Comments: Complied with Inspection Document 12 IAW CHP 5-12-12 of the CE 525B M/M. System operational check satisfactory at this time.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	534086
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	27-Jun-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	27-Jun-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2159358

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	03-Jun-2013	KAUO	1411.7	1512	1411.7	1411.7	1446	1446			758.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSD/TSR	Material Costs	Man Hours
344014	1 1	SATELLITE DATALNK WT RECEIVER		822-2031-002 XMWR-1000		3HRXG	UN	R 0 MTH 0 HRS		
Comments: Removed part no: 822-2031-002 Removed serial no: 39J2V. Installed part no: 822-2031-002 Installed serial no: 3HRXG. Removed and replaced the Satellite Datalink WT Receiver IAW CHP 34-40-05 of the CE525B M/M. System operational check satisfactory at this time. Installed unit repaired by HEADS UP TECHNOLOGIES. (HU9R459J)										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533889
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	03-Jun-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	TIMOTHY E. JONES JR	Certificate No.	CNQ7918C	Date	03-Jun-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 2133242

Page 1 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-05 051205	1 2	INSPECTION DOCUMENT 5 (INTERVAL 1C)								
Comments: C/W INSPECTION DOCUMENT 5 IAW CE525B M/M 05-12-05.OPS CHECK GOOD.										
B342100	2 2	CAPACITY TEST STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 5 (INTERVAL 1C)		501-1712-01		80008				
Comments: C/W INSPECTION DOCUMENT 5 CAPACITY TEST STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID) IAW CE525B M/M 05-12-05.OPS CHECK GOOD.										
B237001 051206	3 2	FUNCTIONAL CHECK CVR RECORDER : INSPECTION DOCUMENT 6 (INTERVAL 2C)		2100-1020-02		0000547199				
Comments: C/W INSPECTION DOCUMENT 6 FUNCTIONAL CHECK CVR RECORDER IAW CE525B M/M 5-12-06.OPS CHECK GOOD.										
5-12-08 051208	4 2	INSPECTION DOCUMENT 8 (INTERVAL 4C)								
Comments: C/W INSPECTION DOCUMENT 8 IAW CE525B M/M 05-12-08.OPS CHECK GOOD.										
5-12-14 051214	5 2	INSPECTION DOCUMENT 14 (INTERVAL 4A/2C)								
Comments: C/W INSPECTION DOCUMENT 14 IAW CE525B M/M 05-12-14.OPS CHECK GOOD.										
5-12-16 051216	6 2	INSPECTION DOCUMENT 16 (INTERVAL 8A/4C)								
Comments: C/W INSPECTION DOCUMENT 16 IAW CE525B M/M 05-12-16.NO DEFECTS NO DEFECTS AT THIS TIME.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comment(s))

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1

CESCOM

Maintenance Transaction Record

MTR ID # 2133242

Page 2 of 5

This Maintenance Report is To Be Used Solely For (Check One)


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
A256001	7 2	DETAILED INSPECTION ELT TRANSMITTER : INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)		453-5060		06388				
Comments: C/W INSPECTION DOCUMENT 17 DETAILED ELT TRANSMITTER INSPECTION IAW CE525B M/M 05-12-17 AND CFR 91.207, OPS CHECK GOOD. BATTERY DUE 12/2013										
B256001	8 2	OPERATIONAL CHECK ELT TRANSMITTER EMERGENCY LOCATOR TRANSMITTER (ELT) SYSTEM: INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)		453-5060		06388				
Comments: C/W INSPECTION DOCUMENT 17 OPERATIONAL CHECK ELT TRANSMITTER IAW CE525B M/M 05-12-17 AND CFR 91.207, OPS CHECK GOOD.										
B262002 051219 : CABIN	9 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949				
Weight Check Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 19 WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER IAW CE525B M/M 05-12-19, OPS CHECK GOOD.										
B262002 051219 : CKPT	10 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	COCKPIT	C352TS		X626086				
Weight Check Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 19 WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER IAW CE525B M/M 05-12-19, OPS CHECK GOOD.										
B342101	11 2	PERIODIC TEST/CHECK STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID): INSPECTION DOCUMENT 38		501-1712-01		80008				
Comments: C/W INSPECTION DOCUMENT 38 PERIODIC TEST/CHECK STANDBY GYRO POWER SUPPLY PS-855 (LEAD ACID) IAW CE525B M/M 05-12-38.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2

CESCOM

Maintenance Transaction Record

MTR ID # 2133242
Page 3 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
341055 051218 : L-ADC	12 2	CALIBRATION TEST NO. 1 AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Calibration Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 18 CALIBRATION TEST ON # 1 AIR DATA COMPUTER IAW CE525B M/M 05-12-18 AND FAR 91.411 CERTIFIED TO 41,000 FEET.OPS CHECK GOOD.	NO. 1	822-1109-014		3966C				
341056 051218 : R-ADC	13 2	CALIBRATION TEST NO. 2 AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Calibration Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 18 CALIBRATION TEST ON # 2 AIR DATA COMPUTER IAW CE525B M/M 05-12-18 AND FAR 91.411 CERTIFIED TO 41,000 FEET.OPS CHECK GOOD.	NO. 2	822-1109-014		396VM				
341057 051218 : STDBY	14 2	CALIBRATION TEST STANDBY AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Calibration Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 18 CALIBRATION TEST ON STANDBY AIR DATA COMPUTER IAW CE525B M/M 05-12-18 AND FAR 91.411 CERTIFIED TO 41,000 FEET.OPS CHECK GOOD.	STANDBY	501-1890-04		2559				
341060 051218 : RVSM	15 2	INSPECT RVSM SKIN WAVINESS: INSPECTION DOCUMENT 18 Comments: C/W INSPECTION DOCUMENT 18 RVSM SKIN WAVINESS INSPECTION IAW CE525B M/M 05-12-18 AND FAR 91.411. OPS CHECK GOOD.								
B341001 051218 : L	16 2	FUNCTIONAL CHECK LEFT PITOT STATIC SYSTEM: INSPECTION DOCUMENT 18 Comments: C/W INSPECTION DOCUMENT 18 FUNCTIONAL CHECK LEFT PITOT STATIC SYSTEM IAW CE525B M/M 05-12-18 AND FAR 91.411.OPS CHECK GOOD.	LEFT							

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 2133242

Page 4 of 5

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives/Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B341001 051218 : R	17 2	FUNCTIONAL CHECK RIGHT PITOT STATIC SYSTEM; INSPECTION DOCUMENT 18	RIGHT							
Comments: C/W INSPECTION DOCUMENT 18 FUNCTIONAL CHECK RIGHT PITOT STATIC SYSTEM IAW CE525B M/M 05-12-18 AND FAR 91.411.OPS CHECK GOOD.										
B345001 051218 : 1	18 2	CALIBRATION CHECK NO. 1 TRANSPONDER (FAR 91.413); INSPECTION DOCUMENT 18	NO. 1	622-9210-409		393JR				
Calibration Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 18 CALIBRATION TEST # 1 TRANSPONDER IAW CE525B M/M 05-12-18 AND FAR 91.413.OPS CHECK GOOD.										
B345001 051218 : 2	19 2	CALIBRATION CHECK NO. 2 TRANSPONDER (FAR 91.413); INSPECTION DOCUMENT 18	NO. 2	622-9210-409		393BP				
Calibration Date: 28-Mar-2013 Comments: C/W INSPECTION DOCUMENT 18 CALIBRATION TEST # 2 TRANSPONDER IAW CE525B M/M 05-12-18 AND FAR 91.413.OPS CHECK GOOD.										
801101 801101 : L	20 1	LEFT STARTER GENERATOR	LEFT	300SGL129Q	9912125-2	1663XL2	SC	O	0 HRS	
Comments: Removed part no: 300SGL129Q Removed serial no: 2456XL2.DUE TO SCHEDULED TIME CHANGE.INSTALLED OVERHAULED STARTER AND RTS BY AIRCRAFT PARTS CRS #7PSR763B.OPS CHECK GOOD.IAW CE525B M/M 24-31-00.										
2133242021	21 2	AILERON TENSIONS LOW	R/H							
Comments: R/H WING AILERON CABLE TENSIONS LOW.ADJUSTED R/H WING AILERON CABLE TENSIONS TO WITHIN LIMITS IAW CE525B M/M 27-10-01.										
324005 324005 : R	22 1	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY	RIGHT MAIN LANDING GEAR	2-1695	9912617-2	0140	WO	O	0 MTH 0 HRS	
Comments: Removed part no: 2-1695 Removed serial no: 0196.DUE TO WORN TO LIMITS.INSTALLED OVERHAULED BRAKE STACK AND RTS BY GOODICH CRS #B9DR216N.OPS AND LEAK CHECK GOOD.IAW CE525B M/M 32-42-01.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____ I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	4



CESCOM

Maintenance Transaction Record

MTR ID # 2133242

Page 5 of 5

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324105	23 1	PARKING BRAKE VALVE		95853 9912388-1		0299A	UN	O 0 MTH 0 HRS		
		Comments: Removed part no: 95853 Removed serial no: 1632A.DUE TO LEAKING.INSTALLED OVEHAULED BRAKE VALVE AND RTS BY SAF INDUSTRIES CRS # GKOR519Y.OPS AND LEAK CHECK GOOD.IAW CE525B M/M 32-42-00.								
341001 341001 : R	24 1	NO. 2 AIR DATA COMPUTER	NO. 2	822-1109-014 ADC-3000		396VM	UN	O 0 MTH 0 HRS		
		Comments: Removed part no: 822-1109-014 Removed serial no: 3966D.DUE TO INTERNAL FAILURE.INSTALLED OVERHAULED ADC AND RTS BY ROCKWELL COLLINS CRS # NZ2R049L.OPS AND LEAK CHECK GOOD.IAW CE525B M/M 34-10-00.								
2133242025	25 2	FLAP TENSIONS LOW								
		Comments: FLAP INTERCONNECT CABLE TENSIONS LOW.ADJUSTED FLAP TENSIONS TO WITHIN LIMITS.TRAVELS CHECKED GOOD.IAW CE525B M/M 27-50-00.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	5

CESCOM

Maintenance Transaction Record

MTR ID # 2165159

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-40	1 2	INSPECTION DOCUMENT 40								
Comments: C/W INSPECTION DOCUMENT 40 I/A/W CE 525B MM 5-12-40. ALL TASKS ON INSPECTION DOCUMENT 40 MATCH THE TASKS REQUIRED ON INSPECTION DOCUMENT 5. INSPECTION DOCUMENT 5 C/W ON THIS VISIT.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	TODD T. MARCUS	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	6



Maintenance Transaction Record

MTR ID # 2133296

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Apr-2013	GSO	1352.1	1442	1352.1	1352.1	1376	1376			719.5

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
CIL-52-01	1 3	DOORS - EMERGENCY DOOR INSPECTION SERVICE LETTER								
Comments: C/W CIL-52-01 AS REQUIRED, EMERGENCY DOOR INSPECTION.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	533360
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	04-Apr-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	RICHARD HARRY <i>Richard Harry</i>	Certificate No.	CNQ7918C	Date	04-Apr-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1

A32053

Model 525B Components Recording and Reporting Form

When checks are complete, copy this page as necessary for airplane logbooks, CESCO purposes, etc. This form and a standard Maintenance Transaction Report (MTR) item are all that CESCO needs to record compliance with Inspection Document 18. The MTR should state "Inspection Document 18, 14 CFR 91.411 requirements complied with, per Item Code B341001 of the Model 525B Maintenance Manual to a test altitude of 45,000 feet, in accordance with 14 CFR 91.411" The new certification date is 04/03/2013.

NOTE: When recording the following information it is NOT necessary or desired to remove components from the airplane and/or disconnect pitot and static lines or tubing. If units are removed and/or pitot/static lines are disconnected, system checks will have to be performed a second time.

Airplane Model and Serial Number	<u>525B-0304</u>	
Flight Hours	<u>1352.1</u>	
Date Systems Tested	<u>4/03/13</u>	
Name of person performing test	<u>(CNO7980)</u>	
Number 1 (Pilot's) ADC	P/N <u>822-1109-014</u>	S/N <u>39660C</u>
Number 2 (CoPilot's) ADC	P/N <u>822-1109-014</u>	S/N <u>39660C 396V117</u>
GH-3000 ESIS ADC	P/N <u>2016E3</u>	S/N <u>2559</u>

NOTE: Part and serial numbers are NOT required for the pilot or copilot PFD's or the GH-3000 display.

I certify that Task 34-10-00-720 was performed and successfully passed the requirements as defined in the Model 525B Maintenance Manual, in accordance with 14 CFR 91.411. The pilot and copilot air data computers, and GH-3000 air data computer have been placarded with the date of the test and the maximum altitude to which the systems were tested. This same information has also been entered into the airplane logbook.

Richard Harry
Signature and certificate number of technician/inspector or
Repair Station Certification number



REPORTING FORM

5. Pitot and Static Port Heaters Check

CAUTION: Make sure all pitot tube covers are removed. Heated pitot tubes will cause damage to the pitot tube covers.

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Cessna**
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
5258-0304	0304	N20AU	3/19/2013	AUO	1346.2	1435	1346.2	1369			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	Tire H22X8	Left	026-618-0		2312R00365	W	N				
2	1	Seal	Left	68-1462		N/A	W	N				
3	1	Gasket	Left	68-1463		N/A	W	N				
4	1	Fuse plugs	Left	542-6		N/A	W	N				
5	1	Seal	Left	68-1316		Batch 000401076	W	N				
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - OverhauledIf Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Replaced Left main Tire
 - 2 Replaced Left main seal
 - 3 Replaced Left main Gasket
 - 4 Replaced all Left 3 Fuse plugs
 - 5 Replaced both dust seal
- OPs check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. 2785454

Date 3/19/13

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 3/19/2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2112931

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	04-Feb-2013	KAUO	1298.9	1395	1298.9	1298.9	1329	1329			705.6

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
323020	1 1	EMERGENCY PNEUMATIC STORAGE BOTTLE Manufacture Date: 07-Jan-2013 Comments: Removed part no: 40005320-2 Removed serial no: 5094. Installed overhauled unit IAW 525B MM 32-31-03 Ops and leak checks good. Unit was overhauled by Aviation Services Co RS# P94R580N.		40005320-2 9912368-2		5241	UN	O 1 MTH		
B323101 051207: GEAR	2 2	HYDROSTATIC TEST EMERGENCY PNEUMATIC STORAGE BOTTLE INSPECTION DOCUMENT 7 (INTERVAL 3C) Hydro Check Date: 12-Nov-2012 Comments: Doc 7 updated cescom times as part of bottle install. REF to item #1		40005320-2		5241				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CESSNA CITATION	Certified Repair Station Number	CRS#CNQ8918C	Work Order No.	6042587
Work Performed By	ORLANDO CESSNA CITATION	Certificate No.	CRS#CNQ8918C	Date	04-Feb-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE					
Work Inspected By	SHANE MCCABE	Certificate No.	CRS#CNQ8918C	Date	04-Feb-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable					

Maintenance Log

Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)


Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	2/1/2013	AUO	1298.9	1395	No. 1298.9 No. 2 1298.9	No. 1329 No. 2 1329			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	2	main Battery (Nicol)										
Do Not	2	1 Tire	right	026-618-0		2296R00258	W N					
Write	3	1 Seal	right	68-1482		N/A	W N					
In This	4	1 Seal	right	68-1316		0003692993	W N					
Space	5	1 Gasket	right	68-1463		N/A	W N					
	6	1 Fuse Plug	right	542-6		N/A	W N					
	7											
	8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments, Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	C/W Tasks	24-32-00-720	No corrosion or cracks battery capacity check good
2	Replaced right main tire		
3	Replaced right main tire	Seal Dust covers	
4	Replaced right main tire	Seal	
5	Replaced right main tire	Gasket	
6	Replaced right main tire	Fuse plug all 3	O.P.S. good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 2-1-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 2-1-2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2111666

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	31-Jan-2013	MCO	1293.1	1390	1293.1	1293.1	1324	1324			680.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
2111666001	1 1 RELAY			M83536/32-003		NSN	UN	N 0 MTH 0 HRS		
Comments: Removed P/N M83536/32-003, removed S/N NSN due to failure. Installed a new relay IAW CE 525B MM CH 24-50-02. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Replaced/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6042556
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	31-Jan-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOHN HALL	Certificate No.	CNQ8918C	Date	31-Jan-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

Cessna
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
5250-0304	0304	N20AU	1/9/2013	AUO	1246.5	1341	No. 1 1246.5 No. 2 1246.5	No. 1 1275 No. 2 1275			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	i	tire	Nose	031-613-8		2004500135	W N					
2	i	Packing	Nose	68-216		N/A	W N					
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments Below

Removal Reason
Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced Nose tire and packed bearings
2 Replaced packing

O.P.S. good

Repair Facility

Certified Repair
Station Number

Work
Order No.

Work Performed By

Certificate No. AP422192311

Date 1-9-2013

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration

☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 1-9-2013

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2102928

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	09-Jan-2013	KAUQ	1246.5	1341	1246.5	1246.5	1275	1275			680.3

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-11 051211	1 2	INSPECTION DOCUMENT 11 (INTERVAL 1A/1C)								
Comments: Complied with Inspection Document 11 IAW CHP 5-12-11 of the CE 525B M/M. System operational check satisfactory at this time.										
5-12-23 051223	2 2	INSPECTION DOCUMENT 23 (INTERVAL 1A/2C)								
Comments: Complied with Inspection Document 23 IAW CHP 5-12-23 of the CE 525B M/M. No Faults Found at this time.										
5-12-MA 0512MA	3 2	INSPECTION DOCUMENT MA								
Comments: Complied with Inspection Document MA IAW CHP 5-12-MA of the 525B M/M. No Faults Found at this time.										
5-12-MK	4 2	INSPECTION DOCUMENT MK								
Comments: Complied with Inspection Document MK IAW CHP 5-12-MK of the CE 525B M/M. System operational check satisfactory at this time.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Warn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	532775
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	09-Jan-2013
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____ I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	09-Jan-2013
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Report

CSNA-1023-A



Cessna

A Textron Company

This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. _____ ☐ Eng. #2 Serial No. _____ ☐ APU Serial No. _____ ☐ Freon Serial No. _____

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freeon Hours
525B-304	0304	N20AC	1/3/2013	A40	1232.9	1329	No. 1 1232.9	No. 2 1232.9	No. 1 1263	No. 2 1263			

[illegible]

Type Transaction	Detail Method Of Compliance Under Comments Below	Removal Reason Enter One:	Installed Part Status Enter One:
1. Component Change	}	W - Worn to Limits	N - New
2. Inspection Accomplished		S - Scheduled	R - Repaired
3. Service Bulletin Accomplished		U - Unscheduled	S - Serviceable
4. Airworthiness Directive Accomplished		C - Convenience	O - Overhauled
		N - Other (Note Below)	If Overhauled Part Enter Overhaul Agents Name Under Comments

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M. Zung</i>	Certificate No. <i>AP422192311</i>	Date <i>1-3-2013</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. Zung</i>	Certificate No. <i>AP422192311</i>	Date <i>1-3-2013</i>
Signature		

CESCOM
CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67222
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

cescom
Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries	☐ Eng. #1 Serial No.	☐ Eng. #2 Serial No.	☐ APU Serial No.	☐ Freon Serial No.
--	---	---	---	---

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20A4	12/17/12	440	1221.9	1319	No. 1 1221.9 No. 2 1221.9	No. 1 1253 No. 2 1253			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	2	Doc 40										
Do Not	2											
Write	3											
In This	4											
Space	5											
	6											
	7											
	8											

- Type Transaction
- 1. Component Change
 - 2. Inspection Accomplished
 - 3. Service Bulletin Accomplished
 - 4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
- R - Repaired
- S - Serviceable
- O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Complied with Doc 40 IAW CES25B MM 5-12-40. NO REJECTABLE INDICATIONS NOTED.

Repair Facility OLSC	Certificated Repair Station Number CND8918C	Work Order No. 6042109
Work Performed By OLSC	Certificate No. CND8918C	Date 12-17-12
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By [Signature]	Certificate No. CND8918C	Date 12-17-12

cescom
CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
3	1
Scheduled Removal Due (TAT)	

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791


Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries

☐ Eng. #1
Serial No.

This Maintenance Transaction Report is To Be Solely For (Check One)

☐ Eng. #2
Serial No.

☐ APU
Serial No.

☐ Freon
Serial No.


Cessna
 A Textron Company

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20A4	11/30/2012	ADD	1186.8	1282	No. 1 1186.8 No. 2 1186.8	No. 1 1216 No. 2 1216			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod. Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Error # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	Tire	Left	026-618-0		2179 R00185	W N					
2 1	Fuse Plugs	Left	542-6		N/A	W N					
3 1	Seal	Left	68-1482		N/A	W N					
4 1	Gasket	Left	68-1463		N/A	W N					
5 1	Seal	Left	68-1316		N/A	W N					
6 1	INSERT	Left	170-605		N/A	W N					
7 1	BRAKE - MULTIPLE DISK	Left	2-1695 (9912617-2)		0353	W O					
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

 } Detail Method Of Compliance
Under Comments Below
Removal Reason
Enter One:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status

 Enter One: N - New
 R - Repaired
 S - Serviceable
 O - Overhauled
If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced Left main tire and packed bearings
2	Replaced Fuse plugs all 3
3	Replaced seal
4	Replaced Gasket
5	Replaced bust seals
6	Replaced all 6 wheel Inserts and SCREW
7	Replaced left Brake Assy it was malfunctioning and damaged the wheel's key ways

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By <i>Blad Mc...</i>	Certificate No. AP422192311	Date 11-30-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Blad Mc...</i>	Certificate No. AP422192311	Date 11-30-2012
Signature		

CESCOM
 CAMP Systems International
 8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
 Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-024	0304	N20A4	10/4/2012	A40	1151.8	1249	No. 1 1151.8 No. 2 1151.8	No. 1 1183 No. 2 1183			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	2	main Battery (Nickel)					U	D				
2												
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	c/w Tasks	24-32-00-720	No corrosion or cracks battery capacity check good
---	-----------	--------------	--

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M. [Signature]</i>	Certificate No. <i>AP422192311</i>	Date <i>10-4-2012</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. [Signature]</i>	Certificate No. <i>AP422192311</i>	Date <i>10-4-2012</i>
Signature		

CESCOM
CAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2066568

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Oct-2012	AUO	1148.1	1246	1148.1	1148.1	1180	1180			646.8

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
312001A	1 2	REPLACE LEFT DIGITAL CLOCK BATTERY	LEFT	M877A5V		19553				
		Comments: Removed Part No. ALKALINE BATTERY Removed Serial No. NSN. Installed new battery IAW CE 525B MM 31-20-01. Operational checks good.								
5-12-01 051201	2 2	INSPECTION DOCUMENT 1 (INTERVAL 1A)								
		Comments: Complied with IAW CE 525B MM 05-12-01. Operational checks good.								
5-12-19	3 2	INSPECTION DOCUMENT 19								
		Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. FWD SN:X-626086 Weight: 4.90 lbs. Date of MFR: 2008. AFT SN:X-625949 Weight: 4.90 lbs. Date of MFR: 2008.								
5-12-38 051238	4 2	INSPECTION DOCUMENT 38								
		Comments: Complied with IAW CE 525B MM 05-12-38. Operational checks good.								

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CRS# CNQ8918C	Work Order No.	6041300
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CRS# CNQ8918C	Date	02-Oct-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	ISRAEL STOLZE	Certificate No.	CRS# CNQ8918C	Date	02-Oct-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

Cessna
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	20AU	9/19/2012	AUO	1133.0	1227	No. 1 1133.0 No. 2 1133.0	No. 1 1161 No. 2 1161			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	Tire	right	026-615-0		2003R00265	W N					
2	1	Seal	right	68-1316		04012026	W N					
3	1	Seal	right	68-1316		04012026	W N					
4	1	Seal	right	68-1482		N/A	W N					
5	1	Gasket	right	68-1463		N/A	W N					
6	1	Fuse Plug	right	542-6		N/A	W N					
7	1	Fuse Plug	right	542-6		N/A	W N					
8	1	Fuse Plug	right	542-6		N/A	W N					

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below
Removal Reason
Enter One:

- W - Warn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
- R - Repaired
- S - Serviceable
- O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced	right	tire	2 packed bearings								
2	Replaced	right	seal									
3	Replaced	right	seal									
4	Replaced	right	seal									
5	Replaced	right	gasket									
6	Replaced	all 3	fuse plugs									
7	✓											
8	✓											

O.P.S. good

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By <u>Shad M. [Signature]</u>	Certificate No. <u>AP422192311</u>	Date <u>9-19-2012</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>Shad M. [Signature]</u>	Certificate No. <u>AP422192311</u>	Date <u>9-19-2012</u>
Signature		

CESCOM
 CAMP Systems International
 8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
 Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)


Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	7/24/2012	AUO	1106.2	1200	No. 1 1106.2 No. 2 1106.2	No. 1 1134 No. 2 1134			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 2	Main Battery (Nickel)										
Do Not	2										
Write	3										
in This	4										
Space	5										
	6										
	7										
	8										

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	C/W Tasks	24-32-00-720	No corrosion or cracks battery capacity check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP 422192311 Date 7-24-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP 422192311 Date 7-24-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 2010141

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	16-Jun-2012	MCO	1077.2	1172	1077.2	1077.2	1107	1107			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-40	1 2	INSPECTION DOCUMENT 40								
Comments: Complied with in accordance with the Cessna 525B Maintenance Manual 05-12-40.										
2010141002	2 1	BRAKE SHUTTLE VALVE	R	211-121		1821	UN	N 0 MTH 0 HRS		
Comments: Replaced right brake shuttle valve due to leakage. Ops and leak checks good per the Cessna 525B Maintenance Manual 32-42-00.										
2010141003	3 1	BRAKE SHUTTLE VALVE	L	211-121		1877	UN	N 0 MTH 0 HRS		
Comments: Replaced left brake shuttle valve due to leakage. Ops and leak checks good per the Cessna 525B Maintenance Manual 32-42-00.										
315002	4 1	ANNUNCIATOR PANEL		9912618-8		618000796	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 9912618-8 Removed serial no: 618000769. Installed new panel. Functional checks good per the Cessna 525B Maintenance Manual 31-50-00.										

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6040517
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	16-Jun-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MARTIN FREEMAN	Certificate No.	CNQ8918C	Date	16-Jun-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.
Cessna
A Textron Company**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-304	304	N20A4	6/7/2012	AUO	1074.8	1170	1074.8	1104	1104		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1 Annunciator Panel		9912618-8		618000769	U O					
2	Do Not										
3	Write										
4	in This										
5	Space										
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced Annunciator Panel	part# 9912618-8	Serial # 618000769	
	Removed Annunciator Panel	part# 9912618-8	Serial # 618000652	O.P.S. check good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 6-7-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 6-7-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM****Maintenance Transaction Report**

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

**Cessna**

A Textron Company

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	5/14/2012	AUO	1045.2	1131	No. 1045.2	No. 1045.2	No. 1066	No. 1066	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	Tire	Nose	031-613-8		1158500029	W	N				
2	1	Packing	Nose	68-216		N/A	W	N				
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - OverhauledIf Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Replaced Nose tire and packed Bearings
- 2 Replaced Nose tire packing O.P.S. good

Repair Facility

Certified Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP 422192311

Date 5-14-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP 422192311

Date 5-14-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section

Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



MTR ID # 1991087 Replaces MTR ID # 1991080

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	15-May-2012	GSO	1047.7	1134	1047.7	1047.7	1069	1069			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1991087	1 2	MAIN WHEEL EDDYCURRENT	LH	3-1607-1		2247	CO	S		
Comments: REMOVED LH MAIN WHEEL SN: 2247 AND PERFORMED EDDYCURRENT INSPECTION OF WHEEL ASSEMBLY. IAW BFG MANUAL AND CE 525B NDI MANUAL PART 6. NO DEFECTS NOTED. REINSTALLED SAME SERIAL NUMBER WHEEL ASSEMBLY.										
324003	2 1	LEFT MAIN LANDING GEAR TIRE	LEFT MAIN LANDING GEAR	026-618-0	9912622-1	1342R00202	UN	N	0 MTH 0 HRS	
324003 : L										
Comments: REMOVED LEAKING MAIN TIRE PN: 026-618-0 SN: 1107R00272. INSTALLED NEW TIRE. OP/LEAK CHECK GOOD. IAW CE 525B MM CH 32-41-00.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, 5 - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	531322
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	15-May-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT /COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JONATHAN A. BROWN	Certificate No.	CNQ7918C	Date	15-May-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	4/24/2012	AUD	1020.2	1104	No. 1 1020.2 No. 2 1020.2	No. 1 1039 No. 2 1039			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1	1	NAV/coll. Light	Left	9912679-1		000758	U N					
2												
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Installed Nav/coll. light assy. on left side removed serial # 000346 OPS: good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 4-24-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 4-24-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

Cessna
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	4/3/2012	AUO	999.6	1084	No. 1 999.6 No. 2 999.6	No. 1 1019 No. 2 1019			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	STARTER GENERATOR	Right	30056L129Q		1525XL2	S O					
Do Not	2										
Write	3										
In This	4										
Space	5										
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments BelowRemoval Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Installed overhauled starter generator on right side part# 30056L129Q serial# 1525XL2
removed part# 30056L129Q serial# 8352XL2 O.P.S. good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 4-3-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 4-3-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B-0304	304	N201AU	3/19/12	AVD	978.8	1068	978.8	978.8	No. 1 1002 No. 2 1002			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
	Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	(TSO Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1 1	Tire	Right	026-1618-0		1287R00014	W	N				
Do Not	2 1	Seal	Right	68-1316		3276171	W	N				
Write	3 1	Seal	Right	68-1316		3276171	W	N				
In This	4 1	Seal	Right	68-1482		N/A	W	N				
Space	5 1	Fuse Plugs (All three)	Right	542-6		N/A	W	N				
	6 1	Crank	Right	68-1463		N/A	W	N				
	7											
	8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

- Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.	
1	Replaced Right main tire	
2	Replaced Right main seal (Inner)	
3	Replaced Right main seal (outer)	
4	Replaced Right main seal (O-Ring)	
5	Replaced all three fuse plugs	
6	Replaced Right Crank	
	O. P. S. Crook	

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By <i>Shel M. Lee</i>	Certificate No. <i>ADP 422142311</i>	Date <i>3/19/12</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☐ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shel M. Lee</i>	Certificate No. <i>ADP 422152311</i>	Date <i>3/19/2012</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

Cessna
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	03/19/2012	KNUD	978.8	1068	978.8	1002			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter if Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	Temp Sensor	Cabin	27221274		11B0770	W	S				
2											
3											
4											
5											
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below
Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status
Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled
If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Removed Cabin Temp Sensor P/N 27221274 S/N 480212 due to high resistance and installed ingested temp sensor P/N 27221274 S/N 11B0770 TAN 525B mm 21-60-00. Temp control system ops check good.

Repair Facility Olathe Potomac Service Center Certified Repair Station Number CFE CNA8918C Work Order No. 6051623

Work Performed By [Signature] Certificate No. CFE CNA8918C Date 3/19/2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.Work Inspected By [Signature] Certificate No. CFE CNA8918C Date 3/19/2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**Section 3 Page 1

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1945812

Page 1 of 4

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Mar-2012	MCO	963.6	1057	963.6	963.6	991	991			502.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-05 051205	1 2	INSPECTION DOCUMENT 5 (INTERVAL 1C)								
Comments: Complied with Inspection Document 5 IAW CE 525B MM 05-12-05. Operational checks good.										
5-12-17 051217	2 2	INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)								
Comments: Complied with Inspection Document 17 IAW CE 525B MM 05-12-17. ELT battery due: DEC 2013. Operational checks good.										
5-12-19	3 2	INSPECTION DOCUMENT 19								
Comments: Complied with Inspection Document 19 IAW CE 525B MM 05-12-19. Weight checks good. Cockpit Weight: 4.90 lbs. Date of MFR: 2008. Cabin Weight: 4.95 lbs. Date of MFR: 2008.										
5-12-22 051222	4 2	INSPECTION DOCUMENT 22 (INTERVAL 4A/3C)								
Comments: Complied with Inspection Document 22 IAW CE 525B MM 05-12-22. Operational checks good.										
5-12-38 051238	5 2	INSPECTION DOCUMENT 38								
Comments: Complied with Inspection Document 38 IAW CE 525B MM 05-12-38. Operational checks good.										
1945812006	6 2	PORTABLE FIRE EXTINGUISHER	CABIN	C352		X625949	SC	S		
Comments: Complied with Weight Checks IAW CE 525B MM 05-12-19. Portable fire extinguisher Weight checks good. Cabin SN: X625949. Weight: 4.95 lbs. Date of MFR: 2008.										
1945812007	7 2	PORTABLE FIRE EXTINGUISHER	COCKPIT	C352		X626086	SC	S		
Comments: Complied with Weight Checks IAW CE 525B MM 05-12-19. Portable fire extinguisher Weight checks good. Cockpit S/N: X626086. Weight: 4.90 lbs. Date of MFR: 2008.										
1945812008	8 2	LIFE VEST INSPECTION	#1 SEAT	PO1074-207		10010570003	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 01-2010. Next due recertification 1-2020.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6039338
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	02-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	02-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1945812

Page 2 of 4

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Mar-2012	MCO	963.6	1057	963.6	963.6	991	991			502.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1945812009	9 2	LIFE VEST INSPECTION	#2 SEAT	PO1074-207		10010980013	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 01-2010. Next due recertification 1-2020.										
1945812010	10 2	LIFE VEST INSPECTION	#3 SEAT	PO1074-207		307315	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 01-2009. Next due recertification 1-2019.										
1945812011	11 2	LIFE VEST INSPECTION	#4 SEAT	PO1074-207		281210	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										
1945812012	12 2	LIFE VEST INSPECTION	#5 SEAT	PO1074-207		281366	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										
1945812013	13 2	LIFE VEST INSPECTION	#6 SEAT	PO1074-207		281300	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										
1945812014	14 2	LIFE VEST INSPECTION	#7 SEAT	PO1074-207		281194	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										
1945812015	15 2	LIFE VEST INSPECTION	#8 SEAT	PO1074-207		281367	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										
1945812016	16 2	LIFE VEST INSPECTION	SIDE FACING SEAT	PO1074-207		281312	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										
1945812017	17 2	LIFE VEST INSPECTION	TOILET	PO1074-207		281198	SC	S		
Comments: Complied with Life Vest Inspection IAW CE 525B MM 05-12-05. Date of MFR: 11-2008. Next due recertification 11-2018.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other(note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6039338
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	02-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	02-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	2



Maintenance Transaction Record

MTR ID # 1945812

Page 3 of 4

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Mar-2012	MCO	963.6	1057	963.6	963.6	991	991			502.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
334004 334004 - L	18 1	LEFT LANDING LAMP HOUSING	LEFT	LDL100-01		206000065	UN	O 1 MTH 0 HRS		
Comments: Removed part no: LDL100-01 Removed serial no: 206000118 and installed unit overhauled by Heads Up Technologies of Carrollton, TX., CRS#HU9R459J IAW CE525B Maintenance Manual Ch.33-40-00. Operational check good.										
335000 335000 - L	19 1	LEFT EMER EXIT BATTERY	LEFT	CBS28		3026	UN	R		
Comments: Removed part no: CBS28 Removed serial no: 4392 and installed unit repaired by Radiant Power of Sarasota, FL., CRS#W9PR345Y IAW CE525B Maintenance Manual Ch.33-50-00. Operational check good.										
335000 335000 - R	20 1	RIGHT EMER EXIT BATTERY	RIGHT	CBS28		3855	UN	R		
Comments: Removed part no: CBS28 Removed serial no: 4545 and installed unit repaired by Radiant Power of Sarasota, FL., CRS#W9PR345Y IAW CE525B Maintenance Manual Ch.33-50-00. Operational check good.										
1945812021	21 1	#3 SEAT LAP BELT ASSY	3	9919051-10-243		NSN	UN	N 0 MTH 0 HRS		
Comments: Removed due to frayed/broken Part No: 9919051-10-243, Removed Serial No: NSN. Installed new lap belt assembly per Cessna 525B Maintenance Manual CH 25-20-00. Operational checks good.										
344017	22 1	1 GPS XM ANTENNA	1	CI428-410	9154079-85	334848	UN	N 0 MTH 0 HRS		
Comments: Removed part no: CI428-410 Removed serial no: 264727. Installed enw antenna per Cessna 525B Maintenance Manual CH 34-60-00. Operational checks good.										
1945812023	23 1	CABLE ASSY-PILOT'S YOKE-AFT	1	S3779-4D46.1N		NSN	UN	N 0 MTH 0 HRS		
Comments: Removed due to frayed Part No: S3779-4D46.1N, Removed Serial No: NSN. Installed new cable and rigged per Cessna 525B Maintenance Manual CH 27-10-02. Rig and operational checks good.										
1945812024	24 1	CABLE ASSY-COPILOT'S YOKE-AFT	2	S3779-4D58.2L		NSN	UN	N 0 MTH 0 HRS		
Comments: Removed due to frayed Part No: S3779-4D58.2L, Removed Serial No: NSN. Installed new cable and rigged per Cessna 525B Maintenance Manual CH 27-10-02. Rig and operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6039338
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	02-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	02-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



MTR ID # 1951486 Replaces MTR ID # 1945812

Maintenance Transaction Record

Page 4 of 4

This Maintenance Report Is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Mar-2012	MCO	963.8	1057	963.6	963.6	991	991			502.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
732500 732500 : L	25 1	LEFT ENGINE FADEC	LEFT ENGINE	117787		CL8APW1072	SC	S		
Comments: Removed for Service Bulletin compliance part no: 113535, Removed serial no: CL8APW1304. Installed unit inspected and upgraded by: Williams International, Walled Lake, MI., CRS#W15R335J per Williams Service Bulletin SBFJ44-73-038R1 instructions. Operational checks good.										
732500 732500 : R	26 1	RIGHT ENGINE FADEC	RIGHT ENGINE	117787		CL8APW1101	SC	S		
Comments: Removed for Service Bulletin compliance part no: 113535, Removed serial no: CL8APW1271. Installed unit inspected and upgraded by: Williams International, Walled Lake, MI., CRS#W15R335J per Williams Service Bulletin SBFJ44-73-038R1 instructions. Operational checks good.										
342057	27 1	AFD CRSR CONTROL PANEL		822-1746-102	CCP-3000	1Y19L	UN	O	0 MTH 0 HRS	
Comments: Removed malfunctioning part no: 822-1746-102, Removed serial no: 34BRN. Installed unit overhauled and returned to service by: Rockwell Collins, Inc., Wichita, KS., CRS# N22R049L per Cessna 525B Maintenance Manual CH 34-10-13. Operational checks good.										
324204	28 1	DISCARD BRAKE HYDRAULIC PACK ASSEMBLY FILTER ELEMENT		9912372-1	TASK# 32-42-05-960	NSN	SC	N	0 MTH 0 HRS	
Comments: Removed time change due part no: 9912372-1, Removed serial no: NSN. Installed new filter assembly per Cessna 525B Maintenance Manual TASK 32-42-05-960. Leak checks good.										
324205	29 1	DISCARD BRAKE RESERVOIR AIR FILTER ELEMENT		AN6237-1	TASK# 32-42-04-960	NSN	SC	N	0 MTH 0 HRS	
Comments: Removed time change due part no: AN6237-1, Removed serial no: NSN. Installed new filter per Cessna 525B Maintenance Manual TASK 32-42-04-960. Leak checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	8038338
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	02-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	02-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 1947027

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Mar-2012	MCO	963.6	1057	963.6	963.6	991	991			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
SL525B-31-03	1 3	TRANSMITTAL OF L-3 COMMUNICATIONS ALERT BULLETIN NO. CESSNA SB 001 SERVICE LETTER								
Comments: Complied with SL525B-31-03 by inspecting the hardware IAW L-3 Communications Alert Bulletin No. Cessna SB 001 Service Letter. Found correct hardware installed. No further action required.										
2012-02-08	2 4	AVIATION COMMUNICATION AND SURVEILLANCE SYSTEMS (ACSS) TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) UNITS								
Comments: Complied with AD2012-02-08 by visual inspection. AD does not apply due to aircraft is NOT equipped with an ACSS unit. No further action required.										
525B-29-03 R1	3 3	HYDRAULIC POWER - HYDRAULIC RELIEF VALVE STAKING IMPROVEMENT SERVICE BULLETIN								
Comments: Complied with by removing and inspecting hydraulic relief valve per Service Bulletin instructions. Found that this Service Bulletin has been previously complied with due to suffix "C" on valve Serial No: 1028C. No further action required. Reinstalled hydraulic relief valve per Cessna 525B Maintenance Manual CH 29-10-00. Operational and leak checks good.										
SL525B-35-02 R1	4 3	TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240 SERVICE LETTER								
Comments: Complied with by visual inspection of Pilot's and CoPilot's oxygen masks per Intertechnique Service Bulletin MXH-35-240 instructions. Oxygen masks do not fall within Serial Number effectivity and were not overhauled within the effective dates called out in this Service Bulletin. No further action required.										
FJ44-73-038 R1	5 3	NO. 1 ENGINE - ENGINE FUEL AND CONTROL - DUAL CHANNEL FADEC - REPLACE SERVICE BULLETIN								
Comments: Complied with by replacement of left engine FADEC with improved unit per Service Bulletin instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CQ - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6039338
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	02-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	02-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
4	1



Maintenance Transaction Record

MTR ID # 1947027

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267 / Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	02-Mar-2012	MCO	963.6	1057	963.6	963.6	991	991			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
FJ44-73-038 R1	6 3	NO. 2 ENGINE - ENGINE FUEL AND CONTROL - DUAL CHANNEL FADEC - REPLACE SERVICE BULLETIN								
Comments: Complied with by replacement of right engine FADEC with improved unit per Service Bulletin instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6039338
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	02-Mar-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	02-Mar-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
4	2

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron Company☒ Airframe
Entries☐ Eng. #1
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	02/16/2012	AUD	962.6	1056	No. 962.6	No. 962.6	No. 990	No. 990	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 2	main Battery (Nical)										
Do Not	2										
Write	3										
In This	4										
Space	5										
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status
Enter One:

N - New
R - Replaced
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Chw Tasks 24-32-00-720	No corrosion or cracks battery capacity check good
---	------------------------	--

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. AP422192311

Date 2-16-2012

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 2-16-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**Maintenance Log**

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

**Cessna**
A Textron CompanyThis Maintenance Transaction Report Is To Be Solely For (Check One)
☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
5256-0304	0304	20AU	2/6/2012	AUO	948.0	1044	No. 948.0 No. 948.0	No. 978 No. 978			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	Tire	Left	026-618-0		1107R00272	W N					
Do Not 2 1	Fuse Plugs	Left	542-6		N/A	W N					
Write 3 1	Seal	Left	68-1482		N/A	W N					
in This 4 1	Seal	Left	68-1316		N/A	W N					
Space 5 1	Gasket	Left	68-1463		N/A	W N					
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason

Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced left main tire	
2	Replaced left main tire fuse plugs all 3	
3	Replaced left main tire cap seal	
4	Replaced left main tire dust seals inter and outer	
5	Replaced left main tire gasket	A.P.S. good

Repair Facility

Certificated Repair Station Number

Work Order No.

Work Performed By

Certificate No. 2785454

Date 2/6/12

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☐ Federal Aviation Administration☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. A42212311

Date 2-6-2012

Signature

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

**CESCOM****Maintenance Transaction Record**

MTR ID # 1936482

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2287 / Fax: 316-462-0791**Aircraft Identification and Status**

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	06-Feb-2012	KAUO	948	1044	948	948	978	978			502.7

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-11 051211	1 2	INSPECTION DOCUMENT 11 (INTERVAL 1A/1C)								
Comments: C/W INSPECTION DOCUMENT 11 I/A/W 525B MM 5-12-11. NO FAULTS FOUND										
5-12-23 051223	2 2	INSPECTION DOCUMENT 23 (INTERVAL 1A/2C)								
Comments: C/W INSPECTION DOCUMENT 23 I/A/W 525B MM 5-12-23. NO FAULTS FOUND										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	530690
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	06-Feb-2012
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT/COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	06-Feb-2012
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1913871

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	19-Dec-2011	KAOU	877	982	877	877	915	915			471.2

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	INSPECTION DOCUMENT 1 (INTERVAL 1A)								
Comments: COMPLIED WITH INSPECTION DOCUMENT 1 IAW CHP 5-12-01 OF THE CESSNA 525B M/M. NO FAULTS FOUND AT THIS TIME.										
522001	2 1	INFLATABLE DOOR SEAL		S15501-4	9912075-4	N/A	UN	N 0 MTH 0 HRS		
Comments: Removed part no: S15501-4 Removed serial no: NSN. Installed part no: S15501-4 Installed serial no: N/A. Removed and replaced cabin door seal IAW CHP 52-10-00 of the Cessna 525B M/M. System operational check and leak check satisfactory at this time										

Trans Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	GREENSBORO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ7918C	Work Order No.	530410
Work Performed By	GREENSBORO CITATION SERVICE CENTER	Certificate No.	CNQ7918C	Date	19-Dec-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and I CERTIFY THAT THE ABOVE MAINTENANCE & INFORMATION CONTAINED IN THE LISTED WORK ORDER WAS PERFORMED IN ACCORDANCE WITH THE CURRENT FAA REGULATIONS & THE AIRCRAFT / COMPONENT IDENTIFIED ABOVE IS PRESENTLY AIRWORTHY & APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KYLE STEELE	Certificate No.	CNQ7918C	Date	19-Dec-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	11/17/2011	AUO	816.0	931	No. 1 816.0	No. 2 816.0	No. 1 864	No. 2 864			

[illegible]

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

**Detail Method Of Compliance
Under Comments Below**

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Entered
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Blair McLean</i>	Certificate No. <i>AP422192311</i>	Date <i>11-17-2011</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Blair McLean</i>	Certificate No. <i>AP422192311</i>	Date <i>11-17-2011</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Date (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOMCAMP Systems International
8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226
Phone: 316-462-2267 • Fax: 316-462-0791**CESCOM**
Maintenance Transaction Report

CSNA-1023-A

☒ Airframe
Entries☐ Eng. #1
Serial No.☐ Eng. #2
Serial No.☐ APU
Serial No.☐ Freon
Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

**Aircraft Identification and Status**

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0309 0304		N2044	11/15/11	AWD	816.0	931	No. 1 816.00 No. 2 816.00	No. 1 864 No. 2 864			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No./Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter if Change Desired	TBO Installed Part	Material Costs	Man Hours
1 1	BRAKE	LH	2-1695		0548	4	0				
Do Not 2 1	BRAKE	RH	2-1695		0196	4	0				
Write 3											
in This 4											
Space 5											
6											
7											
8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below**Removal Reason**
Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

- Enter One:
- N - New
 - R - Repaired
 - S - Serviceable
 - O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

- 1 Removed PN: 2-1695 SN: 0527. INSTALLED BRAKE OVERHAULED BY GOODRICH AIRCRAFT CR# B9DR216N IAW CE 525B MM 32-40-00. OPS and leak checks Good.
- 2 Removed PN: 2-1695 SN: 0698. INSTALLED brake overhauled by Goodrich Aircraft CR# B9DR216N IAW CE 525B MM 32-40-00. OPS and leak checks Good.

Repair Facility <u>Orlando Citation Service Center</u>	Certified Repair Station Number <u>CNA8918C</u>	Work Order No.
Work Performed By <u>Orlando Citation Service Center</u>	Certificate No. <u>CNA8918C</u>	Date <u>11/15/11</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <u>[Signature]</u>	Certificate No. <u>CNA8918C</u>	Date <u>11/15/11</u>

CESCOM CAMP Systems International 8200 E. 34th St., Bldg 1600, Suite 1607 • Wichita, KS 67226 Phone: 316-462-2267 • Fax: 316-462-0791

Maintenance Log	
Section <u>3</u>	Page <u>1</u>
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A


☒ Airframe
 Entries

☐ Eng. #1
 Serial No.

☐ Eng. #2
 Serial No.

☐ APU
 Serial No.

☐ Freon
 Serial No.

This Maintenance Transaction Report is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-034	0304	20AU	10/27/11	AVO	792.8	901	792.8	834	834		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		Tire	Left	026-618-0		111R00113	W	N				
2	Do Not	Seal	Left	68-1482		N/A	W	N				
3	Write	Gasket	Left	68-1463		N/A	W	N				
4	In This	Seal	Left	68-1316		000129693/007A	W	N				
5	Space	Fuse Plug	Left	542-6		N/A	W	N				
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

 } Detail Method Of Compliance
 Under Comments Below
Removal Reason
Enter One:
 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status

 Enter One: N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

 If Overhauled Part Enter
 Overhaul Agents Name
 Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced Left tire; Reched Bearings - ops check ok
2	Replaced left main seal
3	Replaced left main Gasket
4	Replaced left seals (Both inner & outer)
5	Replaced all 3 Fuse plugs

Repair Facility

 Certificated Repair
 Station Number

 Work
 Order No.

Work Performed By

Certificate No. AP422192311

Date 10-27-2011

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration

☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. AP422192311

Date 10-27-2011

Signature

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
5258-0304	0304	N20AU	10/25/2011	A40	790.5	899	No. 1 790.5	No. 2 790.5	No. 1 832	No. 2 832			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
	1		Tire	right	026-618-0		1035R00169	W	N				
Do Not	2		Gasket	right	68-1463		N/A	W	N				
Write	3		SEAL	right	68-1482		N/A	W	N				
In This	4		Fuse Plug	right	542-6		N/A	W	N				
Space	5												
	6												
	7												
	8												

Type Transaction
1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced tire on right side packed main bearings O.P.S. check good

2 Replaced gasket on right main tire

3 Replaced seal on right main tire

4 Replaced all 3 Fuse plugs

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M. Young</i>	Certificate No. AP422192311	Date 10-25-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. Young</i>	Certificate No. AP422192311	Date 10-25-2011
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries

Eng. #1
Serial N

Eng. #2
Serial No.

	APU
	Serial No

☐ Freon
Serial No.

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
							No. 1	No. 2	No. 1	No. 2			
525B-0304	0304	N20AU	10/18/2011	Aud	783.2	890	783.2	783.2	827	827			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

[illegible]

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

**Detail Method Of Compliance
Under Comments Below**

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced Nose tire O.P.S.	check good
2	Replaced Nose packing O.P.S.	check good

Repair Facility

Certificated Repair
Station Number

Work
Order No.

Work Performed By

Certificate No. AP422172311

Date 10-15-2011

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration☐ Other (Specify) _____

and the aircraft identified above is presently airworthy and approved for return to service

Work Inspected By

Certificate No. *AF422192311*

Date 10-18-2011

Signature _____

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Loop

Section

Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESCOM

Maintenance Transaction Record

MTR ID # 1883562

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Oct-2011	MCO	783.2	889	783.2	783.2	826	826			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
216002	1 1	TEMP CONTROLLER		1E58-7		7BF44	UN	N 0 MTH 0 HRS		
Comments: Removed controller PN: 1E58-7, SN: 10BF66 due to inoperative auto temp function. Installed new Temp Controller IAW CE 525B MM 21-60-00. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6038081
Work Performed By	Certificate No.		Date 17-Oct-2011		
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOHN M CARNEY	Certificate No.	CNQ8919C	Date	17-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1

[illegible]

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
5256	0304	N20AC	10/7/2011	AWO	773.0	480	No. 1 773.0	No. 2 773.0	No. 1 817	No. 2 817			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod. Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours	
	1	1 Digital Clock Battery	Left					U N					
Do Not	2												
Write	3												
In This	4												
Space	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.
1	Complied with Battery replacement on the left Hand Digital Clock IAW CE 525D mm 31-20-00 Operational checks good Battery is duracell ALKALINE date is MAR. 2017

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad McZing</i>	Certificate No. <i>AP 422K2311</i>	Date <i>10-7-2011</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McZing</i>	Certificate No. <i>AP 422K2311</i>	Date <i>10-7-2011</i>
Signature		

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1877839 Replaces MTR ID # 1877576

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	05-Oct-2011	MCO	770.8	876	770.8	770.8	813	813			444.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
SL525B-35-02	1 3	OXYGEN - TRANSMITTAL OF INTERTECHNIQUE SERVICE BULLETIN MXH-35-240 SERVICE LETTER								
Comments: Complied with by inspection of installed oxygen masks and found the part numbers installed are not included in the effectivity range of this Service Letter. No action required.										
SL525B-32-10	2 3	LANDING GEAR - MAIN LANDING GEAR TIRE INFLATION PLACARD INSPECTION SERVICE LETTER								
Comments: Complied with by Inspection IAW the Service Letters Instructions and found correct Inflation Placard installed. No further action required										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6037896
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	05-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	05-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
4	1



MTR ID # 1877838 Replaces MTR ID # 1877542

Maintenance Transaction Record

Page 1 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	05-Oct-2011	MCO	770.8	876	770.8	770.8	813	813			444.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-MA 0512MA	1 2	INSPECTION DOCUMENT MA								
Comments: Complied with IAW CE 525B MM Chapter 4 and 05-12-MA. No defects noted.										
B262002 051219 : CABIN	2 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949				
Weight Check Date: 04-Oct-2011 Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.75 lbs. Date of MFR: 2008.										
B262002 051219 : CKPT	3 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	COCKPIT	C352TS		X626086				
Weight Check Date: 04-Oct-2011 Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.80 lbs. Date of MFR: 2008.										
5-12-38 051238	4 2	INSPECTION DOCUMENT 38								
Comments: Complied with IAW CE 525B MM 05-12-38 and per manufacturers instructions. Operational checks good.										
211001 211001 : L	5 1	LEFT PRESS SHUTOFF VALVE	LEFT	5253-00-3		2629	UN	O 1 MTH 0 HRS		
Comments: Removed part no: 5253-00-3 Removed serial no: 2483. Installed unit that was overhauled and supplied by Dukes Aerospace Certificate no: 1DUR590B on Work Order 1664581 IAW CE 525B MM 21-10-00										
211001 211001 : R	6 1	RIGHT PRESS SHUTOFF VALVE	RIGHT	5253-00-3		0442	UN	O 0 MTH 0 HRS		
Comments: Removed part no: 5253-00-3 Removed serial no: 2538. Installed unit that was overhauled and supplied by Dukes Aerospace Certificate no: 1DUR590B on Work Order 1674842 IAW CE 525B MM 21-10-00. Operational and leak checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6037896
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	05-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	05-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



MTR ID # 1877838 Replaces MTR ID # 1877542

Maintenance Transaction Record

Page 2 of 2

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	05-Oct-2011	MCO	770.8	876	770.8	770.8	813	813			444.1

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1877542007	7 -	DIGITAL CLOCK BATTERY	LEFT							
Comments: Complied with Battery replacement on the Left Hand Digital Clock IAW CE 525B MM 31-20-00. Operational checks good.										
5-12-07 051207	8 2	INSPECTION DOCUMENT 7 (INTERVAL 3C)								
Comments: Compleid with Inspection Document 07 IAW CE 05-12-07. Operational checks good. Exchange Emergency Pneumatic Storage Bottle Installed. Cylinder Date of Manufacture: 10/06 Current Hydro Test Date: 09/11 Next Hydro Due 09/14										
323020	9 1	EMERGENCY PNEUMATIC STORAGE BOTTLE		40005320-2	9912368-2	5094	SC	O 60 MTH		
Manufacture Date: 01-Oct-2006 Comments: Removed part no: 40005320-2 Removed serial no: 6432. Installed unit that was overhauled and supplied by Pacific Scientific Certificate no: P94R580N on Work Order no: 1682247 IAW CE 525B MM 32-31-03. Operational and leak checks good. Date of Manufacture: 10/06 Current Hydro Test Date: 09/11 Next Hydro Due Date: 09/14 Cylinder Expiration Date: 10/30.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6037896
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	05-Oct-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL A. CIAPONI	Certificate No.	CNQ8918C	Date	05-Oct-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	2

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	9/23/2011	AUO	767.0	871	No. 1 767.0	No. 2 767.0	No. 1 808	No. 2 808			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1	1	Brake-Multiple Disk	Left	2-1695 (99126172)		0527	W	O				
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.											
1	Replaced Left Brake Assy. checked for leaks and serviced Brake fluid O.P.S. check good											
	Landings on old Brake 541											

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By <i>Shad McZurek</i>	Certificate No. AP 422192311	Date 9-23-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McZurek</i>	Certificate No. AP 422192311	Date 9-23-2011
Signature		

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	5/25/2011	Auo	671.5	770	No. 1 671.5	No. 2 671.5	No. 1 707	No. 2 707			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter if Change Desired	TSO Installed Part	Material Costs	Man Hours
	1		TIRE	Left	026-618-0		0245R00046	W	N				
Do Not	2		Gasket	Left	68-1463		N/A	W	N				
Write	3		Seal	Left	68-1482		N/A	W	N				
In This	4		Fuse Plugs all 3	Left	542-6		N/A	W	N				
Space	5		2 main battery (Nicad)										
	6												
	7												
	8												

Type Transaction
1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.												
1	Replaced left main tire												
2	Replaced left main tire gasket												
3	Replaced left main tire seal												
4	Replaced left main tire fuse plugs all 3												
5	C/W Task 24-32-00-720 No corrosion on cracks battery capacity check ok												

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By: <i>[Signature]</i>	Certificate No. <i>A422192311</i>	Date <i>5-25-2011</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By: <i>[Signature]</i>	Certificate No. <i>A422192311</i>	Date <i>5-25-2011</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status											
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	05/25/11	KOCU	670.8	706	No. 1 670.8 No. 2 670.8	No. 1 706 No. 2 706			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished											
	Transaction No. Type	Item Name	Position		Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part
	1	1	MAIN WHEEL + TIRE ASSY.	RH	6341360-3		2454	U	N		
Do Not	2										
Write	3										
In This	4										
Space	5										
	6										
	7										
	8										

Type Transaction
1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.
1	REMOVED RH. MAIN WHEEL + TIRE ASSY. P/N 3-1607-1/026-618-0 S/N 2220/0238R00063 AND INSTALLED NEW ASSY. P/N 3-1607-1/026-618-0 S/N 2454/0105R00110 PER. 525B M.M. 32-41-00. ACFT. RELEASED FOR ONE TIME FLT. TO MCO FOR FURTHER MAINTENANCE.

Repair Facility	Orlando Citation Service Center	Certified Repair Station Number	CNQ8918C	Work Order No.	6036689
Work Performed By	Repair Station CNO8918C	Certificate No.	CNQ8918C	Date	05-25-11
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration					
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service					
Work Inspected By	Benny N. McShane	Certificate No.	CNQ8918C	Date	05-25-11

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
3	1
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1810868

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	01-Jun-2011	MCO	672	771	672	672	708	708			333

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324001 324001 : R	1 1	RIGHT MAIN LANDING GEAR WHEEL ASSEMBLY	RIGHT MAIN LANDING GEAR	3-1607-1	9912561-5	2454	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 3-1607-1 Removed serial no: 2220. Installed new Right Hand Main Gear Wheel Assembly IAW CE 525B MM CH 32-41-00. Operational checks good.										
324003 324003 : R	2 1	RIGHT MAIN LANDING GEAR TIRE	RIGHT MAIN LANDING GEAR	026-618-0	9912622-1	0105R00110	UN	N 0 MTH 0 HRS		
Comments: Removed part no: 026-618-0 Removed serial no: 0238R00063. Installed new Right Hand Main Gear Tire IAW CE 525B MM CH 32-41-00. Leak and ops check good.										
324005 324005 : R	3 1	RIGHT MAIN LANDING GEAR BRAKE ASSEMBLY	RIGHT MAIN LANDING GEAR	2-1695	9912617-2	0698	UN	O 0 MTH 0 HRS		
Comments: Removed part no: 2-1695 Removed serial no: 0288. Installed overhauled unit supplied by: Goodrich Aircraft Wheels & Brakes located in Wichita, KS. CRS# B9DR216N. Operation and leak checks good IAW CE 525B MM CH 32-42-01										
231006 231006 : T	4 1	NO.1 VHF COMM TRANSCEIVER	NO.1	822-1468-102	VHF-4000	22DKT	UN	O 2 MTH 00 HRS		
Comments: Removed part no: 822-1468-102 Removed serial no: 37D8T. Installed overhauled VHF COMM TRANSCEIVER, by Rockwell Collins Inc. Wichita KS. CRS # NZ2R049L. IAW CE 525B MM CH 23-10-00. Operational checks good.										
1810868005	5 -	MAIN WHEEL ASSY				1791P				
Comments: Performed out of round check on main wheel P/N 3-1607, S/N 1791P. Found wheel at rim side to be .010, but found wheel base to be out of limits at .044. Max. allowable limit is .030. Wheel is unserviceable for use.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6036689
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	01-Jun-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JOHN HALL	Certificate No.	CNQ8918C	Date	01-Jun-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log

Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1801018

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	12-May-2011	MCO	652.3	746	652.3	652.3	681	681			333

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
231007 231007 : T	1 1	NO.2 COMM ANTENNA	NO.2	VFS10-90-2		8216	UN	N 0 MTH 0 HRS		
Comments: Removed part no: VFS10-90-2 Removed serial no: 7548. Installed unit IAW the CE525B MM ch 23-10-00. Operational checks good.										
231006 231006 : T	2 1	NO.1 VHF COMM TRANSCEIVER	NO.1	822-1468-102 VHF-4000		37D8T	N	S		
Comments: Removed part no: 822-1468-102 Removed serial no: 37CRV. Installed #2 VHF Comm unit in the number #1 position to facilitate maintenance. Operational checks good.										
231006 231006 : B	3 1	NO.2 VHF COMM TRANSCEIVER	NO.2	822-1468-102 VHF-4000		37CRV	N	S		
Comments: Removed part no: 822-1468-102 Removed serial no: 37D8T. Installed #1 VHF Comm unit in the number #2 position to facilitate maintenance. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6036548
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	12-May-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	JIM ORMOND	Certificate No.	CNQ8918C	Date	12-May-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CESCOM

CSNA-1023-A



Cessna
A Textron Company

This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

**Detail Method Of Compliance
Under Comments Below**

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

It Overhauled Part Enter
Overhaul Agents Name
Under Comments

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No
Work Performed By <i>Shad McJury</i>	Certificate No. <i>A422192311</i>	Date <i>3-24-2011</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McJury</i>	Certificate No. <i>A422192311</i>	Date <i>3-24-2011</i>

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1773406

Page 1 of 5

This Maintenance Report is To Be Used Solely For (Check One)



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Mar-2011	MCO	597.2	689	597.2	597.2	625	625			308.4

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
5-12-01 051201	1 2	INSPECTION DOCUMENT 1 (INTERVAL 1A)								
Comments: Complied with IAW CE 525B MM 05-12-01. Operational checks good.										
5-12-05 051205	2 2	INSPECTION DOCUMENT 5 (INTERVAL 1C)								
Comments: Complied with IAW CE 525B MM 05-12-05. Operational checks good.										
B237001 051206	3 2	FUNCTIONAL CHECK CVR RECORDER : INSPECTION DOCUMENT 6 (INTERVAL 2C)								
Comments: Complied with IAW CE 525B MM 05-12-06. Operational checks good. CVR Battery replacement due; OCT 2014.										
5-12-11 051211	4 2	INSPECTION DOCUMENT 11 (INTERVAL 1A/1C)								
Comments: Complied with IAW CE 525B MM 05-12-11. Operational checks good.										
5-12-12 051212	5 2	INSPECTION DOCUMENT 12 (INTERVAL 2A/2C)								
Comments: Complied with IAW CE 525B MM 05-12-12. Operational checks good.										
5-12-14 051214	6 2	INSPECTION DOCUMENT 14 (INTERVAL 4A/2C)								
Comments: Complied with IAW CE 525B MM 05-12-14. Operational and clearance checks good.										
5-12-17 051217	7 2	INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)								
Comments: Complied with IAW CE 525B MM 05-12-17. ELT battery due; DEC 2013. Operational checks good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits; SC - Scheduled; UN - Unscheduled; CO - Convenience; N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6035838
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	17-Mar-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	17-Mar-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1773406

Page 2 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Mar-2011	MCO	597.2	689	597.2	597.2	625	625			308.4

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
341055 051218 : L-ADC	8 2	CALIBRATION TEST NO. 1 AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18. Document 18, 14 CFR 91.411 requirements complied with to a test altitude of 45,000 feet, per the Model 525B MM Task number 34-10-00-720 IAW 14 CFR 91.411. Calibration date: March 2011.	NO. 1	822-1109-014		3966C				
341056 051218 : R-ADC	9 2	CALIBRATION TEST NO. 2 AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18. Document 18, 14 CFR 91.411 requirements complied with to a test altitude of 45,000 feet, per the Model 525B MM Task number 34-10-00-720 IAW 14 CFR 91.411. Calibration date: March 2011.	NO. 2	822-1109-014		3966D				
341057 051218 : STDBY	10 2	CALIBRATION TEST STANDBY AIR DATA COMPUTER (FAR 91.411): INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18. Document 18, 14 CFR 91.411 requirements complied with to a test altitude of 45,000 feet, per the Model 525B MM Task number 34-10-00-720 IAW 14 CFR 91.411. Calibration date: March 2011.	STANDBY	501-1890-04		2559				
341060 051218 : RVSM	11 2	INSPECT RVSM SKIN WAVINESS: INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18. No defects noted.								
B341001 051218 : L	12 2	FUNCTIONAL CHECK LEFT PITOT STATIC SYSTEM: INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18. Operational and leak checks good.	LEFT							
B341001 051218 : R	13 2	FUNCTIONAL CHECK RIGHT PITOT STATIC SYSTEM: INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18. Operational and leak checks good.	RIGHT							
B345001 051218 : 1	14 2	CALIBRATION CHECK NO. 1 TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 18 Comments: Complied with IAW CE 525B MM 05-12-18 and FAR 91.413 Part 43 Appendix E and F. Calibration Date: March 2011. Accomplished satisfactory data correspondence check.	NO. 1	622-9210-409		393JR				

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6035838
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	17-Mar-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	17-Mar-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 1773406

Page 3 of 5

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Mar-2011	MCO	597.2	689	597.2	597.2	625	625			308.4

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
B345001 051218 : 2	15 2	CALIBRATION CHECK NO. 2 TRANSPONDER (FAR 91.413): INSPECTION DOCUMENT 18	NO. 2	622-9210-409		393BP				
Comments: Complied with IAW CE 525B MM 05-12-18 and FAR 91.413 Part 43 Appendix E and F. Calibration Date: March 2011. Accomplished satisfactory data correspondence check.										
B262002 051219 : CABIN	16 2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949				
Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.95 lbs. Date of MFR: 2008.										
B262002 051219 : CKPT	17 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	COCKPIT	C352TS		X626086				
Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.90 lbs. Date of MFR: 2008.										
5-12-23 051223	18 2	INSPECTION DOCUMENT 23 (INTERVAL 1A/2C)								
Comments: Complied with IAW CE 525B MM 05-12-23. Operational checks good.										
5-12-38 051238	19 2	INSPECTION DOCUMENT 38								
Comments: Complied with IAW CE 525B MM 05-12-38 and per manufacturers instructions. Operational checks good.										
1773406	20 1	LIFE PERSERVER	1	P01074-207		10010570003				
Comments: Due recert on NOV 2019.										
1773406	21 1	LIFE PERSERVER	2	P01074-207		10010980013				
Comments: Due recert on DEC 2019.										
1773406	22 1	LIFE PERSERVER	3	P01074-207		307315				
Comments: Due recert on JAN 2019.										
1773406	23 1	LIFE PERSERVER	4	P01074-207		281210				
Comments: Due recert on NOV 2018.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6035838
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	17-Mar-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	17-Mar-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 1773406

Page 4 of 5

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International

8200 E. 34TH STREET

BUILDING 1600, SUITE 1607

Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Mar-2011	MCO	597.2	689	597.2	597.2	625	625			308.4

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
1773406	24 1	LIFE PERSERVER	5	P01074-207		281366				
	Comments: Due recert on NOV 2018.									
1773406	25 1	LIFE PERSERVER	6	P01074-207		281300				
	Comments: Due recert on NOV 2018.									
1773406	26 1	LIFE PERSERVER	7	P01074-207		281194				
	Comments: Due recert on NOV 2018.									
1773406	27 1	LIFE PERSERVER	8	P01074-207		281367				
	Comments: Due recert on NOV 2018.									
1773406	28 1	LIFE PERSERVER	TOILET	P01074-207		281198				
	Comments: Due recert on NOV 2018.									
1773406	29 1	LIFE PERSERVER	10	P01074-207		281312				
	Comments: Due recert on NOV 2018.									
324003 324003 : R	30 1	RIGHT MAIN LANDING GEAR TIRE	RIGHT MAIN LANDING GEAR	026-618-0	9912622-1	0238R00063	WO	N 0 MTH 0 HRS		
	Comments: Removed part no: 026-618-0 Removed serial no: 0067R0075. Installed new tire IAW CE 525B MM 32-41-00 and BFG CMM 32-45-51. Leak checks good. NDT on wheel assy SN: 1791P not required at this time. This is the 4th tire change, 3 tire changes since dye pen inspection.									
1773406	31 -	MAINTENANCE NOTE								
	Comments: Left wheel has had 3 tire changes, 2 since dye pen inspection.									
324004	32 1	NOSE LANDING GEAR TIRE	NOSE LANDING GEAR	031-613-8	9914070-1	0340S00253	WO	N 0 MTH 0 HRS		
	Comments: Removed part no: 031-613-8 Removed serial no: 0005S00232. Installed new Tire IAW CE 525A MM 32-41-00. Leak and balance check good. This is the third tire change. No NDT due on wheel S/N 3434.									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6035838
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	17-Mar-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING	Certificate No.	CNQ8918C	Date	17-Mar-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 1773406

Page 5 of 5

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-Mar-2011	MCO	597.2	689	597.2	597.2	625	625			308.4

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
216001	33 1	RAM AIR MOD VALVE		27241287-15		2AT5E	UN	O		
Comments: Removed part no: 27241287-15 Removed serial no: 11BD146E. Installed Valve overhauled by Parker Hannifin Corporation-Elyria, CRS# HO5R916M IAW CE 525B MM 21-60-00. Operational check good.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6035838
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	17-Mar-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	17-Mar-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	5

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

☐ Freon
Serial No.

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	20A4	1/16/11	A40	523.4	610	No. 523.4 No. 523.4	No. 545 No. 545			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1	2	Main Battery	(Ni-cad)									
2												
3												
4												
5												
6												
7												
8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below

Removal Reason
Enter One:

- W - Warn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 c/w Task 24-32-00-720 Battery capacity check good

Repair Facility

Certificated Repair
Station Number

Work
Order No.

Work Performed By: *Shad M. Jones*

Certificate No. A422192311 Date 1-16-11

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration

☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By: *Shad M. Jones*

Certificate No. A422192311 Date 1-16-11

Signature

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1746519

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226

Phone: 316-462-2267/ Fax: 316-462-0791



☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	05-Jan-2011	AUB	503.9	599	503.9	503.9	534	534			282.6

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
------	-------------------------	-----------	----------	------------------------------	--------------	-------------	-------------------	--------------------------------------	-------------------	--------------

5-12-MA 1 2 INSPECTION DOCUMENT MA
0512MA

Comments: Complied with Inspection Document MA IAW CE 525B MM, 05-12-MA and Chapter 4 Requirements. No Defects noted. Next Inspection Due: 803.9 TTSN.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CRS# CNQ8918C	Work Order No.	6035256
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	05-Jan-2011
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	LYNDA TJARKS	Certificate No.	CNQ8918C	Date	05-Jan-2011
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries
 ☐ Eng. #1 Serial No.
 ☐ Eng. #2 Serial No.
 ☐ APU Serial No.
 ☐ Freon Serial No.

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles		APU Hours	APU Events	Freon Hours	
525B-0304	0304	N20AC	1/3/2011	ALCO	503.9	599	No. 1 503.9 No. 2 503.9	No. 1 534 No. 2 534					

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	(TBO Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours	
1	1	Tire	Left	026-618-0		0238R00056	W	N					
2	1	Seal	Left	68-1452		N/A	W	N					
3	1	Gasket	Left	68-1463		N/A	W	N					
4	1	Fuse Plug	Left	542-6		N/A	W	N					
5	1	Fuse Plug	Left	542-6		N/A	W	N					
6	1	Fuse Plug	Left	542-6		N/A	W	N					
7													
8													

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status
Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Replaced left main tire
2	Replaced left main seal
3	Replaced left main gasket
4	Replaced all 3 fuse plugs
5	
6	

O.P.S. good

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By <i>Shad McZ...</i>	Certificate No. <i>A422192311</i>	Date <i>1-3-2011</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McZ...</i>	Certificate No. <i>A422192311</i>	Date <i>1-3-2011</i>

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report is To Be Solely For (Check One)

☒ Airframe Entries

☐ Eng. #1 Serial No.

☐ Eng. #2 Serial No.

☐ APU Serial No.

☐ Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B 0304	0304	N20AU	12/9/2010	AWO	464.8	572	No. 1 464.8	No. 2 464.8	No. 1 508	No. 2 508		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	(TBO Enter # Change Desired)	TSO Installed Part	Material Costs	Man. Hours
	1	1	Tire	right	026-618-0		0067R00078	W	N				
Do Not	2	1	Gasket	right	68-1463		N/A	W	N				
Write	3	1	Seal	right	68-1482		N/A	W	N				
In This	4	1	Fuse plugs #3	right	542-6		N/A	W	N				
Space	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Warn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status
Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Replaced right main tire packed wheel bearings

2 Replaced gasket

3 Replaced seal

4 Replaced all 3 fuse plugs

O.P.S. good

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M. Jones</i>	Certificate No. <i>A422192711</i>	Date <i>12-9-2010</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. Jones</i>	Certificate No. <i>A422192311</i>	Date <i>12-9-2010</i>
Signature		

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	



Maintenance Transaction Record

MTR ID # 1709299

Page 1 of 1

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	22-Oct-2010	MCO	427.1	531	427.1	427.1	467	467			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
525B-26-04	1 3	FORWARD SMOKE DETECTOR HEATER AND COVER INSTALLATION SERVICE BULLETIN								
Comments: Complied with SB525B-26-04 by installing Cover Assy on Forward Smoke Detector IAW Service Bulletin Instructions. Operational check good. Weight and balance revision complied with.										
525B-33-04	2 3	NAVIGATION/ANTI-COLLISION LIGHT SCREW CHANGE SERVICE BULLETIN								
Comments: Complied with SB525B-33-04 by changing out hardware as required IAW Service Bulletin Instructions.										
SL525B-53-07	3 3	UPPER TAILCONE SKIN INSPECTION SERVICE LETTER								
Comments: Complied with SL525B-53-07 by inspecting upper tailcone skin for damage or bare metal as required IAW Service Letter Instructions. No defects noted.										
525B-29-03	4 3	HYDRAULIC RELIEF VALVE STAKING IMPROVEMENT SERVICE BULLETIN								
Comments: Complied with SB by staking nut per SB instructions and adding suffix c to ID label. Ops and leak checks good.										

Trans. Type 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6034420
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	22-Oct-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	TOMMY AUTON	Certificate No.	CNQ8918C	Date	22-Oct-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report is To Be Solely For (Check One)

☒ Airframe Entries	☐ Eng. #1 Serial No.	☐ Eng. #2 Serial No.	☐ APU Serial No.	☐ Freon Serial No.
--	---	---	---	---

A/C Serial Number	A/C Unit No	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
52500304	0304	N20AU	9/28/2010	AUD	415.6	515	No 1 415.6 No 2 415.6	No 1 451 No 2 451			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
	Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	(TBO Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1 2	Task 34-21-00-760		Failed								
Do Not	2 1	PS -855		501-1712-01		80008	5	0				
Write	3 2	Task 34-21-00-760		good								
In This	4											
Space	5											
	6											
	7											
	8											

- Type Transaction
- 1. Component Change
 - 2. Inspection Accomplished
 - 3. Service Bulletin Accomplished
 - 4. Airworthiness Directive Accomplished

} Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
- R - Repaired
- S - Serviceable
- O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Complied with Task 34-21-00-760	Failed
2	Replaced battery pack part # 501-1712-01	O.P.S. good
3	Complied with Task 34-21-00-760	O.P.S. good

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad McZing</i>	Certificate No. <i>A422192311</i>	Date <i>7-28-2010</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☐ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McZing</i>	Certificate No. <i>A422192311</i>	Date <i>9-28-2010</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A


☒ Airframe
Entries

☐ Eng. #1
Serial No.

This Maintenance Transaction Report is To Be Solely For (Check One)

☐ Eng. #2
Serial No.

☐ APU
Serial No.

☐ Freon
Serial No.

Aircraft Identification and Status

A/C Serial Number	A/C Unit No	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525A 0304	0304	N20A9	9/27/2010	A40	415.6	515	No. 1 415.6 No. 2 415.6	No. 1 4590 No. 2 451			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

	Transaction No. Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Instal- led Part Status	(TSO Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1 2	Document # 19	Cabin									
Do Not	2 2	Document # 19	Cockpit									
Write	3											
In This	4											
Space	5											
	6											
	7											
	8											

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments Below

Removal Reason

Enter One:

- W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
R - Repaired
S - Serviceable
O - Overhauled
- If Overhauled Part Enter
Overhaul Agents Name
Under Comments

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Complied with document #19 Cabin Portable Fire Extinguisher inspection task # 26-20-10-720 All O.P.S. good
2	Complied with document #19 Cockpit Portable Fire Extinguisher inspection task # 26-20-10-720 All O.P.S. good

Repair Facility

Certificated Repair
Station NumberWork
Order No.

Work Performed By

Certificate No. A422192311

Date 9-27-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☐ Federal Aviation Administration

☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By

Certificate No. A422192311

Date 9-27-2010

Signature

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log

Section Page

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log



MTR ID # 1652003 Replaces MTR ID # 1651681

Maintenance Transaction Record

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	27-Jun-2010	MCO	369.2	461	369.2	369.2	397	397			195

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
525B-34-11 34SB-11	1 3	GPS-4000S RECEIVER IMPROVEMENT SERVICE BULLETIN								
Comments: Complied with by sending customers GPS-4000S receiver out for upgrade. Reinstalled and ops checked good IAW SB instructions.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033410
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	27-Jun-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	DANIEL COLLINS	Certificate No.	CNQ8918C	Date	27-Jun-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
4	1

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries
 ☐ Eng. #1 Serial No.
 ☐ Eng. #2 Serial No.
 ☐ APU Serial No.
 ☐ Freon Serial No.

Aircraft Identification and Status											
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	N20AU	07/15/10	JAN	379.8	470	No. 1 379.8 No. 2 379.8	No. 1 406 No. 2 406			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished												
Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
1		Maintenance Note										
2	Do Not											
3	Write											
4	In This											
5	Space											
6												
7												
8												

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

} **Detail Method Of Compliance Under Comments Below**

Removal Reason
 Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status
 Enter One:

N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Troubleshoot Cabin door which would not open, disassembled cabin door, adjusted aft 2nd from top pin, adjusted door seal valve, relocated door seal heat seat hose closer to valve, pre-pressurized aircraft and ops checked door, operational checks are good, reassembled door coverings and insulation, Mark JAN CS25BMM 52-10-00

Orlando Citation Service Center
 Repair Station CNQ8918C
 4134 Bear Rd.

Repair Facility: Orlando, Florida 32827 Certified Repair Station Number: Work Order No. 6033749

Work Performed By: Certificate No. Date 7/15/10

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration

☐ Other (Specify)

and the aircraft identified above is presently airworthy and approved for return to service

Work Inspected By: *[Signature]* Certificate No. CNQ8918C Date 7/15/10

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log
 Section 3 Page 1
 Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CEScom
Maintenance Transaction Report CSNA-1023-A

This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries	☐ Eng. #1 Serial No.	☐ Eng. #2 Serial No.	☐ APU Serial No.	☐ Freon Serial No.
--	---	---	---	---

Aircraft Identification and Status													
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total AC Landings	Total Engine Hours		Total Engine Cycles		APU Hours	APU Events	Fresh Hours
525B0304	0304	N20AU	7/7/2010	AUO	374.6	466	No. 1 374.6	No. 2 374.6	No. 1 402	No. 2 402			

[illegible]

If Overhauled Part Enter
Overhaul Agents Name
Under Comments

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M. King</i>	Certificate No. <i>A422192311</i>	Date <i>7/7/2010</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☐ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. King</i>	Certificate No. <i>A422192311</i>	Date <i>7/7/2010</i>
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1651640

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	27-Jun-2010	MCO	369.2	461	369.2	369.2	397	397			195

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSN/TSO/TSR	Material Costs	Man Hours
324004	1 1	NOSE LANDING GEAR TIRE	NOSE LANDING GEAR	031-613-8 9914070-1		0005S00232	WO	N 0 MTH 0 HRS		

Comments: Removed part no: 031-613-8 Removed serial no: 8158W00808. Installed new tire, serviced, and leak checked good in accordance with the CE525B Maintenance Manual Chap 32-41-00. Nosewheel was balanced at this time. No NDT was required - this is 2nd tire change.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6033410
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	27-Jun-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and _____					
Work Inspected By	DANIEL COLLINS	Certificate No.	CNQ8918C	Date	27-Jun-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries
 ☐ Eng. #1 Serial No.
 ☐ Eng. #2 Serial No.
 ☐ APU Serial No.
 ☐ Freon Serial No.

Aircraft Identification and Status											
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0204	0304	20A4	6/9/2010	AUO	363.5	455	No. 1 363.5 No. 2 363.5	No. 1 391 No. 2 391			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished														
	Transaction No. Type		Item Name	Position		Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	(TBO Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1	1	Fuse Plug	Left		542-6		N/A	W	N				
Do Not	2	1	Fuse Plug	Left		542-6		N/A	W	N				
Write	3	1	Fuse Plug	Left		542-6		N/A	W	N				
In This	4	1	Gasket	Left		68-1463		N/A	W	N				
Space	5		Seal	Left		68-1482		N/A	W	N				
	6													
	7													
	8													

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

} **Detail Method Of Compliance Under Comments Below**

Removal Reason
 Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status

Enter One: N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No. This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	}	Replaced fuse plugs in left main tire and seal & gasket O.P.S. good
2		
3		
4		
5		

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad McJannet</i>	Certificate No. <i>A422192311</i>	Date <i>6-9-2010</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McJannet</i>	Certificate No. <i>A422192311</i>	Date <i>6-9-2010</i>
Signature		

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status											
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B-0304	0304	20AU	6/3/2010	AUO	359.4	447	No. 1 359.4 No. 2 359.4	No. 1 363 No. 2 382			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished											
	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part
	1	1	TIRE	Left	026-618-0		9134U00281	W	N		
Do Not	2	1	TIRE	Right	026-618-0		0064R00086	W	N		
Write	3	1	FUSE PLUG	Right	542-6		N/A	W	N		
In This	4	1	Seal	Right	68-1482		N/A	W	N		
Space	5	1	Seal	Left	68-1482		N/A	W	N		
	6	1	Bond ASSY		6519583-2		241488	W	N		
	7	1	Step Mat		6519692-6		N/A	W	N		
	8										

Type Transaction
 1. Component Change
 2. Inspection Accomplished
 3. Service Bulletin Accomplished
 4. Airworthiness Directive Accomplished

} **Detail Method Of Compliance Under Comments Below**

Removal Reason
 Enter One:

W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

Installed Part Status

Enter One: N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.										
1	Replaced left tire										
2	Replaced right tire										
3	Replaced fuse plug right tire										
4	Replaced seal right tire										
5	Replaced seal left tire										
6	Replaced lower step Assy										
7	Replaced step mat										

O.P.S. Good

Repair Facility _____ Certified Repair Station Number _____ Work Order No. _____

Work Performed By Shad M. Long Certificate No. A422192311 Date 6-3-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the:

☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.

Work Inspected By Shad M. Long Signature _____ Certificate No. A422192311 Date 6-3-2010

CESCOM
 Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Record

MTR ID # 1636479

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total	Engine 2 Total	Engine 1 Ttl Cycles	Engine 2 Ttl	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	17-May-2010	MCO	355.2	441	355.2	355.2	377	377			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status TSO	Material Costs	Man Hours
801101 801101 : L	1 1	LEFT STARTER GENERATOR	LEFT	300SGL129Q		2456XL2	UN	O 0 HRS		
Comments: Removed part no: 300SGL129Q. Removed serial no: 8353XL2. Removed and replaced the left engine starter/gen due to brush wear. Installed a starter/gen that was overhauled by Aircraft Parts Corporation of Wichita, KS. CRS# MB1D316K. Operational checks good. Work IAW Cessna 525B MM Ch. 80-10-00.										
1636479	2 1	LOGO LIGHTS		TIL100-02				N 0 MTH 0 HRS		
Comments: Installed two tail logo light assemblies. PN: TIL100-02, SN: 207000278 was installed on the left and PN: TIL100-02, SN: 207000262 was installed on the right. Work IAW Cessna 525B MM Ch. 33-40-00. Operational checks good. The Flight manual weight and balance has been updated. Aircraft was factory ready for install.										

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CRS# CNQ8918C	Work Order No.	6033237
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	17-May-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	KURT W. DIESING	Certificate No.	CNQ8918C	Date	17-May-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1623732

Page 1 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total	Engine 2 Total	Engine 1 TII Cycles	Engine 2 TII	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	18-Mar-2010	MCO	296.7	383	296.7	296.7	319	319			162

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No	Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
5-12-01 051201	1	2	INSPECTION DOCUMENT 1 (INTERVAL 1A)									
Comments: Complied with IAW CE 525B MM 05-12-01. Operational checks good.												
5-12-05 051205	2	2	INSPECTION DOCUMENT 5 (INTERVAL 1C)									
Comments: Complied with IAW CE 525B MM 05-12-05. No defects noted.												
5-12-11 051211	3	2	INSPECTION DOCUMENT 11 (INTERVAL 1A/1C)									
Comments: Complied with IAW CE 525B MM 05-12-11. Operational checks good.												
5-12-17 051217	4	2	INSPECTION DOCUMENT 17 (INTERVAL CFR 91.207)									
Comments: Complied with IAW CE 525B MM 05-12-17. ELT battery due: DEC 2013. Operational checks good.												
B262002 051219 : CABIN	5	2	WEIGHT CHECK CABIN PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	CABIN	C352TS		X625949					
Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.95 lbs. Date of MFR: 2008.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6032539
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	18-Mar-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	18-Mar-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance	
Section	Page
3	1



Maintenance Transaction Record

MTR ID # 1623732

Page 2 of 4

This Maintenance Report is To Be Used Solely For (Check One)

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791


☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total	Engine 2 Total	Engine 1 TI Cycles	Engine 2 TI	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	18-Mar-2010	MCO	296.7	383	296.7	296.7	319	319			162


Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
B262002 051219 : CKPT	6 2	WEIGHT CHECK COCKPIT PORTABLE FIRE EXTINGUISHER : INSPECTION DOCUMENT 19	COCKPIT	C352TS		X626086					
Comments: Complied with IAW CE 525B MM 05-12-19. Weight checks good. Weight: 4.95 lbs. Date of MFR: 2008.											
5-12-23 051223	7 2	INSPECTION DOCUMENT 23 (INTERVAL 1A/2C)									
Comments: Complied with IAW CE 525B MM 05-12-23. Operational checks good.											
5-12-38 051238	8 2	INSPECTION DOCUMENT 38									
Comments: Complied with IAW CE 525B MM 05-12-38. Operational checks good.											
215009	9 1	CONDENSER BLOWER MOTOR		1250435-10		446	UN	N	O M O H		
Comments: Removed part no: 1250435-5 Removed serial no: 287. Installed new blower IAW CE 525B MM 21-50-00. Operational checks good.											
256006	10 1	NO. 1 LIFE JACKET	NO. 1	PO1074-207		570003	N	N	O M O H		
Comments: Installed new Life Vest IAW CE 525B MM 25-61-00. MFG Jan 2010. Due recert Jan 2020.											
256006	11 1	NO. 2 LIFE JACKET	NO. 2	PO1074-207		10010980013	N	N	O M O H		
Comments: Installed new Life Vest IAW CE 525B MM 25-61-00. MFG Jan 2010. Due recert Jan 2020.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CD - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6032539
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	18-Mar-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING 	Certificate No.	CNQ8918C	Date	18-Mar-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance	
Section	Page
3	2



Maintenance Transaction Record

MTR ID # 1623732

Page 3 of 4

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total	Engine 2 Total	Engine 1 TII Cycles	Engine 2 TII	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	18-Mar-2010	MCO	296.7	383	296.7	296.7	319	319			162


Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
1623732	12 2	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 307315 in position 3 is due Jan 2019.									
1623732	13 2	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 281210 in position 4 is due Nov 2018.									
1623732	14 2	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 281366 in position 5 is due Nov 2018.									
1623732	15 -	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 281300 in position 6 is due Nov 2018.									
1623732	16 -	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 281194 in position 7 is due Nov 2018.									
1623732017	17 2	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 28367 in position 8 is due Nov 2018.									
1623732018	18 -	RECERT DUE DATE									
		Comments: Recertification of Life Vest S/N 281198 in position T is due Nov 2018.									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, Q - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6032539
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	18-Mar-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING 	Certificate No.	CNQ8918C	Date	18-Mar-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance	
Section	Page
3	3



Maintenance Transaction Record

MTR ID # 1623732

Page 4 of 4

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2257/ Fax: 316-462-0791



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total	Engine 2 Total	Engine 1 Ttl Cycles	Engine 2 Ttl	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	18-Mar-2010	MCO	296.7	383	296.7	296.7	319	319			162


Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction		Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
	No	Type										
1623732019	19	-	RECERT DUE DATE									
Comments: Recertification of Life Vest S/N 281312 in position 10 is due Nov 2018.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WD - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6032539
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	18-Mar-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING 	Certificate No.	CNQ8918C	Date	18-Mar-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance	
Section	Page
3	4



Maintenance Transaction Record

MTR ID # 1623745

Page 1 of 1

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____

CAMP Systems International
8200 E. 34TH STREET
BUILDING 1600, SUITE 1607
Wichita, KS 67226
Phone: 316-462-2267/ Fax: 316-462-0791

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total	Engine 2 Total	Engine 1 TII Cycles	Engine 2 TII	APU Hrs	APU Events	Freon Hrs
525B-0304	0304	N20AU	18-Mar-2010	MCO	296.7	383	296.7	296.7	319	319			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No Type	Item Name	Position	Part Number / Alternate Part	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
525B-32-09 32SB-09	1 3	BRAKE METERING VALVE CABLE INSPECTION SERVICE BULLETIN									
Comments: Complied with by installing a rivet in the brake metering valve cable clevis IAW the Service Bulletin instructions.											
SL525B-53-06 53SL-06	2 3	INTERCOSTAL DRAINAGE PATH INSPECTION SERVICE LETTER									
Comments: Complied with by removing a tooling rivet from the cabin door hinge shelf IAW the Service Letter instructions.											
SL525B-54-01 R2 54SL-01; 525B2	3 3	PYLON INSPECTION SERVICE LETTER									
Comments: Complied with visual inspection of pylons, no defects noted IAW SL instructions.											
SL525B-32-09 32SL-09	4 3	EMERGENCY GEAR RELEASE INSPECTION SERVICE LETTER									
Comments: Complied with by checking rigging of emergency gear release system. Rerigged system IAW SL instructions, Ops checks good.											


Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc.

Removal Reasons: WO - Worn to Limits, SC - Scheduled, UN - Unscheduled, CO - Convenience, N - Other (note in comments)

Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	ORLANDO CITATION SERVICE CENTER	Certified Repair Station Number	CNQ8918C	Work Order No.	6032539
Work Performed By	ORLANDO CITATION SERVICE CENTER	Certificate No.	CNQ8918C	Date	18-Mar-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
THE AIRCRAFT IDENTIFIED ABOVE IS PRESENTLY APPROVED FOR RETURN TO SERVICE.					
Work Inspected By	MITCHELL SPRING <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	18-Mar-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance	
Section	Page
4	1



CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

Alframe Entries

Eng. #1
Serial No.

Eng. #2
Serial No.

APU	
Serial No.	

Freon
Serial No

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B0304	0304	N20AC	2/16/2010	AUG	272.8	359	No. 1 272.8 No. 2 272.8	No. 1 359 No. 2 359			

[illegible]

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

**Detail Method Of Compliance
Under Comments Below**

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status


Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Entered
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By: <i>Shad McIny</i>	Certificate No. <i>A42192311</i>	Date <i>2-16-2010</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service		
Work Inspected By: <i>Shad McIny</i>	Certificate No. <i>A42192311</i>	Date <i>2-16-2010</i>
Signature		



Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

CESSNA/CITATION

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

CESSCOM

Maintenance Transaction Record

MTR ID: 889556
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)
☒ Airframe Entries ☐ Eng. #1 Serial No. _____ ☐ Eng. #2 Serial No. _____ ☐ APU Serial No. _____ ☐ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jan-25-2010	ICT	249.8	330	249.8	249.8	330	330			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
324005	1	1	MLG-BRAKE ASSY	L	2-1695 / 9912617-2		0055	U	O			
Comments: Removed and replaced L/H Main Landing Gear Brake S/N 0747 for being stiff with OVERHAULED Brake IAW 525B M/M chapter 32-42-00. Operational and leak checked good. Brake overhauled by Goodrich Aircraft Wheels and Brakes CRS# B9DR216N.												
324005	2	1	MLG-BRAKE ASSY	R	2-1695 / 9912617-2		0288	U	O			
Comments: Removed and replaced R/H Main Landing Gear Brake S/N 0763 for being stiff with OVERHAULED Brake IAW 525B M/M chapter 32-42-00. Operational and leak checked good. Brake overhauled by Goodrich Aircraft Wheels and Brakes CRS# B9DR216N.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility <u>Wichita Citation Service Center</u>	Certified Repair Station Number <u>CNQR918C</u>	Work Order No. <u>2-74322</u>
Work Performed By <u>Wichita Citation Service Center</u>	Certificate No. <u>CNQR918C</u>	Date <u>Jan-25-2010</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by <u>Joseph Armstrong</u>	Certificate No. <u>CNQR918C</u>	Date <u>Jan-25-2010</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



CESSNA CITATION

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

CESCOM

Maintenance Transaction Record

MTR ID: 889409
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)
☒ Airframe Entries ☐ Eng. #1 Serial No. _____ ☐ Eng. #2 Serial No. _____ ☐ APU Serial No. _____ ☐ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jan-24-2010	ICT	247	300	247	247	300	300			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
89409001	1	-	Maintenance Note									

Comments: Accomplished Repin of Wire PC303 of Pin J of Pilots Yoke Pitch trim Disable Switch Wiring and Ops Check Good I.A.W. CE-525B M/M 27-40-01 and 27-30-00.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility WICHITA CITATION SERVICE CENTER	Certified Repair Station Number CNQR918C	Work Order No. 274322
Work Performed By Wichita Citation Service Center	Certificate No. CRS# CNQR918C	Date Jan-24-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service For the work Performed.		
Work Inspected by Dennis Weiland	Certificate No. CNQR918C	Date Jan-24-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	

CSNA-1023-W-R-2003-11-07



CESSNA/citation**CESCOM****Maintenance Transaction Record**

MTR ID: 888230

Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____☐ Freon
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TI Cycles	Engine 2 TI Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jan-21-2010	MCO	239.9	259	239.9	239.9	259	259			145

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
88230001	1 2	MAIN BATT 150HR CAPACITY CK				10001411					

Comments: Complied with IAW Cessna 525B Maintenance Manual TASK 24-32-00-720.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Orlando Citation Service Center	Certified Repair Station Number CNQ8918C	Work Order No. 6031938
Work Performed By Orlando Citation Service Center	Certificate No. CNQ8918C	Date Jan-21-2010
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by Daniel A. Ciaponi	Certificate No. CNQ8918C	Date Jan-21-2010
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record

MTR ID: 885841

Page 1 of 2



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7708
Wichita, KS 67277
Phone: 316-517-8291 / Fax: 316-517-8500

This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

☐ Freon
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jan-19-2010	MCO	239.3	259	239.3	239.3	259	259			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
345068	1	1	RADIO-AUDIO CONTROL PANEL	2	822-1861-015 / ACP-4110		2RJ7Y	U	N			
Comments: Removed Part No: 822-1861-015 Removed Serial No: 34XFW. Installed new Audio Control Panel IAW CE 23-50-00. Operational checks good.												
324103	2	1	BOX-DIG ANTISKID CNTRL		142-103 / 9912621-1		219	U	R			
Comments: Removed Part No: 142-103 Removed Serial No: 014. Installed antiskid Control Box Repaired by Hydro-Aire, Inc. CRS# QD3R785L IAW CE 525B MM 32-42-00. Operational checks good.												
321010	3	1	ANTISKID CONTROL VALVE		39-913 / 9912621-3		225	U	O			
Comments: Removed Part No: 39-913 Removed Serial No: 160. Installed Control Valve overhauled by Hydro-Aire, Inc. CRS# QD3R785L IAW CE 525B MM 32-42-00. Operational checks good.												
324102	4	1	TRANSDUCER-ANTISKID	L	40-955 / 9912305-2		6050	U	O	0		
Comments: Removed Part No: 40-955 Removed Serial No: 9117. Installed Anti-skid transducer overhauled by Hydro-Aire, Inc. CRS# QD3R785L IAW CE 525B MM 32-42-00. Operational checks good.												
324102	5	1	TRANSDUCER-ANTISKID	R	40-955 / 9912305-2		868	U	O	0		
Comments: Removed Part No: 40-955 Removed Serial No: 9112. Installed Anti-skid transducer overhauled by Hydro-Aire, Inc. CRS# QD3R785L IAW CE 525B MM 32-42-00. Operational checks good.												
85841006	6	1	WHEEL HALF-OUTBD	RH	11-128		1791P	U	N			
Comments: Removed PN: 11-128; SN:2220 due to being out of round. Installed new wheel half IAW CE 525B MM 32-41-00 and BFG CMM 32-45-51. Operational and leak checks good.												
324003	7	1	MLG-TIRE	L	026-618-0 / 9912622-1		9146U00127	W	N			
Comments: Removed Part No: 026-618-0 Removed Serial No: 8043U00561. Installed new tire IAW CE 525B MM 32-41-00 and BFG CMM 32-45-51. Leak checks good. Dye Penetrant inspection on wheel assy. Serial No 2247 complied with by Power/Aviation, Inc. Orlando, FL CRS#ZLZR567L. No cracks noted.												
324003	8	1	MLG-TIRE	R	026-618-0 / 9912622-1		9133U00313	U	N			
Comments: Removed Part No: 026-618-0 Removed Serial No: 9138U00028. Installed new tire IAW CE 525B MM 32-41-00 and BFG CMM 32-45-51. Leak checks good. Dye Penetrant inspection on wheel outboard half Serial No 2220 complied with by Power/Aviation, Inc. Orlando, FL CRS#ZLZR567L. No cracks noted.												
85841009	9	1	WIRE HARNESS	RH	6318206-10		NSN	U	N			
Comments: Removed PN: 6318206-10; SN: 9439. Installed new wire harness IAW CE 525B MM 32-42-00. Operational and clearance checks good.												
85841010	10	1	WIRE HARNESS	LH	6318206-10		NSN	U	N			
Comments: Removed PN: 6318206-10; SN: 9442. Installed new wire harness IAW CE 525B MM 32-42-00. Operational and clearance checks good.												

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair

Facility ORLANDO CITATION SERVICE CENTER

Certified Repair

Station Number CNQ8918C

Work

Order No. 6031398

Work Performed By Orlando Citation Service Center

Certificate No. CNQ8918C

Date Jan-19-2010

I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the

☒ Federal Aviation Administration ☐ Other (Specify) _____ and
the aircraft identified above is presently approved for return to service

Work Inspected by Daniel Collins

Certificate No. CNQ8918C

Date Jan-19-2010

Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.

Maintenance Log

Section	Page
3	1

CSNA-1023-W-R-2003-11-07



CESSNA/CITATION**Maintenance Transaction Record**MTR ID: 885841
Page 2 of 2Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____☐ Freon
Serial No. _____

This Maintenance Report is To Be Used Solely For (Check One)

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jan-19-2010	MCO	239.3	259	239.3	239.3	259	259			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
221003	11 1	SERVO-ELEVATOR	E	822-1168-001 / SVO-3000		2K63M	U	O			
Comments: Removed Part No: 822-1168-001 Removed Serial No: 1387M. Installed unit Overhauled by Rockwell Collins, CRS# NZ2R049L, Wichita, KS. Operational checked good. All work done IAW the CE525B MM Chap 22-10-00.											
245015	12 1	PCB-GEAR MONITOR		6318397-21		0508	U	N			
Comments: Removed Part No: 6318397-21 Removed Serial No: 0431. Installed new unit and operational checked good IAW the CE525B MM Chap 32-00-00.											
245010	13 1	PCB-GEAR LOGIC 1		6318398-6		0351	U	N			
Comments: Removed Part No: 6318398-6 Removed Serial No: 0371. Installed new unit and operational checked good IAW the CE525B MM Chap 32-00-00.											
245014	14 1	PCB-GEAR LOGIC 2		6318399-11		0429	U	N			
Comments: Removed Part No: 6318399-11 Removed Serial No: 0359. Installed new unit and operational checked good IAW the CE525B MM Chap 32-00-00.											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility <u>ORLANDO CITATION SERVICE CENTER</u>	Certified Repair Station Number <u>CNQ8918C</u>	Work Order No. <u>6031398</u>
Work Performed By <u>Orlando Citation Service Center</u>	Certificate No. <u>CNQ8918C</u>	Date <u>Jan-19-2010</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by <u>Daniel Collins</u>	Certificate No. <u>CNQ8918C</u>	Date <u>Jan-19-2010</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	2

CSNA-1023-W-R-2003-11-07



Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries	☐ Eng. #1 Serial No.	☐ Eng. #2 Serial No.	☐ APU Serial No.	☐ Freon Serial No.
--	---	---	---	---

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B0304	0304	N20AU	11/30/09	A40	178.4	200	No 1 178.4 No 2 178.4	No 1 200 No 2 200			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No. Type	Item Name	Position		Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Instal- ed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
	1 i	Tire 16x4.4	Nose		031-613-8		8158W00808	W	N				
Do Not	2												
Write	3												
In This	4												
Space	5												
	6												
	7												
	8												

- Type Transaction
- 1. Component Change
 - 2. Inspection Accomplished
 - 3. Service Bulletin Accomplished
 - 4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason Enter One:

- W - Worn to Limits
- S - Scheduled
- U - Unscheduled
- C - Convenience
- N - Other (Note Below)

Installed Part Status

Enter One:

- N - New
- R - Repaired
- S - Serviceable
- O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.
1	Replaced nose tire part # 031-613-8 O.P.S. good 5130 in folder

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad McHenry</i>	Certificate No. <i>A422192311</i>	Date <i>11-30-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad McHenry</i>	Certificate No. <i>A422192311</i>	Date <i>11-30-09</i>
Signature		

CESCOM

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Citation Product Support

The Cessna Aircraft Company

Post Office Box 7706 / Wichita, Kansas 67277

Telefax: 316-517-8500 / Phone: 316-517-6291



Maintenance Transaction Report

This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe
Entries

☐ Eng. # 1
Serial No.
☐ Eng. #2
Serial No.
☐ APU
Serial No. 

Aircraft Identification and Status

A/C Serial No. 525B-0304	A/C Unit No. 0304	A/C Registration N20AU	Date (Mo.-Day-Yr.) 10/26/2009	City Identifier BTR	Total A/C Hours 163.1	Total A/C Landings 183	Total Engine Hours #1 163.1 #2 163.1	Total Engine Cycles #1 183 #2 183	APU Hours	APU Events
-----------------------------	----------------------	---------------------------	----------------------------------	------------------------	--------------------------	---------------------------	---	--------------------------------------	-----------	------------

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
	1	1	VALVE		39-913		160	U	R				
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below

W - Worn To Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (note below)

Enter One

Installed Part Status
N - New
R - Repaired
S - Serviceable
O - Overhauled

Ref No

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1 Removed failed serial number 435 part number 39-913 and replaced antiskid control valve in accordance with chapter 32-42-00 of cessna 525B M/M. System operational check good in accordance with chapter 32-42-00.

2

3

4

5

6

7

8

Orlando Citation Service Center
4134 Bear Road
Orlando, Florida 32827

Work Order No.

6031209

Maintenance
Log
Section

3

Maintenance
Log
Page

1

Work Performed By:

Timothy E. Jones Jr

Certificate No.

CNQ8918C

Date 10/26/09

Scheduled Removal Due (TAT)

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Permanent Aircraft Record - File In
Maintenance Log

Work Inspected By:

Certificate No.

CNQ8918C

Date 10/26/2009

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

cescom

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries
 ☐ Eng. #1 Serial No.
 ☐ Eng. #2 Serial No.
 ☐ APU Serial No.
 ☐ Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles		APU Hours	APU Events	Freon Hours
525B0304	0304	N20AU	9/22/09	AUO	125.4	133	125.4	No. 1 125.4	No. 2 125.4	No. 1 133	No. 2 133	

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No. Type	Item Name	Position		Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Install- ed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
	1	2 Document # 19	CKPT										
Do Not	2	2 Document # 19	Cabin										
Write	3												
In This	4												
Space	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

} Detail Method Of Compliance
Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.
1	Complied with document #19 cockpit PORTABLE FIRE EXTINGUISHER inspection Task # 26-20-10-720 All ops good
2	Complied with document #19 Cabin Portable fire extinguisher inspection Task # 26-20-10-720 All ops good

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M. Zung</i>	Certificate No. <i>A42192311</i>	Date <i>9-22-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. Zung</i>	Certificate No. <i>A42192311</i>	Date <i>9-22-09</i>

cescom
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log

Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706 / Wichita, Kansas 67277
Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B0304	0304	N2074U	9-22-09	A00	125.4	133	125.4	133			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished													
	Transaction No. Type	Item Name	Position		Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
	1 2	document # 38											
Do Not	2												
Write	3												
In This	4												
Space	5												
	6												
	7												
	8												

Type Transaction
1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

Removal Reason
Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One: N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

Ref. No.	This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.
1	Complied with document # 38 TASK # 34-21-00-730 Standby Gyro Battery Pack All ops good.

Repair Facility	Certified Repair Station Number	Work Order No.
Work Performed By <i>Shad M. Luning</i>	Certificate No. A422192311	Date 9-22-09
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration		
☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M. Luning</i>	Certificate No. A422192311	Date 9-22-09
Signature		

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

CESCOM

Maintenance Transaction Report

CSNA-1023-A



This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. ☐ Eng. #2 Serial No. ☐ APU Serial No. ☐ Freon Serial No.

Aircraft Identification and Status												
A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours		Total Engine Cycles	APU Hours	APU Events	Fuelon Hours
							No. 1	No. 2	No. 1	No. 2		
52560304	0304	N20AU	9/17/09	AUO	118.9	127	118.9	118.9	127	127		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

[illegible]

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

**Detail Method Of Compliance
Under Comments Below**

Removal Reason

Enter One:

W - Worn to Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (Note Below)

Installed Part Status

Enter One:

N - New
R - Repaired
S - Serviceable
O - Overhauled

If Overhauled Part Enter
Overhaul Agents Name
Under Comments.

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

[illegible]

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M'Young</i>	Certificate No. <i>A422192311</i>	Date <i>9-17-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M'Young</i> Signature	Certificate No. <i>A422192311</i>	Date <i>9-17-09</i>

CESCOM
Citation Product Support
The Cessna Aircraft Company
Post Office Box 7706
Wichita, Kansas 67277

Maintenance Log	
Section	Page
Scheduled Removal Due (TAT)	

Permanent Aircraft Record-File In Maintenance Log



Maintenance Transaction Report



Citation Product Support

The Cessna Aircraft Company

Post Office Box 7706 / Wichita, Kansas 67277

Telefax: 316-517-8500 / Phone: 316-517-6291

This Maintenance Transaction Report Is To Be Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No.

☐ Eng. #2
Serial No.

☐ APU
Serial No.

Aircraft Identification and Status

A/C Serial No.	A/C Unit No.	A/C Registration	Date (Mo.-Day-Yr.)	City Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events
525B-0304	0304	N20AU	9/17/2009	KAUO	118.9	127	#1 118.9 #2 118.9	#1 127 #2 127		

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Cescom Item Code	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO (Enter # Change Desired)	TSO Installed Part	Material Costs	Man Hours
324103	1	1	Anti-skid Control Unit Assy		142-103		014	U	O				
	2												
	3												
	4												
	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance
Under Comments Below

W - Worn To Limits
S - Scheduled
U - Unscheduled
C - Convenience
N - Other (note below)

Enter One

Installed Part Status
N - New
R - Repaired
S - Serviceable
O - Overhauled

This Space For Other Maintenance Comments Including, Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	Removed Anti Skid Control Unit P/N 142-103 S/N 425A and installed unit overhauled by Hydro-Aire CRS# QD3R785L p/n 142-103 s/n 014 in ref to CE525Bm/m ch 32-42-00 (Rev 10). Closed access as required. All final ops/ taxi checks satisfied.
2	
3	
4	
5	
6	
7	
8	

Orlando Citation Service Center
4134 Bear Road
Orlando, Florida 32827

Work Order No.

6030902

Maintenance
Log
Section

3

Maintenance
Log
Page

1

Work Performed By:

Sean Schroeder

Certificate No.

CRS# CNQ8918C

Date 09/17/09

Scheduled Removal Due (TAT)

I certify that the above stated maintenance and/or inspections was performed in accordance with the current regulations of the Federal Aviation Administration and the aircraft identified above is presently approved for return to service

Work Inspected By:

Certificate No.

CRS# CNQ8918C

Date 9/17/2009

Permanent Aircraft Record - File In
Maintenance Log



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500



Maintenance Transaction Record

MTR ID: 803688
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

☐ Freon
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Aug-20-2009	MCO	110.4	120	110.4	110.4	120	120			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
73SL-02	1	3	TRANS OF WILL SB FJ44-73-030R1	525B	SL525B-73-02							

Comments: Complied with SBFJ44-73-030 FADEC Update by loading all applicable software and re-identifying FADEC as required IAW Service Bulletin instructions. High powered runs check good.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility <u>Orlando Citation Service Center</u>	Certified Repair Station Number <u>CNQ8918C</u>	Work Order No. <u>6030696</u>
Work Performed By <u>ORLANDO CITATION SERVICE CENTER</u>	Certificate No. <u>CNQ8918C</u>	Date <u>Aug-20-2009</u>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and		
the aircraft identified above is presently approved for return to service		
Work Inspected by <u>Lynda Tjarks</u>	Certificate No. <u>CNQ8918C</u>	Date <u>Aug-20-2009</u>
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
4	1

CSNA-1023-W-R-2003-11-07



Citation Product Support
The Cessna Aircraft Company
 Post Office Box 7706 / Wichita, Kansas 67277
 Telefax: 316-517-8500 / Phone: 316-517-6291

CESCOM

Maintenance Transaction Report

CSNA-1023-A


☒ Airframe
 Entries

☐ Eng. #1
 Serial No.

☐ Eng. #2
 Serial No.

☐ APU
 Serial No.

☐ Freon
 Serial No.

This Maintenance Transaction Report Is To Be Solely For (Check One)

Aircraft Identification and Status

A/C Serial Number	A/C Unit No.	A/C Registration No.	Date (Mo.-Day-Yr.)	Cty Identifier	Total A/C Hours	Total A/C Landings	Total Engine Hours	Total Engine Cycles	APU Hours	APU Events	Freon Hours
525B0304	0304	N20AU	7/22/09	Auo	98.7	101	No. 1 98.7 No. 2 98.7	No. 1 101 No. 2 101			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

	Transaction No.	Type	Item Name	Position	Installed Vendor Part Number	Mod Level	Installed Serial Number	Removal Reason	Installed Part Status	TBO Enter # Change Desired	TSO Installed Part	Material Costs	Man Hours
	1	2	main battery (Ni-cad)										
Do Not	2												
Write	3												
In This	4												
Space	5												
	6												
	7												
	8												

Type Transaction

1. Component Change
2. Inspection Accomplished
3. Service Bulletin Accomplished
4. Airworthiness Directive Accomplished

Detail Method Of Compliance Under Comments Below

 Removal Reason
 Enter One:

 W - Worn to Limits
 S - Scheduled
 U - Unscheduled
 C - Convenience
 N - Other (Note Below)

 Installed Part Status
 Enter One:

 N - New
 R - Repaired
 S - Serviceable
 O - Overhauled

If Overhauled Part Enter Overhaul Agents Name Under Comments.

This Space For Other Maintenance Comments Including Test Or Calibration Dates, Removed Serial Numbers, Etc.

1	C/W Task 24-32-00-720	No corrosion or cracks battery capacity check OK request to move battery time to 150 hr. inspection time on cescom

Repair Facility	Certificated Repair Station Number	Work Order No.
Work Performed By <i>Shad M'Zung</i>	Certificate No. <i>A422192311</i>	Date <i>7-22-09</i>
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☐ Federal Aviation Administration ☒ Other (Specify) _____ and the aircraft identified above is presently airworthy and approved for return to service.		
Work Inspected By <i>Shad M'Zung</i>	Certificate No. <i>A422192311</i>	Date <i>7-22-09</i>
Signature		

CESCOM

Citation Product Support
 The Cessna Aircraft Company
 Post Office Box 7706
 Wichita, Kansas 67277

Maintenance Log

Section	Page
---------	------

Scheduled Removal Due (TAT)

Permanent Aircraft Record-File In Maintenance Log

CESSNA/CITATION

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

CESCOM**Maintenance Transaction Record**

MTR ID: 761678

Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe Entries ☐ Eng. #1 Serial No. _____ ☐ Eng. #2 Serial No. _____ ☐ APU Serial No. _____ ☐ Freon Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jun-02-2009	MCO	60.8	65	60.8	60.8	65	65			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSD Installed Part	Material Costs	Man Hours
221003	1	1	SERVO-ELEVATOR	E	822-1168-001 / SVO-3000		1387M		U	O		

Comments: Removed Part No: 822-1168-001 Removed Serial No: 39DBG. Installed unit overhauled by Rockwell Collins, Wichita, Ks. CRS# NZ2R049L, IAW 525B M.M. ch. 21-10-00. Operational check good.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility Orlando Citation Service Center	Certified Repair Station Number CNQ8918C	Work Order No. 6030138
Work Performed By Orlando Citation Service Center	Certificate No. CNQ8918C	Date Jun-02-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Gary Ducharme <i>Gary Ducharme</i>	Certificate No. CNQ8918C	Date Jun-02-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



Cessna Citation

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

CESCOM**Maintenance Transaction Record**

MTR ID: 760959
Page 1 of 1



This Maintenance Report is To Be Used Solely For (Check One)

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____☐ Freon
Serial No. _____

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Td Cycles	Engine 2 Td Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Jun-01-2009	MCO	60.4	63	60.4	60.4	63	63			36

Transaction	Item	No.	Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
	60959001	1	1	Headset		301317-000		NSN		N			

Comments: Removed and replaced Co-pilots Telex headset.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, -- Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility	Orlando Citation Service Center	Certified Repair Station Number	CNQ8918C	Work Order No.	6030138
Work Performed By	Orlando Citation Service Center	Certificate No.	CNQ8918C	Date	Jun-01-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the					
☒ Federal Aviation Administration ☐ Other (Specify) _____ and					
the aircraft identified above is presently approved for return to service					
Work Inspected by	Mitchell Spring <i>Mitchell Spring</i>	Certificate No.	CNQ8918C	Date	Jun-01-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.					

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07





Maintenance Transaction Record

MTR ID: 686698

Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

☒ Airframe
Entries☐ Eng. #1
Serial No. _____☐ Eng. #2
Serial No. _____☐ APU
Serial No. _____☐ Freon
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 TII Cycles	Engine 2 TII Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Mar-05-2009	ICT	8.7	5	8.7	8.7	5	5			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
63976001	1 - Certification										

Comments: LH Engine #141633 RH Engine #141632

Per 14 CFR Part 21, this aircraft has been inspected and found to be in compliance with airworthiness standards, requirements and all mandatory changes.

At the time of issuance of certificate, Transponder #1, S/N 393JR, and #2, S/N 393BP meet the requirements of 14CFR Part 91.413 and the Static Pressure System. Incorporating the Air Data Sensor, P/N 822-1109-014, #1 S/N 3966C, #2 S/N 3966D the Standby Air Data, S/N 2559 have been inspected and tested to the Aircraft's maximum certified altitude of 45,000 feet and found to meet the requirements of 14CFR Part 91.217 and 91.411 and are considered in service as of the Original certificate of airworthiness.

This aircraft meets RVSM requirements and RVSM Flight Manual Supplement number eight (8) has been incorporated into the Aircraft Flight Manual.

Per 14 CFR Part 91.409 all life vests are in service as of the airworthiness date.

A Standard Airworthiness Certificate has been issued on 03/05/09.

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Warn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By Cessna Aircraft Company	Certificate No. PC-4	Date Mar-05-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the		
☒ Federal Aviation Administration ☐ Other (Specify) _____ and		
Work Inspected by Ralph Cabrera <i>Ralph Cabrera</i>	Certificate No. PC-4	Date Mar-05-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	1

CSNA-1023-W-R-2003-11-07



CESSNA CITATION

CESCOM

Maintenance Transaction Record

MTR ID: 686700

Page 1 of 1



Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

☐ Freon
Serial No. _____

Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Till Cycles	Engine 2 Till Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Mar-05-2009	ICT	8.7	5	8.7	8.7	5	5			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
64046001	1 -	Paint									
Comments: Overall paint: CM0840102 Snow White stripe: P1230 Dark Blue Metallic stripe: P2352 Mandarin Orange											

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other (note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By Cessna Aircraft Company	Certificate No. PC-4	Date Mar-05-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Ralph Cabrera <i>Ralph Cabrera</i>	Certificate No. PC-4	Date Mar-05-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
3	2

CSNA-1023-W-R-2003-11-07



Maintenance Transaction Record

MTR ID: 686699

Page 1 of 1

Citation Customer Service
The Cessna Aircraft Company
Post Office Box 7706
Wichita, KS 67277
Phone: 316-517-6291 / Fax: 316-517-8500

☒ Airframe
Entries

☐ Eng. #1
Serial No. _____

☐ Eng. #2
Serial No. _____

☐ APU
Serial No. _____

☐ Freon
Serial No. _____



Aircraft Identification and Status

A/C Serial #	A/C Unit #	A/C Registration #	Date	City ID	Total A/C Hours	Total A/C Landings	Engine 1 Total Hrs	Engine 2 Total Hrs	Engine 1 Ttl Cycles	Engine 2 Ttl Cycles	APU Hrs	APU Events	Freon Hrs
525B0304	0304	N20AU	Mar-05-2009	ICT	8.7	5	8.7	8.7	5	5			

Component Changes, Inspections, Service Bulletins, or Airworthiness Directives Accomplished

Item	Transaction No. Type	Item Name	Position	Part Number / Alternate Part Number	Mod Level	Part Serial	Removal Reason	Installed Part Status	TSO Installed Part	Material Costs	Man Hours
26AD-01	1 4	INCORRECT WIRES ENG FIRE BTL	525B	AD2005-17-11							
		Comments: AD2005-17-11: Installation of ID sleeves on Engine Fire Bottles, does not apply due to aircraft serial number.									
24AD-01	2 4	INCORP ELEC RELAY CRCUT KIT	525B	AD2007-23-16							
		Comments: AD2007-23-16:Electrical circuit power protection, does not apply due to aircraft serial number.									
53AD-01	3 4	FUSELAGE-RELIEF TUBE CORROSION	525B	AD2008-03-10							
		Comments: AD2008-03-10: Fuselage lower skin inspect, does not apply due to aircraft serial number.									

Trans. Type: 1 - Component, 2 - Inspection, 3 - SB, 4 - AD, - - Misc. Removal Reasons: W - Worn to Limits, S - Scheduled, U - Unscheduled, C - Convenience, N - Other(note in comments) Installed Part Status: N - New, R - Repaired/Rebuilt, S - Serviceable, O - Overhauled

Repair Facility _____	Certified Repair Station Number _____	Work Order No. _____
Work Performed By Cessna Aircraft Company	Certificate No. PC-4	Date Mar-05-2009
I certify that the above stated maintenance and/or inspection was performed in accordance with the current regulations of the ☒ Federal Aviation Administration ☐ Other (Specify) _____ and the aircraft identified above is presently approved for return to service		
Work Inspected by Ralph Cabrera <i>Ralph Cabrera</i>	Certificate No. PC-4	Date Mar-05-2009
Pertinent details of this maintenance are on file at our facility under the above Work/Service Order Number as applicable.		

Maintenance Log	
Section	Page
4	1

CSNA-1023-W-R-2003-11-07

