

ERICKSON AIR-CRANE

COMPONENT LOG CARD

DISC-ROTOR BRAKE

PART NO:

6435-20196-103

SECRETARY

EAC23992

[illegible]

INTERVAL: 365 DAYS

PG 1 OF 2

COMPONENT MAINTENANCE RECORD

[illegible]

THIS DOCUMENT IS THE PROPERTY OF SHERIDAN AIR CORP. AND MAY NOT BE LOANED BY ANYONE OTHER THAN SHERIDAN AIR CORP. EMPLOYEES. THIS DOCUMENT MAY NOT BE COPIED, REPRODUCED OR REPRODUCED BY ANY MEANS, INCLUDING ELECTRONIC MEANS, WITHOUT WRITTEN AUTHORIZATION FROM SHERIDAN AIR CORP.

Equipment Inventory
Component Life Summary

Equipment id: 6435-20196-103-EAC23992

Equipment Number : DSC-ROTOR BRAKE
Equipment Description : 6435-20196-103
Equipment Type ID : 6435-20196-103-1
Description :
Equipment serial number : EAC23992
Item number : 6435-20196-103
Supplier :
Owner organization code :

Physical location :
Assigned organization code :
Fixed asset number :
Commission date : 7/11/2023

Owner employee :
Maintenance policy :
Maintenance policy version :
Ownership type :
Days :

Structure position	Equipment Type	Equipment description	UOM	TSNTSO	CSN	DSN	Life limit	Overhaul Limit	Cycle Life Limit	Days Limit	Retire Time	OH Time	Retire Cycle	Days Remain
6435-20196-103-EAC23992	DSC-ROTOR BRAKE	DSC-ROTOR BRAKE	DAYS	0.0	0	0	7.0	2.1	5	25	1.0	1.0	1	25



1. Approving Civil Aviation Authority/Country: FAA/UNITED STATES		2. AUTHORIZED RELEASE CERTIFICATE FAA Form 8130-3, AIRWORTHINESS APPROVAL TAG				3. Form Tracking Number: 203266-1	
4. Organization Name and Address: Erickson Incorporated DBA Erickson Air-Crane 3100 Willow Springs Road PO Box 3247 Central Point, OR 97502 Repair Station JYDR439F						5. Work Order/Contract/Invoice Number: 203266	
6. Item:	7. Description:	8. Part Number:	9. Quantity:	10. Serial Number:	11. Status/Work:		
1	Disc, Brake, Main Rotor	6435-20196-103	1	EAC23992	Overhauled		
12. Remarks: Overhauled in accordance with ERS1112, Rev. IR Dated 31/OCT/2007, T.S.O. 0.0 Hours Refer to Work Order # in Block 5. A complete description of work performed is on file at the above referenced organization under the work order and system tracking reference number indicated in blocks 3 and 5. NOTICE: An Airworthiness Directive may apply to the article(s) described herein. The installer is responsible for ensuring complete compliance with any applicable Airworthiness Directives. *Certifies that the work specified in blocks 11/12 was carried out in accordance with EASA Part-145 and in respect to that work, the component is considered ready for release to service under EASA Part-145 Approval Number EASA.145.5108.*							
13a. Certifies the items identified above were manufactured in conformity to: ☐ Approved design data and are in condition for safe operation. ☐ Non-approved design data specified in Block 12.				14a. ☒ 14 CFR 43.9 Return to Service ☒ Other regulation specified in Block 12 Certifies that unless otherwise specified in block 12, the work identified in Block 11 and described in Block 12 was accomplished in accordance with Title 14, Code of Federal Regulations, part 43 and in respect to that work, the items are approved for return to service.			
13b. Authorized Signature:		13c. Approval/Authorization No.:		14b. Authorized Signature:		14c. Approval/Certificate No.:	
				<i>Mike Terry</i>		JYDR439F	
13d. Name (Typed or Printed):		13e. Date (dd/mm/yyyy):		14d. Name (Typed or Printed):		14e. Date (dd/mm/yyyy):	
				<i>MIKE TERRY</i>		29/MAY/2024	
User/Installer Responsibilities							
It is important to understand that the existence of this document alone does not automatically constitute authority to install the aircraft engine/propeller/article. Where the user/installer performs work in accordance with the national regulations of an airworthiness authority different than the airworthiness authority of the country specified in Block 1, it is essential that the user/installer ensures that his/her airworthiness authority accepts aircraft engine(s)/propeller(s)/article(s) from the airworthiness authority of the country specified in Block 1. Statements in Blocks 13a and 14a do not constitute installation certification. In all cases, aircraft maintenance records must contain an installation certification issued in accordance with the national regulations by the user/installer before the aircraft may be flown.							

FAA Form 8130-3 (02-14)

*Installer must cross-check eligibility with applicable technical data.

NSN: 0052-00-012-9005