N8743E #4



ASA-SE-

- N8743E

TOTAL

TODAY'S

Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)

S/N L-12689-48A Lyc IO-540-K1G5D

Piper Lance PA32R-300

S/N 32R-7680171

TACH TIME 7113.3

C/W Lycoming SB 543 by replacing the Oil Filter Plate Gasket with P/N 06B23072

Drained oil, cleaned and inspected oil sump screen, cut open and inspected oil filter.

March 8, 2024

Performed Oil analysis (copy added to aircraft records AvLabs). No abnormalities found.

Replenished with 9 qts Aeroshell 100+ and new Champion CH48103-1 oil filter.

Stephany A&P 231867121 I/A

2074 DATE

RECORDING

TACH

TIME

TODAY'S FLIGHT

TOTAL TIME IN SERVICE

Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or

Repair Facility. (See back pages for other specific entries.)

ENGINE LOG

July 13, 2024

Piper Lance PA32R-300

TACH TIME 7145.4 S/N 32R-7680171

N8743E

Lycoming IO-540-K1G5D

S/N L-12689-48A

Engine ran to normal operating temps and pressure. Oil Drained, filter element removed, inspected for Metal contaminants, none noted. Installed new Champion CH48103-1 oil filter.

Engine serviced with 9 qts Aeroshell W100 Plus

Engine washed and ground ran for operation and leak checked. None noted.

Complied by visual inspection AD2015-19-07. Fuel injector line inspection.

Peter Stephany A&P 231867121 I/A

YEAR 2023	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterate Entries must be endorsed with Name, Rating and Certificate Nur Repair Facility. (See back pages for other specific entries.)		YEAR 20 TACH FLIGHT TIME IN	Description of Inspections, Tests, Re Entries must be endorsed with Name Ratio	and Cartificate Alumber of Technician
DATE				Hepair Facility. (See back pages for other specific entries.)	5 3 (F) (S) (S) (S) (S)	ENGINE LOG	September 21, 2023	TACH TIME 7092.1
_ EN	GINE LOG			May 17, 2023	TACH TIME 7069.4	N8743E	Piper Lance PA32R-300	5/N 32R-7680171
— N8	743E			Piper Lance PA32R-300	S/N 32R-7680171	eldanesse ieroka ostalikania	ting tomporature and pressure	
-						Engine ground ran to normal operat	ting temperature and pressure.	100 6: 72/80
Lyc	coming 10-5	40-K1G5	5D		S/N L-12689-48A	C/W Compression Check cold 1:76/	/80 3: 72/80 5: 72/80 2: 76/80 4:76	1/80 6. 72/80
— Me Eng — En	etal contam gine service gine washe	inants, r d with 9 d and gr	one note qts Aero ound ran	temps and pressure. Oil Drained, filter element remoed. Installed new Champion CH48103-1 oil filter. shell W100 Plus for operation and leak checked. None noted. D2015-19-07. Fuel injector line inspection.	ved, inspected for	Center muffler flame arrestor found routing. All engine controls inspecte C/W AD 2015-19-07, Fuel Injection I certify this engine, using approved	ed for attachment, correct operation a	ed. Fuel system inspected for leaks and and lubed. "D", scope and detail of a 100/annual
_				Peter/Stephany A&P 231867121 I/A			Peter Stephany A&P 233	1867121 I/A

YEAR 20_23 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	요. [18] 대한 경기 경기 (경기) 경기 (기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기 기	Inspections, Tests, Repairs and Alterations and or endorsed with Name, Rating and Certificate Number of Technician or ee back pages for other specific entries.)						
ENGINE LOG				JANUARY 08, 2023	TACH TIME 7048.3						
N8	743E			PIPER LANCE PA32R-300	S/N 32R-7680171						
Pe in	r GAMlinjo weight or	ectors in balance	nstallatio 2.	ector kit GL-10-6 s/n 31539 STC No SEG n Procedure No IP-98-001 (Rev B) date	ed 13 March 1998.No chang						
				04 injector fuel lines. Ground ran for op	peration and leak check. No						
	fects note		011 20 0	11/1	231267121						
_				FEER STEPHANY A&F							

18					
VEAR 2023	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alte Entries must be endorsed with Name, Rating and Certificate Repair Facility. (See back pages for other specific entries.)	erations Number of Technician o
wo: 20	23-3275				Engine - page 1 of 1

ANDRESTOR

FlyBoyz Aviation LLC - 3913 S Van Dyke Rd - Marlette, MI 48453 - 989-823-4273

LYCOMING, TI0-540 SER, S/N: ENGINE SN TBD

April 18, 2023

Inspected EIS system installation. Respaced all ignition leads. Inspected & adjusted spark plug gaps to .032". Adjusted MTH timing to backside of the 11th tooth & marked trigger wheel for visual reference. Removed propeller & verified CSTW installation. Reinstalled, torqued, & saftied propeller. Unwound CSTW pickup lead from backup alternator output wire & resecured. Performed successful ignition system ground check, engine run, and flight check.

With respect to the work performed, this engine is approved for return to service. Details of work performed are on file with FlyBoyz Aviation LLC under work order: 2023-3275.

Adam Ondrajka A&P/IA 3531616 Actem 1

N8743E TACH: 7060.3

15	5					16	16					
YEAR 20_22 DATE	RECORDING TACH TIME		TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs an Entries must be endorsed with Name, Rating and Ceri Repair Facility. (See back pages for other specific entr	tificate Number of Technician or	YEAR 20 22 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Entries must be endorsed with Name, Ra Repair Facility. (See back pages for other	iting and Certificate Number of Technician or	
17/2	ENGINE I	LOG		AUGUST 17, 2022	TACH TIME 7034.5	ENGINE	LOG		47	SEPTEMBER 16, 2022	TACH TIME 7047.1	
	N8743E			PIPER LANCE PA32R-300	S/N 32R-768-171	N8743I	Ē			PIPER LANCE PA32R-300	S/N 32R-768-171	
	ELEMENT INSTALLE	T, INSPEC ED.ENGIN	TED FOR I	DORMAL OPERATING TEMP/PRESSURE. OIL DRAINE METAL CONTAMINANTS. NONE NOTED. NEW CHAI D WITH 9 QTS AEROSHELL W100 PLUS. ENGINE W CKED. NONE NOTED. PETER STEPHANY A&P231867121	MPION OIL FILTER CH48103-1 /ASHED AND GROUND RAN FOR	DAMAG 6:76/80 ACCESS AND GI REPLAG NEXT DI	AND EXHAUS GE AND CORRI CORRES INSPECT ROUND RAN F CED WITH NEW FY I HAVE INSI	ET SYSTEM ECT OPER, ARRYING TED FOR OR OPER, V P.N. BC4 .I.S PECTED TH	I INSPECTED ATION. COM LINES AND H CORRECT M ATION AND I 410-2 S/N 20 HIS ENGINE	FOR SECURITY AND LEAKS. ALL ENGINE CO IPLIED WITH COMPRESSION CHECK: 1:76/8/ HOSES INSPECTED FOR SECURITY, CORRECT OUNTING. FUEL SYSTEM INSPECTED FOR SE LEAK CHECK. NO DEFECT NOTED. STAND-BY 121E7U61K. COMPLIED WITH A.D 2011-26- USING APPROVED CHECK IST AND FAR PAR ETERMIND IT TO BE IN ANALYMORTHY COM-	TOTAL STATE OF A THIS TIME.	

RECORDING TODAY'S TOTAL Description of Inspections, Tests, Repairs and Alterations **TACH TIME 6979.5** SEPTEMBER 01, 2021 **ENGINE LOG** S/N 32R-7680171 **PIPER PA 32R-300** N8743E ENGINE GROUND RAN TO NORMAL OPERATING TEMP/PRESS. OIL DRAINED FILTER REMOVED. FILTER ELEMENT INSPECTED FOR METAL COMTAMINANTS, NONE NOTED. ALL SPARK PLUGS REMOVED, CLEANED INSPECTED AND REGAPPED. COMPLIED WITH COMPRESSION CHECK #1 72/80, # 3 74/80, # 5 78/80, #2 74/80, #4 76/80, #6 74/80 MAGNETO TO ENGINE TIMING VERIFIED. INTAKE AND EXHAUST SYSTEMS INSPECTED FOR DAMANGE, SECURITY AND LEAKS. NEW INDUCTION AIR FILTER INSTALLED. ALL ENGINE CONTROLS INSPECTED FOR SECURITY, CORRECT FUNCTION AND LUBRICATED. ALL FLUID LINES INSPECTED FOR CORRECT ROUTING ATTACHMENT AND LEAKS, ALL ACCESSORIES INSPECTED FOR OPERATION AND MOUNTING.NEW CHAMPION CH48103-1 FILTER INSTALLED. TORQUED AND SAFETIED. ENGINE SERVICED WITH 9 QUARTS AEROSHELL W100PLUS OIL. ENGINE WASHED AND GROUND RAN FOR OPERATION AND LEAK CHECK, NO DEFECTS NOTED AT THIS TIME, I CERTIFY I HAVE INSPECTED THIS ENGINE USING APPROVED CHECKLIST AND FAR PART 43, APPENDIX/D/, SCOPE AND DETAIL OF A 100HR/ANNUAL INSPECTION AND HAVE DETERMINED IT TO, BEAN AN AIRWORTHY CONDTION AT THIS TIME. FPHANY A&P231867121I/A

Description of Inspections, Tests, Repairs and Alterations TODAY'S TOTAL YEAR RECORDING 20 22 TACH DATE TT 7017.9 Hobbs: 4501.5 DATE: 7/12/2022 N8743e SN: 32R-7680171 Model: Piper PA-32R-300 Installed an electronic engine ignition system in accordance with Electroair Acquisition Corp. Installation Manual, IM EIS-61000, revision 16, dated April 01 2022. Ops Check The above maintenance has been performed IAW current FAR's and Manufacturers Maintenance Instructions and is considered approved for return to service only for the work performed Details of work performed are on file with Sarasota Avionics & Maintenance under work order: 1379. Gilbert Fernando Perez Hernandez A&P 3441624

U	0
AR 20	RE TA TII
1/20	(
	20

YEAR 20_20 DATE	TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician o Repair Facility. (See back pages for other specific certific.)
2 1 1/20	6930.	6		Acft: N8743E PA32R-300 SN 32R-7680171 Eng Mfg: Lyc IO-540-K1G5D SN:L-12689-48A TT: 6930.6 Tach 6930.6 02/01/2020 Drained oil and replaced oil filter with CH48103 cut open and inspected oil filter. Filled with 9qts Aeroshell W100 Plus. Performed oil analysis using AvLabs. No abnormalities found. All work performed in accordance with current FARs. Acft approved and returned to service. Ken Jordan Pilot 3475309 *****END****

		`	
ı	7		`
•	-4		
			5
	1	12	12

Description of Inspections, Tests, Repairs and Alterations TOTAL TODAY'S RECORDING Entries must be endorsed with Name, Rating and Certificate Number of Technician or TIME IN FLIGHT SERVICE Renair Facility (See back names for other specific entries) **ENGINE LOG**

6935.7

PIPER PA 32-300R

AUGUST 05,2020

N8743E

ENGINE GROUND RAN TO NORMAL OPERATING TEMP/PRESS. COMPLIED WITH COMPRESSION CHECK #1 72/80, #3 76/80, #5 74/80, #2 74/80 #4 78/80, #6 78/80 SPARK PLUGS CLEANED, INSPECTED , AND SERVICED.MAGNETO TO ENGINE TIMING VERIFIED. INTAKE AND EXHAUST SYSTEMS INSPECTED FOR SECURITY, CORRECT ATTACHMENT AND LEAKS. ALL FLUID CARRING LINES INSPECTED FOR SECURITY, CORRECT ROUTING AND LEAKS, FUEL SYSTEM INSPECTED FOR SECURITY AND LEAKS. ALL BAFFLING AND DUCT WORK INSPECTED FOR DAMAGE AND SECURITY. ENGINE WASHED AND GROUND RAN FOR OPERATION AND LEAK CHECK, NO DEFECTS NOTED. I CERTIFY I HAVE INSPECTED THIS ENGINE USING APPROVED CHECKLIST AND FAR PART 43, APPENDIX D, SCOPE AND DETAIL OF A 140HR/ ANNUAL INSPECTION AND HAVE DETERMINED IT TO BE IN AN AIRWORTHY CONDAIN AT THIS TIME.

9					C/e				
YEAR 20 18 DATE	RECORDING TACH TIME		TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)	YEAR 20/9 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
	Eng M TT: 68 11/27/3 Draine inspec analys accord	fg: Lyc I 61.5 Tac 2018 d oil and ted oil fil is using ance wi	O-540-K ch 6861. d replace lter. Fille AvLabs. th currer	and SN 32R-7680171 and SN:L-12689-48A be doil filter with CH48103 cut open and downward with 9qts Aeroshell W100 Plus. Performed oil No abnormalities found and returned to service. Ken Jordan Pilot 3475309	Jest Britain Ado 256	FILTER FULL SP FULL SP ENGINE SUNCED NOTES.	ROMOVER PROPERTY PARTY P	LONTAGE CONTAGE CON	COMPLET WITH THE FOLLOWING MAINT. FREMS, ENGINE MR. OPLEATING TEMP PRESSURE ENG. OIC DRAINED, MINT INSP. FOR MEDIAL CONTAMINANTS NONE NOTES. 1. 1 72/20 3 76/20 5 74/20 2 74/20 4 78/20 6 78/20. ERVICED. WITHE & EXHAUST SYSTEMS INSP. FOR SECURIT SINSP. FOR OPERATION, SECURITY & CONCERT ROUTING. ENG EMOSHELL WIOO PLUS, NEW FICTER INSTITULES (CH49103-1) GROUND RIND FOR OPERATIONAL LEAR CHECK, NO DEFECT HAVE INSPECTED THIS ENGINE USING MIPROVED CHECK 43 MPRENDIX "D" SCORE & DETAIL OF A 100 HR / HAVE DESTERMINED IT TO BE IN AN ALRESTICATION TIME—

20 TIME SERVICE Entries must be endorsed with Na	Tests, Repairs and Alterations The, Rating and Certificate Number of Technician or LYCOMING IO-540-K1G5D	N8743E JUNE 15,2018 or
Acft: N8743E PA32R-300 SN 32R-7680171	TACH TIME 6809.47	TSMOH 958.33
Eing Mfg: Lyc IO-540-K1G5D SN:L-12689-48A TT: 6794.25 Tach 6794.25 01/23/2018	CHECK, ENGINE OIL DRAINEI NOTED. COMPLIED WITH CO	WING MAINTENANCE ITEMS, ENGINE GROUND RAN FOR OPERATIONAL D, FILTER REMOVED AND INSPECTED FOR METAL CONTAMINANTS, NONE DMPRESSION CHECK,# 1 78/80,#3 77/80 #5 76/80, #2 77/80, #4 77/80, #6 EW OIL FILTER INSTALLED AND TORQUED TO 18FT/LBS. ENGINE SERVICED
Drained oil and replaced oil filter with CH48103 cut op filter. Filled with 9qts Aeroshell W100 Plus. Performed AvLabs. No abnormalities found. All work performed current FARs. Acft approved and returned to service. Ken Jordan Pilot 3475309	oil analysis using n accordance with WITH 9 QTS AEROSHELL W10 SECURITY. ALL SPARK PLUGS INSPECTED FOR SECURITY AI	00 PLUS. ALL ENGINE CONTOLS INSPECTED FOR CORRECT ROUTING AND REMOVED, CLEANED AND REGAPPED, INTAKE AND EXHAUST SYSTEM ND LEAKS.COMPLIED WITH AD 11-26-04 & 15-19-07 FUEL INJECTOR LINES,
*****END****	PART 43, APPENDIX D , SCOR	PETER STEPHANY A/P 231867121 IA

8743E S ENGINE LO	01-JUNE-2017	6				The state of Alterations	
IPER PA32R-300 YC IO-540-K1G5D ACH HRS. 6754.43	SN. 32R-7680171 SN. L-12689-48A TACH HRS. 6754.43	YEAR 2017	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician Repair Facility. (See back pages for other specific entries.)	or
мон 903.29		01-JUNE	6154.4	3			-
ERFORMED AN ANNUAL /100 HR INSPECTION I/A/ HECKLIST.	N FAR 43 APDX. (d) AND THE PIPER PA-32R-300 INSPECTION		CONTIN				2
ERFORMED ALL GROUND OPERATIONAL CHECKS,	REMOVED COWLING AND ALL REQUIRED INSPECTION					O FOR INSP. LEAK AND OPS CHECKS SATISFACTORY	-
RFORMED COMPRESSION CHECKS 1) 80/78 2)			C/W ALL	AD'S TH	RU 2017-1	.0 (See detailed AD list) OP STRIKE OR SUDDEN STOPPAGE	-
PLACED OIL PRESSURE RELEIF VALVE ASSY. NEW PLACED VALVE COVER GASKETS, CYL'S 2,3,4 & 5	LYCOMING PN. 77808 SN. N/A (SET OIL PRESS.) GASKET PN. SL67198	-	AD 11-2	6-04 & 15	-19-07 IN	ISPECTED FUEL INJECTOR LINES, NO FAULTS NOTED	3
RAINED OIL, CLEANED AND INSPECTED OIL SUMP	SCREEN, CUT OPEN AND INSPECTED OIL FILTER	-	AD 15-0	2-07 PRC	PELLER GO	OVERNOR C/W AT OVERHAUL 06-13-2014 APW W/O 6165	
ERFORMED OIL ANALYSIS (Copy added to Aircraft EPLENISHED WITH 9 QTS AEROSHELL W100 PLUS	-	THIS ENGINE HAB BEEN FOUND TO BE IN AIRWORTHY CONDITION AND IS APPROVED FOR					
SPECTED EXHAUST SYSTEM. INSPECTED AND CLI EANED. INSPECTED AND GAPPED SPARK PLUGS.	ANED FUEL STRAINER.	_	" RETU	RN TO SE	RVICE"		
PLACED AIR FILTER ELEMENT WITH NEW BRACK	ET BA-3	-	de	m6/	Kree	A/P 3396665 I/A	
ISPECTED AND LUBED ALL LINKAGE, CABLES & CO			GERARD	1. KRAI		CERT. NO	-

YEAR 20 16 DATE N8743E PIPER PA32R-300 LYC IO-540-K1G5D	NTRY 26-JUNE-2016 SN. 32R-7680171 SN. L-12689-48A	YEAR 20 10 DATE		TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technicia Repair Facility. (See back pages for other specific entries.)	an or
TACH HRS. 6697.80 SMOH 846.66 PERFORMED AN ANNUAL /100 HR INSPECTION I/A/VINSPECTION CHECKLIST.	TACH HRS. 6697.80 N FAR 43 APDX. (d) AND THE PIPER PA-32R-300 REMOVED COWLING AND ALL REQUIRED INSPECTION 80/71 3) 80/68 4) 80/71 5) 80/67 6) 80/72 SCREEN, CUT OPEN AND INSPECTED OIL FILTER records Aviation Labs.) NO ABNORMALTIES FOUND, NEW CHAMPION CH48103-1 OIL FILTER FANED FUEL STRAINER.	4-SUNE	CLOSE C/W A AD 04 AD 11 AD 15	LL AD'S - -10-14-C -26-04 & -02-07 F ENGINE I TURN TO	THRU 2016 1 N/A NO 15-19-07 PROPELLER	NED FOR INSP. LEAK AND OPS CHECKS SATISFACTORY 6-10 (See detailed AD list) PROP STRIKE OR SUDDEN STOPPAGE INSPECTED FUEL INJECTOR LINES, NO FAULTS NOTED R GOVERNOR C/W AT OVERHAUL 06-13-2014 APW W/O 6165 FOUND TO BE IN AIRWORTHY CONDITION AND IS APPROVED FOR A/P 3396665 I/A CERT. NO	

1	ENGINE LOG ENTR	RY	2				
DATE	N8743E PIPER PA32R-300 LYC IO-540-K1G5D	24-JUNE-2015 SN. 32R-7680171 SN. L-12689-48A	YEAR 20 15 DATE	RECORDING TACH TIME	TODAY'S FLIGHT	TOTAL TIME IN SERVICE	Description of Inspections, Tests, Repairs and Alterations Entries must be endorsed with Name, Rating and Certificate Number of Technician or Repair Facility. (See back pages for other specific entries.)
34 JUNE	TACH HRS. 6649.49 SMOH 798.35	TACH HRS. 6649.49	24-SUNE	CONT	TINUED:		
	PERFORMED AN ANNUAL /100 HR INSPECTION I/A/W FAR 4 INSPECTION CHECKLIST. PERFORMED ALL GROUND OPERATIONAL CHECKS, REMOVE PANELS. PERFORMED COMPRESSION CHECKS 1) 80/72 2) 80/62 DRAINED OIL, CLEANED AND INSPECTED OIL SUMP SCREEN PERFORMED OIL ANALYSIS (Copy added to Aircraft records REPLENISHED WITH 9 QTS AEROSHELL W100 AND NEW CHAINSPECTED AND REPLACED 3 EA MUFFLERS PN. K67517-00 AFT SN. 241478 (KNISLEY WELDING INC.) NEW PN. 7761 INSPECTED AND CLEANED FUEL STRAINER. REPLACED AIR FINSPECTED AND LUBED ALL LINKAGE, CABLES & CONTROLS CONTINUED:	3) 80/66 4) 80/66 5) 80/65 6) 80/72 N, CUT OPEN AND INSPECTED OIL FILTER Aviation Labs.) NO ABNORMALTIES FOUND. AMPION CH48103-1 OIL FILTER FWD SN. 541480, MID 241477, L1 EXHAUST GASKETS FILTER ELEMENT WITH NEW BRACKET BA-3		CLOS C/W AD 0 AD 1 THIS	OVED MAG G REPAIR SED ALL A ALL AD'S 4-10-14-0 1-26-04 G ENGINE	GNETO FO ED BY QUA AREAS OPE THRU 201 C1 N/A NO INSPECTE	GAPPED SPARK PLUGS, INSTALLED 1 NEW TEMPEST UHRM-38E. RE INSPECTION AND REPAIR. (R/H MAG DROP EXCEEDED LIMITS) ALITY AIRCRAFT ASSY)RE-INSTALLED, SET MAGNETO TIMMIMG. ENED FOR INSP. LEAK AND OPS CHECKS SATISFACTORY 15-12 (See detailed AD list) PROP STRIKE OR SUDDEN STOPPAGE ED FUEL INJECTOR LINES, NO FAULTS NOTED 1 FOUND TO BE IN AIRWORTHY CONDITION AND IS APPROVED FOR A/P 3396665 I/A CERT. NO

Engine Rec	ord General Inform	mation	
Manufacturer	EXTRON !	LYCOMING Model	JO-540-K145D
Serial L -	2689-48	3A	Type Certificate
This engine is cu	rrently installed in airci	raft: N8743E	
Minimum Octane	Fuel	Oil Grade: Summe	er Winter
Magneto Time	200	Point Setting	Firing Order
Spark Plug Gap			

hours

2000

Manufacturer's Recommended Overhaul at

TEXTRON Lycoming

ENGINE LOG

28	DATE	-	CONTINUED:	
14-	DI4 JUNE		C/W ALL AD'S THRU 2014-10 (See detailed AD list) AD 04-10-14-C1 N/A NO PROP STRIKE OR SUDDEN STOPPAGE AD 08-14-07 C/W BY VISUAL INSPECTION, NO FAULTS NOTED	
			THIS ENGINE HAB BEEN FOUND TO BE IN AIRWORTHY CONDITION AND IS APPROVED FOR "RETURN TO SERVICE" A/P 339666 GERARD J. KRAL ENDEND	65 I/A
-				

1-				27	ENGINE LO	
26	ENGINE LOG	Serial No.		DATE	N8743E PIPER PA32R-300	14-JUNE-2014 SN. 32R-7680171
Date	Time Hrs Min REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	License Number	2014	LYC IO-540-K1G5D TACH HRS. 6597.28	SN. L-12689-48A SMOH 746.14
	ENG LOG ENTRY	09-MARCH-2014		143WZ	PERFORMED AN ANNUAL /100 HR INSPECTION I/A INSPECTION CHECKLIST.	yw far 43 apdx. (d) and the PIPER PA-32R-300
	PIPER PA32R-300 TACH HRS. 6577.0	SN. 32R-7680171	-		DALLET O	, REMOVED COWLING AND ALL REQUIRED INSPECTION
	PERFORMED 50 HR INSPECTION, DRAINED OIL, CLEANED AND I CUT OPEN AND INSPECTED OIL FILTER, NO ABNORMAILTIES FO	UND. PERFORMED OIL	EEN.	_		2) 80/72 3) 80/66 4) 80/77 5) 80/65 6) 80/68 MP SCREEN, CUT OPEN AND INSPECTED OIL FILTER ft records Aviation Labs.) NO ABNORMALTIES FOUND.
	ANALYSIS. (Sent to Aviation Labs, Copy added to Aircraft Record REPLENISHED WITH 9 QTS AEROSHELL W100 AND NEW CHAMP.	s) ION CH48103-1 OIL FILTE	R		CLEANED INJECTORS, INSPECTED EXHAUST SYST	FEM. SI 67198
	LEAK AND OPERATIONAL CHECKS SATISFACTORY. THIS AIRCRAF	T IS APPROVED FOR RETURN	то —		REPLACED #6 ROCKER COVER GASKLY WITH NEW Pn. REPLACED OIL FILTER PLATE SEAL WITH NEW Pn. CLEANED, INSPECTED & GAPPED SPARK PLUGS CH	()(3B230/2 (REF LTC 3D# 343C)
	SERVICE.	A/D 220666E T/A	=		INSPECTED AND CLEANED FUEL STRAINER. REPLACED AIR FILTER ELEMENT WITH NEW BRACK	
	GERARD J, KRAL	A/P 3396665 I/A CERTIFICATE NO.			INSPECTED AND LUBED ALL LINKAGE, CABLES & C	CONTROLS.
	LILU				CONTINUED:	

ENGINE LOG	The state of the s	25	ENGINE LOG	Serial No.
N8743E PIPER PA32R-300	JUNE 01, 2013 SN. 32R-7680171	Date CONTINU	LIED:	
LYC IO-540-K1G5D	SN. L-12689-48A	Date CONTIN	OLD,	
TACH HRS. 6530.25	SMOH 679.11	2013		
		C/W ALL	AD'S THRU 2013-12 (See detailed AD list)	2000.00
PERFORMED AN ANNUAL /100 HR INSPECTION I/A/	W FAR 43 APDX. (d) AND THE PIPER PA-32R-300	AD 04-10	0-14-C1 N/A NO PROP STRIKE OR SUDDEN S	TOPPAGE TO NOTED
INSPECTION CHECKLIST.		AD 12-19	4-07 C/W BY VISUAL INSPECTION, NO FAUL 9-01 CRANKSHAFT RETIREMENT / N/A BY E	NG SFRIAL NO. (REF TABLE 2 / SB569A)
PERFORMED ALL GROUND OPERATIONAL CHECKS.	REMOVED COWLING AND ALL REQUIRED INSPECTION	AD 12-1	3-01 CRAINSTALL RELIGION / 147.57 E	,
PANELS.				
	80/73 3) 80/68 4) 80/67 5) 80/71 6) 80/72	20.00	TO BE IN AIDMORT	LIV CONDITION AND IS APPROVED FOR
DRAINED OIL, CLEANED AND INSPECTED OIL SUMP	records Aviation Labs,) NO ABNORMALTIES FOUND.		NGINE HAB BEEN FOUND TO BE IN AIRWORT RN TO SERVICE"	HI CONDITION AND IS AT NOVED TO
REPLENISHED WITH 9 QTS AEROSHELL W100 AND		- 1	NN 10 SERVICE	accus when
	517-00 FWD SN. 27945, MID 27944, AFT PN. 27943	(Xu	- Illine	A/P 3396665 I/
REPLACED #4 ROCKER COVER GASKET NEW Pn. SL		GERARD	J. KRAL)	CERTIFICATE N
CLEANED. INSPECTED, GAPPED SPARK PLUGS, CHE				-END
INSPECTED AND CLEANED FUEL STRAINER, REPLAC INSPECTED AND LUBED ALL LINKAGE, CABLES & CO	CED AIR FILTER ELEMENT WITH NEW BRACKET BA-3			
No. 20125 The Copes The Environ, CADLES & CO	NITIOLS. LEAK AND OF SCHECKS SATISTACTORY			Repair Data Must Bear the Endorsement of a
ONTINUED:			Cert	ificated Mechanic, and his Rating and ificate Number MUST be Shown.
		10	otal to Date	CALL CALL CASE CALLS CALL SELECTION (CALL CALL CALL CALL CALL CALL CALL CAL

ENGINE LOG EN	7 Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y Y	13		ENGINE LOG	Serial No.	T.
18743E PIPER PA32R-300 YC IO-540-K1G5D	JUNE 09, 2012 SN. 32R-7680171 SN. L-12689-48A	Date	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	Licens Numb
HRS. 6473.10	SMOH 619.96	JUNE				+
RFORMED AN ANNUAL /100 HR INSPECTION I/A/W FA	R 43 APDX. (d) AND THE PIPER PA-32R-300	2012			J.	A.
ECTION CHECKLIST.				CONTINUED:		
FORMED ALL GROUND OPERATIONAL CHECKS, REMO	OVED COWLING AND ALL REQUIRED INSPECTION					
MED COMPRESSION CHECKS 1) 80/74 2) 80/	72 2) 90/69 4) 90/72 5) 90/74 6) 90/79			C/W ALL AD'S THRU 2012-12 (See detailed AD list)	=	
DRMED COMPRESSION CHECKS 1) 80/74 2) 80/7 IED OIL, CLEANED AND INSPECTED OIL SUMP SCR		1		AD 04-10-14-C1 N/A NO PROP STRIKE OR SUDDEN STOPPAGE AD 08-14-07 C/W BY VISUAL INSPECTION, NO FAULTS NOTE	ED .	
FORMED OIL ANALYSIS (Copy added to Aircraft reco	ds Aviation Labs.) NO ABNORMALTIES FOUND.	1		AD 12-03-06 N/A NO AFS FUEL SERVO INSTALLED		
LENISHED WITH 9 QTS AEROSHELL W100 AND NEW RASONIC CLEANED INJECTORS, INSPECTED EXHAU:				THIS ENGINE HAB BEEN FOUND TO BE IN AIRWORTHY COND	OTTION AND IS APPROVED F	OR
ACED #3 & #4 ROCKER COVER GASKETS WITH NEV				" RETURN TO SERVICE")	-19-11/2/2/2 Dr. 1-1-1-1	
				RETORN TO SERVICE	A/P 3396	6665 T/A
ALLED 12 EA NEW TEMPEST URHM-38E SPARK PLUC						

20		ENGINE LOG	Serial No.	I No					
Date 20//	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	License Number	20/1	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	License Number
886.0	CA AA AA (E	ONTINUED /W ALL AD'S THRU 2011-08 (See detailed AD list) D 04-10-14-C1 N/A NO PROP STRIKE OR SUDDEN STOPPAGE D 08-14-07 C/W BY VISUAL INSPECTION, NO FAULTS NOTED D 06-06-51 FUEL INJ SERVO, NO FAULTS NOTED D 09-26-12 N/A NO "TITAN" CYLINDERS INSTALLED D 05-12-06 C/W BENDIX MAGNETO IMPULSE COUPLING AND EXEUCTIVE ACCESSORIES 8130 ON FILE) HIS ENGINE HAB BEEN FOUND TO BE IN AIRWORTHY CONDIT RETURN TO SERVICE"	500 HR INSPECTION / OV TION AND IS APPROVED F A/P 339	2		N8743E PIPER P. TACH HF PERFORME CUT OPEN REPLACED INSTALLEI REPLENISI REPLACED LEAK AND	AIRFRAME/ENG LOG ENTR A32R-300 RS. 6425.05 ED 50 HR INSPECTION, DRAINED OIL, CLEANED AND INSI AND INSPECTED OIL FILTER, NO ABNORMAILTIES FOUN OOIL FILTER ADAPTER PLATE GASKET WITH NEW LYC Pn. D NEW BA-3 AIR FILTER ELEMENT HED WITH 9 QTS AEROSHELL W100 AND NEW CHAMPION O UPPER COWLING CAM LOCK BUTTON WITH NEW Pn.460 O OPERATIONAL CHECKS SATISFACTORY. CRAFT IS APPROVED FOR RETURN TO SERVICE.	PECTED OIL SUMP SCREEN. 10. 10. 10. 10. 10. 10. 10. 10. 10. 10	1 — — — — —

18		ENGINE LOG	Serial No.		19	ENGINE LOG ENT	JUNE 04, 2011	=
Date	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	License Number	2017e	PIPER PA32R-300 LYC IO-540-K1G5D	SN. 32R-7680171 SN. L-12689-48A SMOH 531.86	_
		AIRFRAME/ENG LOG ENTR	Υ		O4-JUNE	TACH HRS. 6385.0		-
	N8743		JANUARY. 15, 2		1000	PERFORMED AN ANNUAL /100 HR INSPECTION I/A/W FAI	R 43 APDX. (d) AND THE PIPER PA-32R-300	_
	Carrie and Carried	PA32R-300	SN. 32R-768017	1 -		INSPECTION CHECKLIST.		_
	TACH	IRS. 6355.56				PERFORMED ALL GROUND OPERATIONAL CHECKS, REMO	OVED COWLING AND ALL REQUIRED INSPECTION	
-	PERFOR	MED 50 HR INSPECTION, DRAINED OIL, CLEANED AN	ID INSPECTED OIL SUMP	SCREEN		PANELS.	20 (72 5) 80/70 6) 80/70	_
	CUT OP	EN AND INSPECTED OIL FILTER, NO ABNORMAILTIES	FOUND. PERFORMED OIL			PANELS. PERFORMED COMPRESSION CHECKS 1) 80/73 2) 80/7 DRAINED OIL, CLEANED AND INSPECTED OIL SUMP SCRI	3 3) 80/68 4) 80/72 5) 80/70 6) 60/70 EEN CUT OPEN AND INSPECTED OIL FILTER	_
_		IS. (Sent to Aviation Labs, Copy added to Aircraft Rec		-		DRAINED OIL, CLEANED AND INSPECTED OIL SOME SEN	eds Aviation Labs.) NO ABNORMALTIES FOUND.	
	REPLEN	ISHED WITH 9 QTS AEROSHELL W100 AND NEW CHA	IMPION CH48103-1 OIL FI	LIER				
	LEAK AN	ND OPERATIONAL CHECKS SATISFACTORY. THIS AIRCH	RAFT IS APPROVED FOR RET	URN TO _		ULTRASONIC CLEANED INJECTORS, CLEANED, INSPECTED AND CLEANED FUEL STRAINER. CHECKED MY	D AND ON THE	
	SERVICE	= 1		_	(Sec. 11)	INCRECTED AND HIRED ALL LINKAGE, CABLES & CONTRO	OLS.	_
	di	-OKO	A/P 3396665 I/A			REPLACED AIR FILTER ELEMENT WITH NEW BRACKET BA	t-3	-
	GERARD	J. KRAL	CERTIFICATE NO					
		END				CONTINUED		_
						301111177		

16	ENGINE LOG EI	NTRY JUNE 20, 2010	17		ENGI	NE LOG	Serial No.	
Date Hrs	PIPER PA32R-300 LYC IO-540-K1G5D	SN. 32R-7680171 SN. L-12689-48A	200ate	Time Hrs Min	REPAIRS - ADJUSTMENTS - SE	ERVICE - REMARKS	Signature	Lie No
ANNUAL	PERFORMED AN ANNUAL /100 HR INSPECTION I/A/W FAR INSPECTION CHECKLIST. PERFORMED ALL GROUND OPERATIONAL CHECKS, REMOV PANELS. PERFORMED COMPRESSION CHECKS 1) 80/75 2) 80/73 DRAINED OIL, CLEANED AND INSPECTED OIL SUMP SCREE PERFORMED OIL ANALYSIS (Copy added to Aircraft record: REPLENISHED WITH 9 QTS AEROSHELL W100 AND NEW CULTRASONIC CLEANED INJECTORS, CLEANED, INSPECTED INSPECTED AND CLEANED FUEL STRAINER. CHECKED MAGINSPECTED AND LUBED ALL LINKAGE, CABLES & CONTROL REPLACED 3 EA MUFFLERS WITH NEW PN. A67517-00 SN'INSTALLED WITH NEW 77611 GASKETS AND REPLACED HA	ZED COWLING AND ALL REQUIRED INSPECTION 3 3) 80/68 4) 80/65 5) 80/70 6) 80/72 EN, CUT OPEN AND INSPECTED OIL FILTER S AVIATION Labs.) NO ABNORMALTIES FOUND. HAMPION CH48103-1 OIL FILTER AND GAPPED SPARK PLUGS G TIMMIMG. 25. S 13067,13068,13070 (AWI W/O 49380)	Conf;	AD 04-1 AD 08-1 AD 06-0 AD 09-2 AD 96-1 2005 -	IGINE HAB BEEN FOUND TO BE TO SERVICE"	OR SUDDEN STOPPAGE ON, NO FAULTS NOTED TS NOTED		
	INSTALLED NEW AIR INDUCTION INLET HOSE PIPER PN. 5 REPLACED AIR FILTER ELEMENT WITH NEW BRACKET BA-3 CONTINUED	65-458	\equiv		Page Total Brought Forward Total to Date	All Repair Data Must Be Certificated Mechanic, a Certificate Number MUS	nd his Hating and	1

License Number

12	1	Raiph S Bruner Fruitland Park, Florida Excoming TACH: 6225.9	/	13	Kalph S Bruner Fruitland Park, Florida	
Date	ACET: AC DATE:	Piper FA32R 300 M/N: 10-540-K1650 Engine II 8157.7	License Number	Date	17 a. W. (Value-no. ST Precision Numbers ETC 883.5 and 883.40 series fuel injection servox- isstants inspected no detects noted due again Tach 6275.87. 25 hagness island and ground run, checked idle speed and mixture, opsichecked normal.	License Number
6/1/09		on parted as Annual inspection in accordance with the magnifactures service instructions	dis-	CovT/	14 Thecked AD compliance thru 2009-09 Alf work performed in accordance with current Lederal Axiation Regulations and manufacturer's	
	2,	Cell as the scope and defined 14 for Call and filter of alled with ten OTS of Acroshell W100 Drained oil, installed new Ciji48103-Lod filter of alled with ten OTS of Acroshell W100 Performed relinder differential compassion check as follows: -0.80, -22 T8.80, -43 T8.80, -4 T8.80, -25 To Stand To 80		END	maintenance manuals. The engine identified above has been inspected in accordance with an Annual inspection was determined to be in airworthy condition, at this date and time and is approved for return to service.	
_	4	method 12 new sparts plug R1 M-381 method Magneta to origine timing. No dielects found, v1) n5-12-06 due at 1 acti 6353. (method Magneta to origine timing. No dielects found, v1) n5-12-06 due at 1 acti 6353. (method 12 new sparts plug R1 M-381.	2005-12-06)		Ralphr's Bruner AP2795761IA	
		articipent. No detects noted. Hose change due at 1 sch 6853 or year 2013 kemoved #2 engine builte for imnor repair, reinstailed projected engine controls for condition, scratify proper stachment and proper operation.				-
	17	In ough entire 1 inge of motion. Inspected on intake system, Installed new or litter No other delect moted.		1		
	L	This procled of the analysis state of the st	of a	1 7	Page 2 of 2	Ka.

11	្នាធិបាន <u>ដែលស្រួ</u> ងពីមិស្សា	<u></u>	-	ENGIN	E LOG	Serial No.	
Date	Leesburg, Blorfda 9. This ector engine fuel system. Inspected and cleaned gascolator screen. No crier defects noted.	License Number	Date Tim	DEDAUDO AD ILIOTARENTO CEDA	/ICE - REMARKS	Signature	License Number
	0 1 W NO 2003 25-01 Euclimpection thes our risual inspection no defects noted 1.3 again at 6248.0		1/26/09	see pp 44 "AIRC	PART LOG" BOOK	Borda	PINOT
	11. IN 46 2006-06-51 Precision Airmotive ELC RSA-5 and RSA-10 series fuel http://www.series.com/sually/inspected no defects noted due again Tach 6198.1 above the cow Rapco Vacuum pump 213CC			50hr ENGIN	E INSPACTION		
	13. Engine washed and ground run, checked (die speed and mixture, opsichecked normal). 3. Thecked AC compliance thru (008-06).			1/26/09 @	6199.1 TACK hCS.		
	Ail work performed in accordance with current Federal Aviation Regulations and						
	manufacturer consented ance manuals. The engine identified above has been inspected in accordance with an Annual Inspection, was determined to be in airworthy condition.						
	this date and time and is approved for return to service.						
	Inplication of the second			Page Total Brought Forward	Certificated Mechanic,	ear the Endorsement of a and his Rating and	1
	to the control of the			Total to Date	Certificate Number MUS	ST be Shown.	

the state of the s

9			ENGINE LOG	Seria	l No				
Date	Time DEPAIRS AD HISTMENTS SERVICE REMARKS			Time		Time REPAIRS - ADJUSTMENTS - SERVICE - REMARKS		Signature	License Number
2007	Hrs	Min	THE AIRS ADOOD THE TO CELL THE						
13 AUG	6126	09	PERFORMED SO HOUR INSPECTION	IN ACCORDANCE		-			
			WITH PIPER SERVICE MANUAL. CH	ANGRO OIL					
			AND FILTER CUT OPEN AND INSPEC	TRA FILTER					
			FOR DRERIS - NOWE NOTED, INSPRE	TRA OIL SUMP					
			SLAKEN - NO DEBRIS NOTED. TOOK	NIO-STREAM					
			OIL SAMPLE FOR ANALYSIS. SERVICE	RD SUMP					
			WITH 9 OTS PHILLIPS 20 W SO X-C OI	. REPURS					
			O-RINGS ON RIGHT BANK CAUPE	R DUR TO					
			CRAKAGE OPS CHRCK GOOD.						
			Pyn ark AND 2833218						
			Page Total All R	epair Data Must Bear the	Endorsement of	а			
			Certi	icated Mechanic, and hi icate Number MUST be	s Rating and Shown.				

	tancia A		_
Date	A P T	George (ACH)	51 48.1 80.74.9 Li 294.9 No
	ENGINETO	G ENTRY	_
	"Oldered as Addust inspection in You		
	has in the as well as the scope and o	letall of 14 CFR Part 43 ap	ppendix D.
	* F01240 oil installed new CH48103-1	oil filter. Filled with ten (OTS of Aeroshell —
	61		_
	note the vender differential compre		San San
	9 Su, ±3-77 SC, #3-74, SO, #4-	77 80, #5-78/80.#6-74/	30 —
	distributed to new loark plug REM-ESE	The second second second	
	Telesia Manneto to engine timing. N	o detects round. AD 96-1.	2-0/ due at
	There are an impsed accessories, baffle	s, and mounts for condition	on and
	Provide and proper attachment. No de local se year 2013.		
_	Produced anging controls for condition		ment and
	" or are ntake system. Cleaned a	ad coinstalled No other d	efect noted.
	est.		

	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	License
27.0	UED F		Signature	License
CONTINU	UED F			Number
	-	ROM LAST PAGE TACK 1/069 111 1/21		100
		ROM LAST PAGE TACH: 6069.41 11/2	2006	
+		INSTALLED NEW FUEL INTECTION	LUE	
		TOR HO CYLINDER PIN- 1 WIZ DOG		
		CULTION CITATION IN		-
		LUROLATED SOUR STREET BENDE	/×.	
		LUBRICATED EXHAUST JOINTS, WAS	SHEN	
		DOWN ENGINE. GROWD RUN- OPS	11414 1	
- 1		AVANTGARDE AVIATION, INC. W/D	Cace-or.	
		Jami D. Only 2000 1/10	#19917	
		Jam D. John 2806/21	ASO	
	-	ENIA	131	
		OND-		
		Page Total		
	= = = :	Brought Forward All Repair Data Must	Bear the Endorsement of a	
		Total to Date Certificated Mechanic Certificate Number Mi	, and his Rating and	1

8	ENGINE LOG Serial No.	
	AVANTGARDE AVIATION, INC.	_
	ENGINE LOG ENTRY N8743E 8005 0 TIME SMOULON TIME SMOULON TIME 6078.2, TOTAL TIME	_
	0005.U, TIME SMOH OF ENGINE DECERTION	-
	OIL AND FILTER CHANGED CUT FILTER OPEN NO METAL FOUND OIL USED AERO SHELL 15W50. COMPRESSION TEST #1 70/00 #2 F1 #2	-
	74, WASHED OUT ATP POY AND DEDITACED 327 74, #3 76, #4 76, #5 74, #6	_
	BACKS OF PROP BLADES, REPLACED ALL THREE MUFFLERS WITH NEW AND	
-	INSTALLED OVERHAULED RISERS ON #1,3,6 CYLINDER, REPLACED CABIN HEAT SHROUD, SEE FORMS 8130-3 LIBED EYHAUSE CLIP TO THE SHROUD OF THE SHROUD SHOWS SHOW THE SHROUD SEE FORMS 8130-3 LIBED EYHAUSE CLIP TO THE SHROUD SEE FORMS 8130-3 LIBED EYHAUSE CLI	
2	SHROUD, SEE FORMS 8130-3, LUBED EXHAUST SLIP JOINTS AND STARTER BENDIX,	
	I CERTIFY THAT THIS ENGINE HAS BEEN THEFT	
-	100 HOUR/ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY CONDITION WORK OPDER # 10068	-
-	CONDITION WORK ORDER # 19968 JOHN F JOHNS	-
	1519936A&I form Soldier # 19968 JOHN F JOHNS	-
-		-
	Certificated Mechanic, and his Rating and	
	Total to Date Certificate Number MUST be Shown.	

5		ENGINE LOG Seria	No		6		ENGINE L	OG se	erial No.
Date	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	Signature	License Number	Date	Time Hrs Min	REPAIRS - ADJUSTMENTS - SERVICE - I	REMARKS	Signature
TAC	1: 6014	88 8/10/2006. PERFORMED OIL & FILTER			TACH	: 606	9.41 11/2/2006 PERFORM	MED SOHR. INS	PECTION
		CHANGE. CUT OPEN OLD OIL FUTER-					I.AW AVANTGARDE AVI	ATTOM'S SO HR. (HECKUST:
		NO METAL FOUND. INSTALLED NEW			-		CHANGED QIL & FILTER.	INSTALLED NEW	U CH48103-1
	- 11	CH49103-1 OIL FUTER + SAFTLED, SERVICED					OIL FILTER SSAFTIED.	CUT OPENS INSTE	ared our
		ENGINE WITH LOOTS. AEROSHEU 15W50					OIL FILTER! NO METAL	FOUND, SÉRVICE	D ENGINE
_	T H	OIL. WASHED DOWN ENGINE - GROUP					WITH MOTS AFROSHELL	15W50 OIL. COM	TRESSION UK
		RUN- OPS+ UKUK-OK. AVANTGARDE					RESULTS! #1-75, #2-74	1#3-72,#4-73;	+5-73,#6
		AVIATION, INC. WATERFOLD, MI U/OH 19857			7		INSTAILED NEW ALTERNA	ATOR FIELD WIR	E TERMINAL
1		Jamie D. John 2806121 A+P					DRESSED SANDED CLE	ANED, & PAINTED F	Rep. CLEAN
-		Page Total					FUEL INJECTION NOZZLES	S. RE INSTALLED &	TORQUED T
		Brought Forward All Repair Data Must Bear the Certificated Mechanic, and his	Rating and	а			Page Total	All Banair Data Must Bear	the Endorsement of a
41		Total to Date Certificate Number MUST be	Shown.				Brought Forward	Certificated Mechanic, and Certificate Number MUST	be Shown. /V

Total to Date

License Number

3	ENGINE LOG Ser	ial No.	_ 4		ENGINE LOG	Serial No.
Open O	Page Total A Clan Scorge Huration	Signature Licen Number FOR R FIRE CU VESSES UP PVOP 2180 3 50 Aeros Num Vun-up o nee Prunning Licen Number Licen Numbe	- 4/1 - 789 - 011 - SHE - 70, - BAC - CHA - THE - 1 CO	ENG. 8/2006,100 HOUR IN 10.8, TIME SMOH OF ENG. AND FILTER CHANGED OF ELL 15W50, COMPRESSION WASHED OUT AIR BOX AS OF PROP BLADES OF PROP BLADES OF STARTER BENDIX, REPROPERSION OF THE ROD END, CERTIFY THAT THIS ENG. THOUR/ANNUAL INSPECT:	CUT FILTER OPEN N N TEST #1 74/80, ND REPLACED AIR ,TIED OFF SEVEN INJECTOR NOZZLES PLACED FUEL OVER INE HAS BEEN INSI ION AND WAS DETER ORDER # 19	TIME 5964.0, TOTAL TIME GOVERNOR [110.8], NO METAL FOUND OIL USED AERO #2 70, #3 72, #4 71, #5 74, #6 FILTER, DRESSED AND PAINTED RAL LINES AND WIRES FOR LUBED EXHAUST SLIP JOINTS REOARD DRAIN LINE, ADJUSTED
	Brought Forward Total to Date All Repair Data Must Bear t Certificated Mechanic, and I Certificate Number MUST b			Brought Forward Total to Date	Certifica	ated Mechanic, and his Rating and ate Number MUST be Shown.

ENGINE LOG

Cartal Ma	
Serial No.	

AVANTGARDE AVIATION, INC.

ENGINE LOG ENTRY N8743E

HOUR INSPECTION, TACK TIME 5853.2, TOTAL 5/20/2005,100 7780.0, TIME SMOH OF ENGINE, PROPELLER & GOVERNOR [0].

PROP & GOV OVERHAULED BY H&S PROP SHOP SEE YELLOW TAG & FORM

8130-3. IN BACK OF LOG BOOK.

REMOVED ENGINE AND INSTALLED FACTORY OVERHAULED, INSTALLED NEW ENGINE MOUNTS, FLUSHED OIL COOLER AND LINES, REPLACED FUEL AND OIL

LINES, OIL USED PHILLIPS 20W50M, WASHED OUT AIR BOX AND REPLACED AIR

FILTER, REMOVED FAILED STARTER P/N MZ6222 AND INSTALLED MZ4222.

I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 HOUR/ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AN AIRWORTHY

CONDITION WORK 19516 JOHN

1519936A&I & MM

ENGINE LOG

Serial No.

Date	Time Hrs M	DEDAUGE AD INCTMENT	S - SERVICE - REMARKS	Signature	License Number
6/23/0	5 7	7ACH -5868.2	EAFORMED OIL + FILT	ER CHANGE	REMOV
		METAL FOUND	SERVICED ENGL	UE W/12	QTS
		PHILIPS 20W5	DM. WASHED DOWN	AVANTGAR	DE
		AUIATION, INC	. WOFF 19562 James	0//	2806121
			END -	0	
\exists		Page Total	All Repair Data Must Be	ear the Endorsement of a	
		Brought Forward Total to Date	Certificated Mechanic, a Certificate Number MUS	T be Shown.	



Form No. 2480 (3/04-LM)

652 Oliver Street Williamsport, PA. 17701 U.S.A.

This engine has been overhauled in accordance with the applicable Lycoming specifications. All applicable Federal Aviation Administration Airworthiness Directives and Lycoming Service Bulletins have been complied with. All parts have been inspected and have been determined airworthy to return to service. All accessories as part of the type certificate are new, newly rebuilt or newly overhauled. Refer to enclosed Form ET001 for applicable accessory part numbers and serial numbers.

Engine Model: IO-540-K1G5D

Serial #: L-12689-48A
Total Time: 7780

Work Order #: **GJ253793**

Date Completed: MAY 0 7 2005

Authorized Signature

Kenned L. Raku

Lycoming Engines

652 Oliver Street Williamsport, PA. 17701 Repair Station: EJ1R115K

ENGINE DESCRIPTION

Mfgr. TEXTRON LYCOMING	Place Williamsport, PA	A 17701 Date	
Туре	Model	Serial No.	
Rated H.P.	Max. H.P.	Weight (Dry)	
Rated R.P.M.	Max. R.P.M.	Oil Pressure	
Bore	Stroke	Displacement	Cu. In
Compression Ratio	Supercharger Ratio		
Reduction Gear Ratio			
Propeller	Hub Design	Hub Serial No.	
Blade Design	Blade Serial No.	Blade Serial No.	
Max. Hub H.P.	Max. Blade H.P.		
Pitch	Diameter	Length	
Name			
Address			



SSP 1872-1

652 Oliver Street Williamsport, PA 17701 U.S.A. 570/323-6181

October 1994

ENGINE LOG AND MAINTENANCE RECORD

RECORD OF	TEXTRON LYCOMING					
	MAKE	MODEL			SERIAL	
FROM		19	_ то		<u> </u>	19
DETAILING TIME FROM				_ то		
		HOURS			HOURS	

O 1994 by Textron Lycoming "All Rights Reserved"