




**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**






**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**




**UNDERWRITERS
Salvage Company**




**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



UNDERWRITERS Salvage Company

TABLE OF Vne (KNOTS IAS)
 ALTITUDE DENSITY ALT & TAKE-OFF
 GROSS WEIGHT

Altitude	Weight	1000	1100	1200	1300	1400	1500	1600	1700	1800	1900	2000	2100	2200	2300	2400	2500	2600	2700	2800	2900	3000
0	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
10	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
20	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
30	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
40	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
50	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
60	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
70	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
80	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
90	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
100	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
110	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
120	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
130	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
140	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
150	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
160	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
170	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
180	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
190	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
200	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
210	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
220	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
230	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
240	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
250	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
260	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
270	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
280	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
290	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149
300	100	107	110	113	115	117	119	121	123	125	127	129	131	133	135	137	139	141	143	145	147	149

CARGO HOIST CAPACITY LIMITED TO: (OPERATIONAL) 15,000 LBS
 STATIC CAP 18,000 LBS PER ASST 6435-13000-111-1-025
 STATIC CAP 20,000 LBS PER ASST 6435-13000-022

THIS HELICOPTER MUST BE OPERATED
 IN COMPLIANCE WITH THE OPERATING
 LIMITATIONS SPECIFIED IN THE P.A.A.
 APPROVED ROTORCHART IN RIGHT MAIN DOOR



UNDERWRITERS
 Salvage Company

STANDBY COMPASS
UNRELIABLE WHEN
LANDING LIGHT ON

TO BE USED AS A
STBY COMPASS ONLY

RADIO CALL
N194AC

HYD
1ST
STAGE

HYD
2ND
STAGE

HYD
UTI

FWD

AFT

AUX
FUEL
GAGE
TEST

AUX

THIS HELICOPTER MUST BE OPERATED
IN COMPLIANCE WITH THE OPERATING
LIMITATIONS SPECIFIED IN THE FAA
APPROVED ROTORCRAFT FLIGHT MANUAL



UNDERWRITERS
Salvage Company



ROADS	0	10	20	30	40	50	60	70
CALAS								
ROADS	80	90	100	110	120	130	140	150
CALAS								



**UNDERWRITERS
Salvage Company**



UNDERWRITERS
Salvage Company



Underwriters
Salvage Company




UNDERWRITERS
Salvage Com




EXT. PG. R 1' 30" G.
18 VOLTS D.C.

UNDERWRITERS Salvage Company




**UNDERWRITERS
Salvage Company**



UNDERWRITERS
Salvage Company



UNDERWRITERS
Salvage Company



**UNDERWRITERS
Salvage Company**



WRENCH TORQUE
TAPER PIN NUTS
85 INCH-POUND



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



UNDERWRITERS
Salvage Company



**UNDERWRITERS
Salvage Company**




UNDERWRITERS
Salvage Company



UNDERWRITERS
Salvage Company



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



UNDERWRITERS
Salvage Company



UNDERWRITERS
Salvage Company




UNDERWRITERS
Salvage Company




**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



**UNDERWRITERS
Salvage Company**



485-66417-01
REV

**UNDERWRITERS
Salvage Company**







**UNDERWRITERS
Salvage Company**




UNDERWRITERS
Salvage Company



**UNDERWRITERS
Salvage Company**



UNDERWRITERS
Salvage Company



UNDERWRITERS
Salvage Company



UNDERWRITERS
Salvage Company



UNDERWRITERS
Salvage Company



**UNDERWRITERS
Salvage Company**