

N9032 W

Ser # 10624

Eng Log #2

THE **adlog**TM AIRCRAFT
MAINTENANCE
RECORDKEEPING
SYSTEM

**ENGINE
MAINTENANCE
RECORDS**

Page No. _____


DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTALS brought forward from previous page				
Aeroborne Enterprises 538 Beacon Rd, Sylvania, Georgia 30467 912-857-3220, aerobornehank@yahoo.com				
11-03-2022	TTAF / Tach: 3916.42	TSMOH: 1234.42	TSPOH: 189.12	N9032W
Drained oil and refilled with 12 at Phillips 20W50. Cut open filter and inspect3ed for contamination, none found. Installed new filter. Cleaned Checked oil pan pick up screen for contamination, none found. Cleaned and rotated plugs. Differential done. #1 61, #2 73, #3 74, #4 74, #5 73, #5 76, #6 74. Checked engine controls for proper rigging. Checked magneto timing. Visually inspected exhaust for defects. Pressure checked exhaust system for leaks. Removed old standby vacuum hose and fitting from #2 cylinder and installed new intake gasket and induction tube rubber. Installed overhauled vacuum pump PN 211CC, SN 200599. Cleaned engine mount and painted. Installed new BA3 air filter element. Checked alternator. Tightened rocker cover screws. Fabricated new AN 303 type C oil cooler hoses. Fabricated new AN 303 type C fuel lines. Replaced blast tube from forward left baffle to muffler shroud, rear left baffle to fuel pump, and muffler shroud to cabin heat box. Glued cowlng heat pads. Greased tach cable. Washed engine down and test ran. Adjusted idle and idle mixture. All normal.				
AD listing: AD 2017-16-11 N/A as per MSB642B AD 2015-02-07 N/A by engine model. AD 2012-19-01 N/A by dates. AD 2012-03-07 N/A by type carburetor. AD 2009-26-12 N/A, Lycoming cylinders installed. AD 2007-04-19R1 N/A, Lycoming cylinders installed.AD 2004-10-14 due at prop strike or overhaul.				
The below statement in no way, implies or guarantees that this aircraft, or engine, or accessories will continue to function for any period of time after this inspection, and only states that this aircraft was inspected and certified to comply with all applicable Federal Aviation Administration Standards, Airworthy Directives and FAR 43 Appendix D.				
I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.				
Hank Maierhoffer IA 262832460 <i>Hank Maierhoffer 11-3-2022</i>				
Aeroborne Enterprises 538 Beacon Rd, Sylvania, Georgia 30467 912-857-3220, aerobornehank@yahoo.com				
11-03-2022	TTAF / Tach: 3916.42	TSMOH: 1234.42	TSPOH: 189.12	N9032W
R&R spinner. Visually inspected propeller, spinner and backplates for defects. All AD notes current.				
The below statement in no way, implies or guarantees that this aircraft, or engine, or accessories will continue to function for any period of time after this inspection, and only states that this aircraft was inspected and certified to comply with all applicable Federal Aviation Administration Standards, Airworthy Directives and FAR 43 Appendix D.				
I certify that this propeller has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.				
Hank Maierhoffer IA 262832460 <i>Hank Maierhoffer 11-03-2022</i>				
SUB-TOTALS this page				
TOTALS—Carry forward to next page				

Page No. _____

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTALS brought forward from previous page				
TOP FLIGHT AVIATION MAINTENANCE 843-408-9555				
N9032W PIPER PA28-235. S/N 28-10624 TACH:3917.9 03/17/2023				
Removed #1 cylinder and installed new Titan cylinder with new piston and rings and seals IAW Lycoming OH manual. #1 78/80 #2 70/80 #3 70/80 #4 70/80 #5 73/80 #6 78/80. Installed all new exhaust gaskets. Installed all new silicone rocker gaskets. Removed Prop and replaced alternator belt and Instaled and torrqwed prop. Replaced both brake rotors with new. Installed all new wheel bearings. Installed new Michelin tires and tubes on main wheels. New cylinder #1 compression checked at 78/80. Ground-run ops check good.				
Terence Wray <i>Terence Wray</i> IA/AP 2702874				
Lycoming O540-B4B5 sn: L-16633-40 N9032W March 20, 2024 Tach: 3936.22 EngTT: 2349.22 ETSMO: 1254.22				
Compression 1)80, 2)78, 3)76, 4)72, 5)78, 6)80 /80. Drained oil, serviced with 10 quarts Aeroshell W100 plus oil and 2 pints AvBlend. Replaced filter with AA48110-2 Filter and safety wired. Remove plugs, checked, cleaned, gapped and reinstalled; Check mag timing, addjusted RH Mag Timing. Research AD's to date., I certify this engine has been inspected I.A.W <u>Annual</u> Inspection and is <u>Approved for Return to Service.</u>				
NAME Justin M. Webb				
SIGNATURE <i>Justin M. Webb</i>				
CERTIFICATE# IA2843431				
SUB-TOTALS this page				
TOTALS—Carry forward to next page				

DATE

I certify that this engine was inspected IAW an annual inspection as per FAR Part 43 Appendix D and the Piper Service Manual. It was determined to be in airworthy condition at this time. Engine compressions are as follows (#1) 70/80, (#2) 74/80, (#3) 76/80, (#4) 74/80, (#5) 78/80, (#6) 78/80, all AD's C/W. See AD record for details. I certify that this powerplant is approved for return to service.



Thomas D Black A&P/IA 3106765

12 SEPT 12 - N9032W - SN PA-10624 - HOBBS 1584.0

CHANGED OIL, SERV. 10 QTS AEROSHELL W100 PLUS,
CUT FILTER NO CONTAMINANTS, SERVICED HYD. RES.

APP Jet Center
1234 Clyde Jones Rd
Sarasota, FL 34243


 APP 3625061



Florida Flight Maintenance, Inc.
160 E. Airport Ave
Venice, FL 34285
941-485-1149

DATE 4-2-13
TACH 3861.0
TTAF 3861.0
TTE 2274.5
SMOH 1179.0
TTP 133.77
SPOH 133.77

Test ran engine for leak and operational check. Drained oil, changed filter. Checked sump suction screen. Serviced engine with Aeroshell W100 Plus. Cleaned and gapped spark plugs. Checked magneto timing. Compression 1-75, 2-74, 3-77, 4-75, 5-77, 6-78. Drained and checked carb float bowl contents. Checked carb inlet screen. Checked AD's to current bi-weekly, all applicable are in compliance at this time. I certify this engine has been inspected in accordance with an annual inspection and is airworthy at this time.

 IA2809540







Sarasota Avionics
INTERNATIONAL

Sarasota Avionics Inc. (VNC)
120 W. Airport Avenue
Venice, FL 34285
(941) 360-6877

Date: 4/05/2013; Aircraft: N9032W; Type: PA-28-235; S/N: 28-10624
Work Order: 7068

Removed KX155 SN: 31826 for bench repair. Unit repaired and reinstalled into aircraft ramp test good. Transponder (KT76A / SN:15885) was tested, inspected and found to comply with App F of 14 CFR 43 and 14 CFR 91.413. Automatic pressure altitude reporting equipment (A30 / SN: 62746) was tested and found to comply with App E of 14 CFR 43, and calibration is in compliance with 14 CFR 91.217 (b). I certify all work done to the aircraft and /or component identified above was done in accordance with current regulations of the Federal Aviation Administration and was found airworthy for return to service with respect to the work performed. Details on file under work order on date listed above.

 for Sarasota Avionics Inc. CRS# S0QR632X

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
5-16-14	3910.96			CHANGED OIL ADD FILTER, SERVICED WITH 10 QTS AEROSHELL W-100 PLUS CHECKED COMP, #1-74, #3-76, #3-76 #4-72.5-76, #6-76, I CERTIFY THAT THIS ENGINE HAS BEEN INSP IAW AD ANNUAL INSP AND WAS DETERMINED TO BE AIRWORTHY Lee Davis IA - 3169512 
4-8-15	3911.82			CHANGED OIL & FILTER, SERVICED WITH 10 QTS AEROSHELL W-100, checked compression, # 1-76, # 2-77, # 3-78, # 4-76, # 5 =78, # 6 -77, replaced induction air filter. 100 HR. INSP. C/W  APP 3169512
12-1-17	2353.1235	3912.1235		CHANGED OIL & FILTER, CHECKED COMPRESSION #1-75, #3-74, #3-76 #4-72, #3-77, #6-72, REPLACED CARB AIR FILTER, CLEANED PLUGS CERTIFY THAT THIS ENGINE HAS BEEN INSP. IAW AD ANNUAL INSP. AND WAS DETERMINED TO BE AIRWORTHY Lee Davis IA, 3169512 
SUB-TOTALS this page				
TOTALS—Carry forward to next page				

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
2008	TTE			TOTALS brought forward from previous page
Nov 20	2017.58	920.98	3602.98	ALL AD'S o/w SER CD FOR LISTING Comp 1 78 2 76 3 78 4 76 5 74 6 76
				<i>George R. Williams</i> I certify that this Engine has been Inspected i/a/w an Annual Inspection and was determined to be in AIRWORTHY CONDITION George R. Williams A&P 76306545 IA
2009	TTAF	SMOH	TTE	
Dec 09	3657.0	1075.0	2071.5	COMPRESSION TEST DUE AD 2008-19-05 N/A
				<i>George R. Williams</i> I certify that this Engine has been Inspected i/a/w an Annual Inspection A Discrepancy/Unairworthy List Given To The Owner/Operator George R. Williams A&P 76306545 IA
				Engine Lycoming Model: O-540-B4B5 S/N: L-16633-40 SMOH : 1075.78 Hrs. TTE: 2072.28 Hrs
				Complied with a 100 hr. inspection per checklist in accordance with FAR 43 Appendix D., Piper PA28-235 Service Manual and Service manual for the Lycoming O-540-B4B5 engine. Drained oil. Removed filter & cut open. No contamination found. Removed, cleaned and reinstalled oil suction screen. Installed new Tempest AA48110-2 filter and serviced with 12quarts of Aeroshell 100W Plus oil. Compression check: #1- 74/80, #2 - 74/80, #3 - 70/80, #4 - 70/80, #5 - 70/80, #6 - 76/80. Removed, cleaned, gapped and tested spark plugs. No defects noted. Removed and replaced Bracket air filter with new P/N BA-3. Timed Magneto to engine to 25 degrees BTDC. Washed engine and ran to operating temperature and leak checked. No defects noted. Researched AD's through biweekly 2009-24. I certify that this engine has been inspected in accordance with a 100hr. Inspection and was found to be in an airworthy condition.
				<i>Newton Silva</i> Newton Silva A&P 2841229 IA Date: 12-16-2009
				SUB-TOTALS this page
				TOTALS—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
				TOTALS brought forward from previous page
7/30/10				Tach 3691.96 HR Changed oil & filter. Serviced 11 qts oil w/100 Plus Aeroshell oil filter CH-48110-1 o/w SB type 4800 by cut, open and inspected old oil filter. No metal found. Washed & Ran up ground Engine for leak test. OPS OK good. <i>George R. Williams</i> AP 589869160.
1/26/2011		1143.99	3725.99	Completed Annual in accordance with Piper PA28 Maintenance Manual 100HR Check List AND AC43.13 D. Oil changed and filter cut. Serviced with CH48110-1 oil filter 10 qts AEROSHELL W100 PLUS. REPLACED Induction Air filter (BA3). Compressions AS follows: 1 75/80 2 74/80 3 75/80 4 75/80 5 75/80 6 75/80. Replaced #2 cylinder Rear Stud. I certify this Engine has been inspected in accordance with an Annual Inspection and was found to be in AIRWORTHY CONDITION At this time. <i>George R. Williams</i> AP 58129415 IA
2 Feb 2012	2207.4	1210.4	3792.4	Change oil & filter, serviced with Aeroshell 100 plus and installed CH48110-1 oil filter. R2 two worn Adel clamps. Performed operational & leak ck. All work c/w TAF Piper service manual. I certify that this powerplant is approved for return to service. <i>George R. Williams</i> AP/IA 3106765
				SUB-TOTALS this page
				TOTALS—Carry forward to next page

[illegible]

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
				TOTALS brought forward from previous page
FROMHAGEN AVIATION, INC., 1838 Southwood Lane, Clearwater, FL, 33764 (727) 531-6970				
Cherokee PA28-235 N9032W SN28-10866 tach time 3502.79 total time airframe				
ENGINE INSPECTION performed August 23, 2004 in accordance with Title 14, FAR(d), and the service manual for the Lycoming O540B4B5. Engine cowling was removed and protective baffeling repaired. Oil sump was drained, filter removed and inspected and oil replaced with Aeroshell 100 with a new strainer installed. Suction oil strainer was cleaned. Oil pressure sending unit was checked for security. Cylinder head temperature indicating assembly was noted to be absent. Oil lines and fittings checked for security. Oil radiator showed no leakage. Vacuum pump noted to be in good condition. Cylinder compression was checked and was as follows: #1 - 78/80, #2 - 78/80, #3 - 76/80, #4 - 78/80, #5 - 75/80, #6 - 78/80. Spark plugs were cleaned and tested and found to be satisfactory. Spark plug cable leads were checked for integrity by spark gap. Cylinders were checked for cracked or broken fins. Rocker box covers were checked for leakage. Valve inspection showed normal parameters. Magneto points were in good condition. Magneto to engine timing was found to be correct. Braker felts were lubricated. Air filter was exchanged with a Brackett No. 3. Carburetor was drained and inlet fuel line strainer cleaned. Vent lines free of seepage. Intake seals properly tightened and no leakage identified. Air line duct hoses good condition. Flexible fuel lines intact, condition good. Throttle, mixture, propeller governor controls secure with freedom of travel. Muffler showed no damage to baffles. Heat shield nose clamps installed and saftied. Exhaust stacks secure, conditon good. Breather tube no obstruction. Crank case no cracks or leaks. Engine mounts condition good. Engine baffles repaired as necessary. Alternator drive belt good condition. Starter mounting secure.				
				DATE <u>23 Aug 04</u> AIRCRAFT REGISTRATION <u>N 9032W</u> ENGINE <u>LYCOMING O54B4B5</u>
				I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH TITLE 14 OF THE CODE OF FEDERAL REGULATIONS FAR 43 (d) AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION. <i>Carl Fromhagen AEP 1A</i> 266 32 0724
				N9032W TACH TIME 3538 10/7/05 COMPLIED WITH THE ANNUAL INSPECTION CHECKLIST. COMP TEST 1/78, 2/76, 3/76, 4/78, 5/78, 6/76. CHANGED OIL AND FILTER. SERVICED WITH AEROSHELL W100 AND FLTER CH48110. FILTER AND LK CHECK GOOD. INSTALLED NEW IGNITION KIT # K6566-40-E, S/N 2591420929. <i>William Turner</i>
<u>10-7-05</u>	<u>1939.32</u>	<u>842.72</u>	<u>3538.0</u>	<u>C/W FAR PART 43, APPENDIX D, I CERTIFY THIS</u> <u>AIRCRAFT HAS BEEN INSPECTED IN ACCORDANCE WITH</u> <u>A ANNUAL INSPECTION, AND WAS FOUND TO BE IN AIRWORTHY</u> <u>CONDITION.</u> <i>Richard Alexander IA 2160770</i>
				SUB-TOTALS this page
				TOTALS—Carry forward to next page

TOTALS—Carry forward to next page

TOTALS—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTALS brought forward from previous page				
MAY 1, 95	TACH: 2777			Performed ROUTE Insp.
TSIMON 95				CHANGED oil & Filter Added
TT Eng 1191				11 qts 50wt Aeroshell DET oil. Cleaned
				+ Gapped spark plugs. Compression
				#1 78/80 #2 76/80 #3 77/80 #4 78/80 #5 75/80 #6 79/80
				Installed New Eng Air Filter Element.
				WASHED Eng Down Ran Eng No Leaks No op's Checks OK.
SUNCOAST FLYING SERVICES, INC. 1000 N. HERCULES AVENUE CLEARWATER, FL 34625 (813) 447-8122				Tach Time 2777 Total Time 1191 I certify that this aircraft/engine has been inspected in accordance with an <u>ANNUAL</u> inspection & was determined to be in an airworthy condition. Pertinent details are on file at this agency under Work Order No. 1718 Date: MAY 1, 95 Signed <u>Charles W. Walker</u> for IA 362-50-4708
October 9, 1995	Tach 2803			Changed Oil & Filter - Added 11 qts 50 wt. Aeroshell 100W CH 48110 Oil Filter - Run up OK No Leaks - Ronald J. Linnert Com. Cert # 1409706
December 26, 1995	Tach - 2831			Changed Oil & Filter Checked Battery Water, added Brake fluid Added 11 quarts 50 wt Aeroshell 100 W CH 48110 Oil Filter - Checked for Leaks - OK Ronald J. Linnert - Com. Cert # 1409706
SUB-TOTALS this page				TOTALS—Carry forward to next page

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
TOTALS brought forward from previous page				
5-1-96				Performed routine insp. I saw many recommendations
	TACH 2862			Changed oil & filter. Serviced w/ 50w aeroshell.
Smolt	180 HR			Cleaned & gapped plugs. Cleaned fuel screen.
TOTAL	1274.6			Repl. air filter, secured baffle interconnect.
Tach Time 2862 Total Time 1274.6				I certify that this aircraft/engine has been inspected in accordance with an <u>ANNUAL</u> inspection & was determined to be in an airworthy condition. Pertinent details are on file at this agency under Work Order No. _____ Date: 5-1-96 Signed <u>Charles W. Walker</u> for IA 362-50-4708
9/1/96	Tach - 2916			Change Oil and Filter - Checked Battery water, Added Brake Fluid, Added 11 quarts Aeroshell 100, CH 48110 Oil Filter - Checked for Leaks, FLT. Check OK - Ronald J. Linnert - Com. Cert # 1409706
1/25/97	Tach - 2950			Change Oil & Filter - Checked Battery water, added Brake fluid, Added 11 quarts Aeroshell 100, CH 48110 Oil Filter, checked for Leaks, FLT. Check OK - Ronald J. Linnert - Com. Cert # 1409706
SUB-TOTALS this page				TOTALS—Carry forward to next page

March 1994

```

1 ea 18667 pin
1 ea 76155 shaft
1 ea 74057 plug
1 ea 74058 plug
1 ea 15472 pump
12 ea 11800 springs
12 ea 11795 springs
12 ea MS13997-3 keys
6 ea MS13998-3 caps
12 ea 60009 keys
6 ea 13790 rocker arm shafts
12 ea 12892 rocker arm shaft plugs
6 ea 60398 bushings
6 ea 74637 bushings
6 ea XV19 ex-valves
1 ea 68759 line
4 ea 68761 lines
1 ea 71737 line
4 ea 72152 baffles
6 ea std-1821 hoses
6 ea 69603 hoses
2 ea 67542 bearings
4 ea 13641 cushions
2 ea M2121 harness
12 ea REM-38E plugs
1 ea 71569-1 gasket set
1 ea 10-51365-57 mag
1 ea 10-163050-9 mag

```

73-23-01 R4 installed PN 13445 pin
75-08-09 R3 installed PN 18109-S gears
81-18-04 R2 installed PN 18109-S gears
87-10-06 R1 inspected arms PN 74636
91-14-22 modified gear, installed new bolt & tab, measured counter-
bore within limits
92-12-05 installed 13445 pin
93-11-11 installed 15472 pump (new)

Robert S. Geberth P261896634

DATE	TOTAL TIME IN SERVICE	TOTAL TIME SINCE OVERHAUL	TACH OR RECORDING METER TIME	DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK
3/94		-0-		TOTALS brought forward from previous page
4-7-94 TACH 2682 TT 1096.6 - O - 5mo H.				Removed eng. for O.H., Reinstalled same, Repl. starter bendix, R+R accessories Installed O.H. accessories see yellow top. Serviced with aeroshell 50w Det. Set eng. to specs. Run up it's good. Repl. complete exch sys. Tach Time 2682 Total Time 1096.6 I certify that this aircraft/engine has been inspected in accordance with a MANUAL inspection & was determined to be in an airworthy condition. Pertinent details are on file at this agency under Work Order No. 1296 Date: 4-1-94 Signed Charles W. Walker for IA 362-SO-V768
6-8-94 TACH 2710.5				CHANGED OIL AND FILTER 12QTS MINERAL CH 48110 FILTER NO LEAKS RUN UP OK <i>Juff Bender</i> AVP 591-34-3451
11/15/95 Tech 2750.5				Changed Oil & Filter - 11 qts Aeroshell 100W CH 48110 Filter - no leaks, run up OK <i>Ronald J. Smith</i> Comm. Certificate # 1409706
				SUB-TOTALS this page
				TOTALS—Carry forward to next page

ENGINE MAINTENANCE RECORDS

Log No. 2

Aircraft Registration No. N9032W

Engine Manufacturer Lycoming

Model O-540-B4B5

Serial No. L-16633-40

Date installed on aircraft 4/1/94

Time Between Overhauls (TBO) 2000 Hours

If used on multi-engine aircraft:

☐ Right ☐ Left
☐ Front ☐ Rear

SERVICE WARRANTY

This engine is warranted against defect in material and workmanship, under normal use and service, to 12 months or 240 hours, whichever shall occur first.

This warranty does not apply unless the engine is installed properly and maintained in accordance with the current recommendations of the manufacturer as specified in pertinent factory manuals and/or service bulletins.

This warranty will not apply to any engine which may have been repaired or altered outside the shop of **DON GEORGE, INC.**

March 1994

Date

Robert J. Schertz
Inspector P261896634

L-16633-40

Engine Serial Number

**AERO
TECH PUBLICATIONS INC.**
P.O. BOX 6005/FREEHOLD, N.J. 07728
(908) 462-5330

AVCO LYCOMING

ENGINE LOG

N9032 W
Engine Log #1

 AVCO LYCOMING DIVISION

WILLIAMSPORT, PENNSYLVANIA 17701

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
7-15-93			AIRCRAFT ENGINE AUTHORIZED TO USS "PETERSON AVIATION STC" FOR AUTO FUEL.	TALWADGE SCOTT	
			STC # SE 1909CE, SEE FLT	Joe Jrc SCOTT	
			MANUAL SUPPLEMENT FOR	1A30440 2005	
			LIMITATIONS		
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
			SEE AD LOG FOR ENGINE LOG BOOK #2 FOR REBUILD ENGINE		
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

[illegible]

ENGINE LOG SERIAL No. _____

[illegible]

ENGINE LOG SERIAL No. _____

DATE 1992	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
15 April 1992			Tach. 2519.43 Eng. Total Time 934.08 SMOH 934.08 Performed engine annual inspection in accordance with air- craft manufacturer's checklist and shop checklist. Checked status of all A.D.s. Complied with A.D. 780907R3 Amdt 39-4538, magneto impulse couplings, in accordance with TCM S.E. 599C, next due at tach. 3019.43. I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition this date. —end— Joseph J. Dolinar A+P 343562929 J.A. Joseph J. Dolinar		
Page Total			All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		
Brought Forward					
Total to Date					

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
15 April 1992			Tach. 2519.43 Eng. Total Time 934.08 SMOH 934.08 Compression readings #1 75/80 #2 75/80 #3 74/80 #4 78/80 #5 70/80 #6 75/80. —end— Joseph J. Dolinar A+P 343562929		
16 FEB 1993			TACH 2565.85 ACTT 2565.85 ENG TT 980.50 SMOH 980.50 PERFORMED ENGINE ANNUAL INSPECTION IN ACCORDANCE WITH SHOP CHECKLIST. CHECKED STATUS OF ALL A.D.s. COMPRESSION #1 78/80 #2 74/80 #3 76/80 #4 74/80 #5 70/80 #6 70/80. I CERTIFY THAT THIS ENGINE HAS		
Page Total			All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		
Brought Forward					
Total to Date					

ENGINE LOG SERIAL No. N9032W

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
12 sept 1990			TACH 2482 SMOH 896.65 Drained oil and checked oil filter screens. Found no significant amount of metallic particles. Serviced engine with 11 quarts Aeroshell 100 SAE 50 oil. — End —	Joseph J. Dolinar	
				A+P 343562929 I.A.	
18 Feb. 1991			Tach reads 2510.0 SMOH 924.65 Eng. total time 924.65 Performed annual inspection in accordance with aircraft manufacturer's checklist. Checked status of all A.D.s. — A.D. 780907, magneto impulse couplings, due at tach. 2596.0. —		
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. N9032W

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
1991			A.D. 811804R2, engine oil pump failure, due at tach. 3586. Replaced #2 cylinder exhaust gasket. Replaced #2 cylinder exhaust stud. Drained oil, ent pulled filter screen and found no metallic particles. Serviced engine with 11 quarts of Aeroshell multigrade 15W50 oil. Compression readings: #1 77/80 #2 78/80 #3 78/80 #4 77/80 #5 75/80 #6 76/80. I certify that this engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition. — end —	Joseph J. Dolinar	
				A+P 343562929 I.A.	
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

[illegible]

ENGINE LOG SERIAL No. _____

DATE 1990	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
1 JANUARY 1990			TACH. 2374 SMOH 788.43. DRAINED OIL AND SERVICED WITH 12 qts AEROSHELL MULTIGRADE 15W50. CHECKED FILTER SCREENS FOR METALLIC PARTICLES. FOUND NONE. REPLACED EXHAUST MANIFOLD GASKET, #2 CYL. COMPRESSION READINGS; #1 78/80 #2 78/80 #3 76/80 #4 76/80 #5 77/80 #6 78/80. CHECKED STATUS OF ALL A.D.'S. A.D. 811804R2, OIL PUMPS WITH SINTERED IRON IMPELLERS. DUE AT TACH. 3586. A.D. 780907, MAGNETO IMPULSE COUPLINGS, DUE AT TACH. 2596. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 hr INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. — END —	Joseph J. Dolinar JOSEPH J. DOLINAR	ATP343562929
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

[illegible]

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
11 JANUARY 1989			TACH. 2287.91. SMOH 701.41. DRAINED OIL, PULLED SCREENS AND INSPECTED FOR METALIC PARTICLES, SERVICED ENGINE WITH 12 qts AEROSHELL SAE 65/30 OIL. COMPRESSION READINGS: #1 68/80 #2 70/80 #3 76/80 #4 78/80 #5 74/80 #6 72/80. REMOVED OIL COOLER, FLUSHED, FILLED WITH SOLVENT, CHECKED FOR LEAKS, FOUND NO LEAKS. CLEANED ALL PRIMER INJECTORS. CLEANED AND GAPPED SPARK PLUGS. TESTED CHECKED ALL A.D.'s A.D. 811804R2 DUE WHEN TACH READS 3586.0. I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A 100 hr INSPECTION AND IS FOUND TO BE IN AIRWORTHY CONDITION. — END —		
				JOSEPH J. POLINAR	
				AVP 343562929	
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
1-15-86			Tech time 2219.48 TTSN 63348		
			checked comp #1 $\frac{73}{80}$ #2 $\frac{75}{80}$ #3 $\frac{74}{80}$ #4 $\frac{73}{80}$ #5 $\frac{74}{80}$ #6 $\frac{74}{80}$		
			Removed 1/4 mag + checked impulse coupling as per AD 78-09-07 R3		
			amend 39-4538 checked mag timing cleaned gapped + checked		
			all spark plugs changed oil Phillips Xc cleaned oil screen +		
			installed new induction air filter as per AD 84-26-02 amend		
			39-4966 replaced 2 rocker cover gaskets dressed and		
			oiled prob washed eng + checked per tech		
			Richard A. Lowry		
			A+P 1604959		
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
			1-15-86 Tech time 2219.48		
			CERTIFY THAT THIS Engine HAS BEEN		
			INSPECTED IN ACCORDANCE WITH A Annual		
			INSPECTION AND WAS DETERMINED TO BE IN AIR-		
			WORTHY CONDITION.		
			Richard A. Lowry		
			A+P 1604959		
			Page Total	All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.	
			Brought Forward		
			Total to Date		

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
7-15-85			Oil Change Aeroshell 40	Demetrius	
12-20-84	2148	10	I certify that this aircraft engine has been inspected in accordance with an annual inspection & was determined to be in an airworthy condition. Jeffery & Weckman A/P 57524528		
5-24-85	2195	57	Oil Change Aeroshell ^{Grade 100} SAE 50	R.D. Pollock	
Page Total			All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		
Brought Forward					
Total to Date					

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
11-2-85			Tach Time 2214.49		
			Repaired damage to exh system		
			Repaired broken Alternator mount		
			Repaired carb heat control + installed new O/R Seal		
			Repaired Oil Pressure		
			A/P 1609959		
Page Total			All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		
Brought Forward					
Total to Date					

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
Dec 4			Change Oil 30wt AeroShell	1848	
Apr 13 1983			Arch Time 1856 hrs Total time 270 hrs		
			Changed oil and cleaned SERVICE with 11qt AeroShell		
			50wt. Replace Rocker box gaskets oil # 19#3 cylinders. Installed		
			NEW Exhaust gaskets. Complied with A.Ds 82-20-01 HD compliance		
			Listing in Record at this Log. Tech time 1856 MT.T. 270hr		
			I certify that this Engine has been		
			inspected in		
			100 hr		
			inspected in		
			viewing records. <i>Phinley/M. M. M.</i>		
			AIP 502745337		
			Page Total		
			Brought Forward		
			Total to Date		

All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
Oct. 19	18	60	change Oil AeroShell 20w30 Mark		
6-5-84	20	38	Change oil with 12 qts of AeroShell		
			50 w. Cleared & gapped plugs. Performed		
			compression ck as follows #1-70, #2-72 #3-72		
			#4-75, #5-76 #6-76.		
			I certify that this aircraft ^{engine} has been inspected		
			in accordance with an annual inspection & was		
			determined to be in an airworthy condition		
			<i>Jeffrey D. Wedman</i> AIP 515645641IA		
			Page Total		
			Brought Forward		
			Total to Date		

All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.

ENGINE LOG SERIAL No. _____

[illegible]

ENGINE LOG SERIAL No. _____

DATE		TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
		Hrs.	Min.			
March	25	1982		Tach Time 1822 T.T. 236 HRS, Changed oil & cleaned screen, serviced with 11 qts. of aeroshell W-40. Replaced Crankshaft Oil seal, Air filter, & Intake gasket on #3 Cylinder.		
				Date <u>3-25-82</u> Tach Time <u>1822</u> T.T. <u>236</u> I certify that this <u>Engine</u> has been inspected in accordance with a <u>100 HR.</u> inspection and was determined to be in airworthy condition.		
					<u>Allan J. Lamp</u> ALLAN J. LAMP A & P 501668001	
				Page Total		
				Brought Forward		
				All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
12/31/79	1643	25	trac. time oil change 47hrs on engine 10 qts SAE 30		
Feb. 20, 1980			Tach time 1643 T.T. 57 HRS. SINCE NEW Replaced Valve Assy. 65142-07 in Carb. Air box with factory new part. Cleaned & Regaped plug. Cleaned oil & fuel screens. See Rear of Log for AD listing.	Mark Lueder	
			Date 2-20-80 Tach Time 1643 T.T. 57 I certify that this Engine has been inspected in accordance with a 100 HR. inspection and was determined to be in airworthy condition.	Allen J. Lampert	501668881
Page Total			All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		
Brought Forward					
Total to Date					

ENGINE LOG SERIAL No. _____

DATE	TIME		REPAIRS - ADJUSTMENTS - SERVICE - REMARKS	SIGNATURE	LICENSE NUMBER
	Hrs.	Min.			
May 20	1658	24	OIL change 10 qts 50 wt.		
Nov 15/80			OIL change 10 qts 30 wt.	Mark Lueder	
MARCH 20			Tach Time 1703 T.T. ENG. 117 HR. Replaced CARB Heat Hose I certify that this Engine has been inspected in accordance with a 100 HR. inspection and was determined to be in airworthy condition.	Keith Berg	
Page Total			All Repair Data Must Bear the Endorsement of a Certificated Mechanic, and his Rating and Certificate Number MUST be Shown.		
Brought Forward					

NEW ENGINE CERTIFICATE

This is to certify that the engine as described hereafter has been run-in and tested as prescribed by AVCO Lycoming Specifications and Federal Aviation Agency Regulation. No further run-in after installation is required.

Model 0-540-B4B5 Serial No. L-16633-40

Manufactured as new on June 21, 1974

Authorized representative *R. L. [Signature]*
AVCO Lycoming Factory Service Department

Form No. 777-A

 **LYCOMING DIVISION** - WILLIAMSPORT, PA. 17701

ENGINE DESCRIPTION

Mfgr.	AVCO LYCOMING DIVISION		Place	WILLIAMSPORT, PA. 17701		Date	
Type	<u>295</u>	Model	<u>0-540-B4-B5</u>	Serial No.	<u>L-16633-40</u>		
Rated H.P.	<u>235</u>	Max.H.P.		Weight (Dry)	<u>395 lbs.</u>		
Rated R.P.M.	<u>2575</u>	Max.R.P.M.		Oil Pressure			
Bore	<u>5.125</u>	Stroke	<u>4.375</u>	Displacement	<u>541.5</u>	Cu. In.	
Compression Ratio	<u>7.2:1</u>	Supercharger Ratio					
Reduction Gear Ratio							
Propeller		Hub Design		Hub Serial No.			
Blade Design		Blade Serial No.		Blade Serial No.			
Max. Hub H.P.		Max. Blade H.P.					
Pitch		Diameter		Length			
Name							
Address							

AVCO LYCOMING DIVISION
WILLIAMSPORT, PA. 17701

ENGINE LOG AND MAINTENANCE RECORD

RECORD OF Avco Lycoming

MAKE

MODEL

SERIAL

FROM

19

TO

19

DETAILING TIME FROM

TO

HOURS

HOURS

SSP 1872

June 1972