



The Standard

ENGINE LOG

ASA/SE-2

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
2024	3636.19			Performed annual inspection. Checked compression 1) 76/80 2) 79/80 3) 75/80 4) 73/80 5) 70/80 6) 79/80 Drained oil. Serviced w/ 10 Quarts Aero Shell 100 oil Cleaned gapped & tested spark plugs Checked magneto time & prop operation Checked intake & exhaust system Tightened drain back tubes and Rocker Covers Test run, motor, no defects noted Engine has been inspected I/Av annual inspection & CFR 43 appendix D and found to be in Airworthy condition William Dale Whelan Dale Whelan AP 337 4307 1A

DATE 2022	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
11 MAY	3588.47			PERFORMED ANNUAL INSPECTION 1 75/80 2 79/80 3 79/80 4 75/80 5 79/80 6 75/80 INSPECTED INTAKE + EXHAUST SYS. INSPECTED SPARK PLUGS + LOOKED OVER ENTIRE ENGINE I CERTIFY THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN ANNUAL INSPECTION + FAR 43 APPENDIX D AND HAS BEEN DETERMINED AIRWORTHY <i>Lance White</i> 3532407 ATP IA
15 SEP 2023	3621.94			REMOVED L/H MAGNETO, SENT TO AIRCRAFT ENGINE SPECIALIST FOR 500 HR INSPECTION + REPAIR W/O. # M7107-23-09, INSTALLED + OPS CHECKED <i>Lance White</i> 3532407 ATP IA

DATE 2023	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
20 SEP	3622.22			PERFORMED ANNUAL INSPECTION 1 79/80 2 79/80 3 75/80 4 77/80 5 79/80 6 79/80 DRAINED OIL, INSPECTED SCREEN, SERVICED WITH 10 QTS OF AEROSHELL 100, CLEANED GAPPED + TESTED SPARK PLUGS. INSPECTED INTAKE + EXHAUST SYS. I CERTIFY THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH A ANNUAL INSPECTION AND FAR 43 APPENDIX D APPENDIX AND IS AIRWORTHY <i>Lance White</i> 3532407 ATP IA

Date 07-28-2021 T.T. 5048.4L Tach Indication 3558.24 TSMOH 1192.44
 TSTOH — Engine Inspection Performed in Accordance with FAR Part 43.
 Engine compartment ☒ Engine Mount ☒ Engine Controls ☒ Cowling ☒
 Cleaned Fuel Injector Nozzles — Cleaned & Gapped Spark Plugs ☒
 Checked & Cleaned Air Filter ☒ Cooling Baffles ☒ Cylinder Base Studs ☒
 Crankcase Bolts & Nuts ☒ Intake & Exhaust Systems ☒ Turbos ☒
 Oil Screens/Filter Element Checked ☒ Oil Filter Changed —
 Oil Changed-Service with Aeroshell 100 W
 Fuel Sumps Drained & Checked ☒ Fuel Screens Checked ☒
 Magneto Points & Timing Checked ☒ Carburetor Heat Checked ☒
 Prop Governor Checked ☒ Prop Condition Checked ☒
 Nicks Removed From Prop Edges ☒ Differential Compression Checked as Follows:
 #1 75 #2 74 #3 74 #4 72 #5 69 #6 76 #7 — #8 — #9 —
 Ad Compliance List at Rear of Log. AD Compliance Checked through Issue 2021/15
 I Certify That This Engine Has Been Inspected In Accordance With A Annual
 Inspection And Was Found to be in Airworthy Condition.

Signed: Edward D. VanReeth IA# 3502862
 Edward D. VanReeth

REPAIRS AND ALTERATIONS
 AND CERTIFICATE NUMBER OF
 OR OTHER SPECIFIC ENTRIES.)

Repaired Comb
heat shield
C/W Ad
95-26-13 by
SAID AMOC

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
9 FEB 2022	3573.01			REPLACED ALL 6 BOTTEM SPARK PLUGS P/N REM 40E, CHECK TIMING, TIGHTENED FUEL LINE TO CARB, ADJUSTED IDLE <u>James Winters</u> 3532407 A+P IA
16 MAR 2022	3574.94			REPLACED ALL 6 TOP SPARK PLUGS TEST RUN MAG DROPED GOOD <u>James Winters</u> 3532407 A+P IA
27 APR 2022	3587.9			DRAINED OIL INSPECTED SCREEN TOOK OIL SAMPLE, SERVICED WITH 9 QTS OF AEROSHELL 100 <u>James Winters</u> 3532407 A+P IA

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
--------------	---------------------------	------------------	-----------------------------	---

Date 07-01-2020 T.T. 5047.1 Tach Indication 3557.28 TSMOH 1190.98
 TSTOH — Engine Inspection Performed in Accordance with FAR Part 43.
 Engine compartment X Engine Mount X Engine Controls X Cowling X
 Cleaned Fuel Injector Nozzles X Cleaned & Gapped Spark Plugs X
 Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
 Crankcase Bolts & Nuts X Intake & Exhaust Systems X Turbos —
 Oil Screens/Filter Element Checked X Oil Filter Changed —
 Oil Changed-Service with AeroShell 100W
 Fuel Sumps Drained & Checked X Fuel Screens Checked X
 Magneto Points & Timing Checked X Carburetor Heat Checked X
 Prop Governor Checked X Prop Condition Checked X
 Nicks Removed From Prop Edges X Differential Compression Checked as Follows:
 #1 77 #2 72 #3 78 #4 74 #5 77 #6 75 #7 — #8 — #9 —
 Ad Compliance List at Rear of Log. AD Compliance Checked through Issue 2020/13
 I Certify That This Engine Has Been Inspected In Accordance With A Annual
 Inspection And Was Found to be in Airworthy Condition.

Signed: Edward D. VanReeth IA# 3502862
 Edward D. VanReeth

C/w Ad 95-26-13
Inspected as
per SAID
Amoc.

DATE	RECORDING	TOTAL	DESCRIPTION OF INSPECTIONS	REPAIRS AND ALTERATIONS IG AND CERTIFICATE NUMBER OF IS FOR OTHER SPECIFIC ENTRIES.)
------	-----------	-------	----------------------------	--

Date 07/28/2021 T.T. 5048.46 Hr. Meter/Tach Indication 3558.74
 Airframe Inspection Performed in Accordance With FAR Part NO.43.
 Checked Skin or Fabric for Condition X Cleanliness X Battery X
 Seats & Safety Belts X Windows & Windshields X Hydraulic Fluids X
 Oxygen Systems — Oleo Struts X Landing Gear X Lights X
 Pitot Heat X C/W Far 91-207 d X E.L.T. Battery Date April/22
 Static Systems X Cables X Pulleys X Fairleads X Torque Tubes X
 Wing Fittings X Struts — Gear & Stall Warning Devices X
 Lubricated Gear Fittings X Repacked Wheel Bearings X
 Instruments X Flight controls X Tires X Brakes X
 Ad Compliance List at Rear of Log and Researched Through Issue 2021/15
 I Certify That This Airframe Has Been Inspected In Accordance With
 A Annual Inspection And Was Found to be in Airworthy Condition.

Signed: Edward D. VanReeth IA# 3502862
 Edward D. VanReeth

Repaired carb
heat shroud
C/w AD

Entry in wrong book
Edward D. VanReeth
A+P 3502862

Signed: Edward D VanReeth IA# 3502862
Edward D. VanReeth

Date 07-01-2017 T.T. 5026.61 Hr. Meter/Tech Indication 3536.89 TSMOH 1170.59
TSTOH _____ Engine Inspection Performed in Accorance with FAR Part 43.
Engine compartment X Engine Mount X Engine Controls X Cowling
Cleaned Fuel Injector Nozzles _____ Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X Turbos _____
Oil Screens/Filter Element Checked X Oil Filter Changed _____
Oil Changed-Service with Acro shell 100W 10 qts
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magneto Points & Timing Checked X Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges X Differential Compression Checked as Follows:
#1 78 #2 75 #3 76 #4 74 #5 76 #6 77 #7 - #8 - #9 -
Ad Compliance List at Rear of Log. AD Compliance Checked through Issue 2017/13
I Certify That This Engine Has Been Inspected In Accordance With A Annual
Inspection And Was Found to be in Airworthy Condition.

Signed: Edward D. VanReeth IA# 3502862
Edward D. VanReeth

Replaced cyl #4
bottom spark plug
c/w Ad 95-26-13
As per SAID
AMOC.

AD	2017-16-11	NA	No new engine parts from Lgc at this time
----	------------	----	--

Date 07/10/10 T.T. 4889.38 Hr. Meter/Tach Indication 3397.66 TSMOH 1033.42
TSTOH Engine Inspection Performed in Accordance with FAR PART 43.
Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X New
Oil Screens/Filter Element Checked X Oil Filter Changed
Oil Changed-Service with Aeroshell 100W
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magnet Points & Timing Checked X Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges Differential Compression Checked as Follows:
#1 78 #2 79 #3 77 #4 77 #5 78 #6 77 #7 #8 #9
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 2010/14
I Certify That This Engine Has Been Inspected In Accordance With A Annual
Inspection And Was Found to be in Airworthy Condition.

Signed Edward D VanReeth A & P # IA 3502862
Edward D VanReeth

new muffler was replaced with new # K65012-00
sn# 188443/P66091 from Parts Exchange. E VanReeth A & P 3502862

RS AND ALTERATIONS
AND CERTIFICATE NUMBER OF
OR OTHER SPECIFIC ENTRIES.)

CWAD 95-27-13

As per Raird

Amoc

Repaired Right

Rear cyl 1 baffl

Replaced #3+5

primer lines.

Repaired carb

head screws,

with exh stacks

Repaired by Danley

Date 07/29/2011 T.T. 4942.25 Hr. Meter/Tach Indication 3452.53 TSMOH 1086.29
TSTOH Engine Inspection Performed in Accordance with FAR PART 43.
Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X
Oil Screens/Filter Element Checked X Oil Filter Changed
Oil Changed-Service with Aeroshell 100W 50wt
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magnet Points & Timing Checked X Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges X Differential Compression Checked as Follows:
#1 78 #2 78 #3 78 #4 80 #5 78 #6 79 #7 #8 #9
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 2011/14
I Certify That This Engine Has Been Inspected In Accordance With A Annual
Inspection And Was Found to be in Airworthy Condition.

Signed Edward D VanReeth A & P # 3502862
Edward D VanReeth

RS AND ALTERATIONS
AND CERTIFICATE NUMBER OF
OR OTHER SPECIFIC ENTRIES.)

CWAD 95-27-13

As per SAID Amoc

Replaced the

capacitor in the

right left mag

AD 2009-26-12

N/A No ECT

Date 05/01/08 T.T. 1480216 Hr. Meter/Tach Indication 3321.6 TSMOH 966.4
TSTOH Engine Inspection Performed in Accordance with FAR PART 43.

Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X
Oil Screens/Filter Element Checked X Oil Filter Changed
Oil Changed-Service with Philips Type M 20-50
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magneto Points & Timing Checked O/H Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges X Differential Compression Checked as Follows:
#1 Repl #2 78 #3 Repl #4 75 #5 Repl #6 78 #7 #8 #9
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 2008/08
I Certify That This Engine Has Been Inspected In Accordance With A ANNUAL
Inspection And Was Found to be in Airworthy Condition.

Signed Edward D VanReeth A & P # 357465746 I A
Edward D VanReeth

oil return hose for cyls 1,3,5 Replaced and
exhaust stud in cyl #2. Both mag's removed
for 500 hour inspection and repairs by Airsept
systems Reinstalled and timed (see 8130-3 forms
for mag's & yellow tags for cyls) Ed VanReeth A & P 357465746

5 AND ALTERATIONS
ID CERTIFICATE NUMBER OF
OTHER SPECIFIC ENTRIES.)

C/W AD 95-27-13
SAFO
asper Amoc -
AD 07-04-19R1
is not applicable
no superior cyl
Replaced cyls
1-3-5 due to
cracks in the
exhaust ports
Replaced intake
hoses and

Date 06/11/09 T.T. 1485463 Hr. Meter/Tach Indication 3328.9 TSMOH 1012.67
TSTOH Engine Inspection Performed in Accordance with FAR PART 43.
Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X
Oil Screens/Filter Element Checked X Oil Filter Changed
Oil Changed-Service with AeroShell 15W50 100W
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magneto Points & Timing Checked X Carburetor Heat Checked 1
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges Differential Compression Checked as Follows:
#1 77 #2 77 #3 77 #4 77 #5 74 #6 79 #7 #8 #9
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 2009/12
I Certify That This Engine Has Been Inspected In Accordance With A ANNUAL
Inspection And Was Found to be in Airworthy Condition.

Signed Edward D VanReeth A & P # 357465746 I A
Edward D VanReeth

11/26/09	Changed Oil Installed 10 qts Aeroshell Grade 65 - <u>D Murphy</u> owner - pilot Tach Time <u>3390.15</u>

IRS AND ALTERATIONS
AND CERTIFICATE NUMBER OF
OR OTHER SPECIFIC ENTRIES.)

AD 08-19-05 NA
No Titan cyl installed

Signed Edward D Van Reeth A & P # 357465746 I A
Edward D Van Reeth

CW AD 95-26-13
as per SAID
Amoc inspection
installed a
new properly
control unit
(gouverner) PCU
5000 P/N # AT4-3A
Serial # 04300165

Date 04/02/07 T.T. 47732 Hr. Meter/Tach Indication 3283.4 TSMOH 927.24
TSTOH _____ Engine Inspection Performed in Accordance with FAR PART 43.
Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles _____ Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X
Oil Screens/Filter Element Checked X Oil Filter Changed _____
Oil Changed-Service with Aeroshell 100W
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magnetos Points & Timing Checked X Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges _____ Differential Compression Checked as Follows:
#1 72 #2 76 #3 77 #4 76 #5 79 #6 78 #7 — #8 — #9 —
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 2007108
I Certify That This Engine Has Been Inspected In Accordance With A Annual
Inspection And Was Found to be in Airworthy Condition.
Signed Edward D VanReeth A & P # 357465746 I A

Changed Oil 10gTs Aeroshell 65W
Tack Time ~~326~~ 4.28 332 0.28
O Murphy Owner 11/17/07

Date 10/20/03 T.T. 4696²² Hr. Meter/Tach Indication 3159.5 TSMOH 803.22

TSTOH _____ Engine Inspection Performed in Accordance with FAR PART 43.

Engine compartment X Engine Mount X Engine Controls X Cowling X

Cleaned Fuel Injector Nozzles _____ Cleaned & Gapped Spark Plugs X

Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X

Crankcase Bolts & Nuts X Intake & Exhaust Systems X

Oil Screens/Filter Element Checked X Oil Filter Changed _____

Oil Changed-Service with AEROSHELL 100W

Fuel Sumps Drained & Checked X Fuel Screens Checked X

Magneto Points & Timing Checked X Carburetor Heat Checked X

Prop Governor Checked X Prop Condition Checked Replaced with Recon Prop

Nicks Removed From Prop Edges _____ Differential Compression Checked as Follows:

#1 73 #2 78 #3 77 #4 75 #5 77 #6 74 #7 _____ #8 _____ #9 _____

AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 03120

I Certify That This Engine Has Been Inspected In Accordance With A ANNUAL

Inspection And Was Found to be in Airworthy Condition.

Signed Edward D Van Reeth A & P # 357465746 I A
Edward D Van Reeth

ALTERATIONS
IFICATE NUMBER OF
R SPECIFIC ENTRIES.)

Date 12/14/04 T.T. 4696²² Hr. Meter/Tach Indication 3200.01 TSMOH 843.73

TSTOH _____ Engine Inspection Performed in Accordance with FAR PART 43.

Engine compartment X Engine Mount X Engine Controls X Cowling X

Cleaned Fuel Injector Nozzles X Cleaned & Gapped Spark Plugs X

Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X

Crankcase Bolts & Nuts X Intake & Exhaust Systems X

Oil Screens/Filter Element Checked X Oil Filter Changed _____

Oil Changed-Service with AEROSHELL 100W

Fuel Sumps Drained & Checked X Fuel Screens Checked X

Magneto Points & Timing Checked X Carburetor Heat Checked X

Prop Governor Checked X Prop Condition Checked X

Nicks Removed From Prop Edges X Differential Compression Checked as Follows:

#1 70 #2 76 #3 76 #4 74 #5 75 #6 76 #7 _____ #8 _____ #9 _____

AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 04123

I Certify That This Engine Has Been Inspected In Accordance With A ANNUAL

Inspection And Was Found to be in Airworthy Condition.

Signed Edward D Van Reeth A & P # 357465746 I A
EDWARD P VAN RERTH

PAIRS AND ALTERATIONS
3 AND CERTIFICATE NUMBER OF
5 FOR OTHER SPECIFIC ENTRIES.)

This date CW AD

96-12-07 (Poplar

grove Air Motive

see tag) Replaced

oil screen how

ing and reman-

them with

seminable (used)

see yellow tag)

CW AD 95-26-13

by inspection.

As per SAE B-AMOC Replacement of oil lines

is no longer required at 8 years.

08/08/01 T.T. 4535.65 Hr. Meter/Tach Indication 3046.2 TSMOH 089.65
TSTOH Engine Inspection Performed in Accordance with FAR PART 43.
Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles Cleaned & Gapped Spark Plugs NEW
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X
Oil Screens/Filter Element Checked X Oil Filter Changed
Oil Changed-Service with 100W AeroShell
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magnetos Points & Timing Checked X Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges Differential Compression Checked as Follows:
#1 74 #2 77 #3 77 #4 77 #5 76 #6 77 #7 #8 #9
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 01/15
I Certify That This Engine Has Been Inspected In Accordance With A 100 HR
Inspection And Was Found to be in Airworthy Condition.

Signed Edward D Van Reeth A & P # 357465746
Printed Edward D Van Reeth Work Order #

N8791W
8-8-01 TACH: 3046.2 TT: 4535.65

Completed ANNUAL INSPECTION; I certify that this ENGINE has been inspected in accordance with an ANNUAL INSPECTION and found to be in an airworthy condition. The aircraft or component identified above was inspected and/or repaired in accordance with current regulations of the Federal Aviation Administration and is approved for return to service for the work performed. Pertinent details of the repair are on file at this repair station under WO# 1813.

SIGNED Greg Cyril
Greg Cyril 2636813 IA ----- Midwest Flight Check CRS# MFKR583K

PAIRS AND ALTERATIONS
AND CERTIFICATE NUMBER OF
FOR OTHER SPECIFIC ENTRIES.)

Replaced all 12
plugs with UREM
40E spark plugs.
greased prop.
Replaced waffel
seal on left front
waffel & doubled
in center of cowl

DATE RECORDING
19 TACH
TIME

Date 08/06/02 T.T. 4584.2 Hr. Meter/Tach Indication 3054.7 TSMOH 738.92
TSTOH Engine Inspection Performed in Accordance with FAR PART 43.
Engine compartment X Engine Mount X Engine Controls X Cowling X
Cleaned Fuel Injector Nozzles Cleaned & Gapped Spark Plugs X
Checked & Cleaned Air Filter X Cooling Baffles X Cylinder Base Studs X
Crankcase Bolts & Nuts X Intake & Exhaust Systems X
Oil Screens/Filter Element Checked X Oil Filter Changed new bracket BA3
Oil Changed-Service with AeroShell 100W 705miles
Fuel Sumps Drained & Checked X Fuel Screens Checked X
Magnetos Points & Timing Checked X Carburetor Heat Checked X
Prop Governor Checked X Prop Condition Checked X
Nicks Removed From Prop Edges X Differential Compression Checked as Follows:
#1 74 #2 77 #3 75 #4 78 #5 79 #6 78 #7 #8 #9
AD Compliance List at Rear of Log. AD Compliance Checked Through Issue 02/14
I Certify That This Engine Has Been Inspected In Accordance With A Annual
Inspection And Was Found to be in Airworthy Condition.

Signed Edward D Van Reeth A & P # 357465746 IA
Printed Edward D Van Reeth Work Order #

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
				Adjusted prop governor control arm to hit high RPM stop, Reset mag to proper timing. Removed exhaust & Re- placed cyl # 5 & #6 cyl gaskets. Replaced air intake filter with Brackel Bae-3 element. AD# 97-15-11 N/A due to time period
				5/28/98 Tach indicates 2888.74 Total time 4378.19 hrs. Time since major overhaul is 532.19 hrs. AD Compliance researched thru 98-102 certify that this engine has been inspected in accordance with an Annual inspection and was found to be in air- worthy condition. Gordon W. Ruth IA 303528

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
8/12/98	2908.67			Removed left magneto. Replaced impulse coupling cam P/N 10-400167-10E, 10-357586 Gear kit and 10-51324 impulse spring. Cleaned block and points. Installed on engine and ran. Checks good. Edward D. Quilla A#P 2197698
01-20-99				This engine removed for overhaul by G+W see new logbook Edward D. Quilla # 257465746 this entry was made in the wrong book it was for another aircraft Edward D. Quilla

DATE 19 <u>97</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6/6/97	TR 2825.12			SUNSHINE AIRCRAFT REPAIR INC. I CERTIFY THIS <u>ENGINE</u> HAS BEEN INSPECTED IN ACCORDANCE WITH AN <u>ANNUAL</u> INSPECTION AND HAS BEEN DETERMINED TO BE IN AIRWORTHY CONDITION.
T.T.E	4314.69			
S.M.D.	468.69			
				CYLINDER COMPRESSION TEST: #1-70/80 #2-76/80 #3-72/80 #4-75/80 #5-70/80 #6-72/80. REPLACED ROCKER COVER GASKETS WITH 'REAL' GASKETS. REPLACED 6 SPARK PLUGS. CLEANED, GAPPED AND TESTED 6 SPARK PLUGS. CHANGED OIL AND CHECKED OIL SCREEN. ADDED 100W AEROSHELL OIL. CHECKED MAGNETO TIMING. DRAINED CARB BOWL. SMOOTHED OUT PROP NICKS. <i>end</i>
				 SUNSHINE AIRCRAFT REPAIR, INC. 9612 52nd Street Kenosha, Wisc. 53144 414-656-7051
				HOWARD W. SIEDLECKI AP2111293IA

DATE 19 <u>97</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6/24/97	T.R. 2831.78			N8791W S/N 28-10339 INSTALLED AIRBORNE VACUUM PUMP P/N 211CC S/N RAM005195, THIS DATE. <i>end</i>
				 SUNSHINE AIRCRAFT REPAIR, INC. 9612 52nd Street Kenosha, Wisc. 53144 414-656-7051
9/20/97	2813.52			Changed oil 100TS Grade 100 (Murphy (owner))

DATE 1975	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
06-01				Performed an annual inspection in
Tech	2708.08			accordance with the Annual inspection
TEng	4197.45			guide. Changed oil and cleaned oil
TSMOH	351.65			screen. No metal detected. Cleaned &
Compression Check				Gapped Spark plugs. Cleaned Fuel screens.
Cyl #1-67/80				Performed AD research through 95-10.
#2-78/80				Discovered AD 94-01-03 eff. date: 09-06-94
#3-70/80				not previously complied with. Removed
#4-77/80				Right magneto after discovering the bad
#5-75/80				coil inside. Sent to Aircraft Systems -
#6-76/80				Rockford, Ill. - for servicing. (See yellow
				tag attached for work performed).
				Installed magneto to the engine &
				timed magnetos to engine.
				I certify that this engine has been inspected
				in accordance with an Annual Inspection
				and was determined to be in Airworthy Condition
				I A 365863409
				END

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6-3-96				Tach Reads 2764.11 TTE. 4253.68 TSMOH 407.68
				Annual inspection completed this date. Comp
				CR #1-73, 2-77, 3-75, 4-77, 5-76, 6-75 DRAINED
				oil AND checked screen for metal - none found
				at this time. Serviced with 10wt Aeroshell
				50wt oil. Replaced Air Filter, cleaned Fuel
				screens, cleaned and gapped plugs, checked
				magn timing, checked and lubed controls.
				Washed engine and cowl, run-up normal
				at this time. I certify that this engine
				has been inspected in accordance with an
				Annual inspection and was found to be
				in an Airworthy condition at this time
				Jim Shaw - I A 2040258
				1805-222-111

DATE 19 <u>93</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5-7-93				Annual inspection completed this date. Cleaned, lubed,
Tach	2573.6			+inspected engine controls. Drained oil & checked
TT	4063.17			screen. Serviced with 10qts 100W. Cleaned & gapped
TSMOH	217.17			plugs and checked timing. Cleaned fuel screens.
				checked exhaust and accessories. Tightened 90°
				elbow on fuel pump. Repaired Right rear engine
				baffle. Comp. check as follows: #1-79, #2-79, #3-78,
				#4-78, #5-77, #6-78. Test run & check ok.
				I certify that this aircraft ^{engine} has been inspected
				in accordance with an ANNUAL Inspection and
				was determined to be in airworthy condition.
				<i>Kevin J. Hill</i>
				IA 333603316

DATE 19 <u>94</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
6-10-94				This date completed 100hr insp. Cleaned, lubed, &
Tach	2641.57			Inspected engine controls as required. Drained
TT	4131.14			oil. Checked screen no metal found. Serviced w/
TSMOH	285.14			10 qts Phillips type "M" oil. Checked fuel screens, cleaned
				+ gapped plugs. Checked timing. Installed BA-103 airfilter.
				Installed new fuel line from firewall to pump + new
				primer hose. Comp. check as follows: 1 $\frac{74}{80}$ 2 $\frac{77}{80}$ 3 $\frac{77}{80}$ 4 $\frac{76}{80}$
				5 $\frac{76}{80}$ 6 $\frac{76}{80}$. Installed Rebuilt cyl on #1 due to crack
				in ex part. See yellow tag. C/w AD 94/04/03 by insp
				IAW MSB 644. Solvent washed + test run satisfactory
				I certify this aircraft engine has been inspected
				IAW a 100hr inspection + determined to be in airworthy
				condition.
				<i>Tim R. Mayers</i>
				348-60-0767 ASP

DATE 19__	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
				12-17-91 Changed Oil Tach 2490.3 30W detergent Murphy Owner
6-12-92				Annual Inspection completed this date. Cleaned, lubed, & inspected engine controls. Drained oil & serviced with 9 qts 100W. Checked screen. No metal at this time.
Tach	2518.27			
TT	4007.84			
TSMOH	161.84			Comp. check as follows: #1=78, #2=79, #3=79, #4=78, #5=78, #6=78. Cleaned & gapped plugs & checked timing. Cleaned & checked fuel screens. Repaired #3 cyl. primer line. replaced both fuel line going to carb with new. Solvent washed & test run. Check ok. I certify that this aircraft engine has been inspected in accordance with an annual inspection and was determined to be in airworthy condition.
				Kevin J. [Signature] IA333603316
				11/26/92 Tach 2566.90 Changed Oil 10 qts Shell Grade 65 Murphy Owner

DATE 1993	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
1-3-93	2567.98			Repaired oil return line on #2 cyl. Removed exhaust system and had it repaired by Dawley Aviation see yellow tags. Reinstalled exhaust system with new gaskets. Repaired carb. heat shield and muffler shield. Tied off baffles wire and oil line on #3 cyl. Reinstalled center baffling.
				The aircraft and/or component identified above was repaired and inspected in accordance with current Federal Aviation Regulations and was found airworthy for return to service. Signed <u>Jack J. Kutter</u> for Kenosha Aero, Inc., Certificate No. KABR 076A

DATE 19 <u>89</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
9/23/89	TACH. 2355.43			INSTALL THIS ENGINE IN PA28-235 S/N 28-10339 N8791W; USING SAME ENG MTS TORQUED TO PAPER SPECS, OWNER HAD OIL COOLER & LINES FLUSHED, PROP. GOV. INSP. & CLEAN, PROPELLER INSP. & CLEAN Refel TO SERVICEABLE TAGS, NEW FUEL PUMP P/N 41271, PROP TORQUED TO SPECS., & SAFETED. ENG TEST RUN-UP, ADJ. CARB. AS NEEDED, ADD 10 QTS. SHELL 50W MINERAL OIL. PERFORM OTHER ROUTINE MAINTENANCE. A/C TO BE TEST FLOWN by PILOT-OWNER. I CERTIFY THAT THIS ENGINE IS IN AIRWORTHY CONDITION. JOLIET AIRMOTIVE INC by AEPJ. Johnson 2109820
10/23/89				Changed oil - Aeroshell 65 30W mineral oil - checked lower screen Found To be clean 10 qts oil installed Tach Reads 2364.55 (P. Murphy) (owner)

DATE 19 <u>90</u>	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
5-19-90	TACH. 2376.78			C/W ANNUAL INSP., COMP. CK. ALL 75 OR BETTER, CK. MAG TIMING, CHG. OIL & INSP. OIL SCREEN, ADD 10 QTS. SHELL 50 STR. MIN. OIL. INSP. EXH. SYSTEM, CLEAN & LUBE CONTROLS. I CERTIFY THAT THIS ENGINE IS IN AIRWORTHY CONDITION. TIME SMOH 21.35. BY JOLIET AIRMOTIVE INC BY IAEP Johnson 2109820.
10-19-90				Changed oil Aeroshell 30W detergent (P. Murphy) owner
5-9-91	TACH. 2429.82			TI ENG. SINCE O.A. 74.4 HRS. This engine was inspected IAW a 100 hr. inspection using Lycoming service manual. Oil drained and screen inspected - no metal found. System serviced with 10 qts. Aeroshell 100W. Plugs cleaned, gapped and tested. Compression results are satisfactory. Engine runup and leak check satisfactory. Magn contacts checked for wear and proper clearance. Timing checked ok. This engine is satisfactory for return to service. S. D. Dodson IA2287

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19__				

This is to certify that the engine described hereafter has been overhauled to manufacturer's new parts limits
Engine disassembled, cleaned, inspected and reassembled in accordance with manufacturer's overhaul instructions. All steel parts magnafluxed. Engine test run in F.A.A. approved test cell. All applicable Airworthiness Directives and Manufacturer's Service Bulletins are in compliance. A description of these repairs is on file at this agency under:

JOB NO. 39000
MFG. _____
Serial No. _____

DATED Sept. 19, 1989
MODEL O-540-B4B5
Time in svc. 3846hr.

 **G & N AIRCRAFT, INC.**
1701 East Main St., Griffith, IN 46319
Telephone: (219) 924-7110

Eugene P. Comer
Authorized Signature

C.R.S. #3125

DATE	RECORDING TACH TIME	TODAYS FLIGHT	TOTAL TIME IN SERVICE	DESCRIPTION OF INSPECTIONS, TESTS, REPAIRS AND ALTERATIONS ENTRIES MUST BE ENDORSED WITH NAME, RATING AND CERTIFICATE NUMBER OF MECHANIC OR REPAIR FACILITY. (SEE BACK PAGES FOR OTHER SPECIFIC ENTRIES.)
19__				

The Accessories Listed Below Were Overhauled and Supplied With This Engine

ENGINE Lyc O-540-B4B5 SN L-15403-40 DATE Sept. 19, 1989
P/N S/N P/N S/N

L MAG. 10-51365-47 583643
R MAG. 10-51365-46 583669
ALT./GEN. None
~~INT~~/CARB. 10-4404 R-40-8161
FUEL PUMP None
STARTER Prest. MZ4222 12M000022
VAC. PUMP None
HYD. PUMP None

PROPELLER None
PROP. GOV. None
TACH. GEN. None
TURBO CHARGER None
WASTE GATE None
CONTROLLER None
CONTROLLER None
REL. VALVE None

 **G & N AIRCRAFT, INC.**
1701 East Main St., Griffith, IN 46319
Telephone: (219) 924-7110

W.O. # 39000
Eugene P. Comer
Authorized Signature C.R.S. #3125

CAUTION:

Use only straight mineral oil
during break-in period or for
the first fifty (50) hours.

G & N AIRCRAFT, INC. / Limited Piston Engine Warranty

Effective 1/4/88. G & N Aircraft, Inc., (hereinafter "G & N") makes the following warranty to its customer, subject to the limitations, conditions and exclusions set forth below.

WARRANTY COVERAGE - For a period of six (6) months after date of delivery to customer, or 240 hours of operation, whichever occurs first. G & N Aircraft, Inc. shall repair or replace, at its option, any aircraft engine, accessory, or part which is found to be defective, to G & N Aircraft, Inc.'s satisfaction, within said warranty period.

For engine warranty after six (6) months from date of delivery to customer and prior to the expiration of 1000 hours, the cost of repair or replacement (including the cost of parts and labor), at G & N Aircraft, Inc.'s option, shall be prorated in the following manner. The customer shall pay the net price for a newly remanufactured engine equal to the current list price for the engine divided by 1000 hours, and then multiplied by the number of hours on the repaired or replaced engine (which shall be deemed the greater of the actual logbook hours, recorded tachometer hours or hours or time at forty (40) hours per month from the date of delivery). Reasonable labor costs associated with the repair of a warranted engine shall be prorated in the same manner on the basis of a flat rate schedule established by G & N Aircraft, Inc.

After the initial six (6) months from date of delivery or 240 hours of operation, G & N Aircraft, Inc. will not assume any responsibility for the repair or replacement of engine accessories, E. G. magneto, starter, alternator, ignition harness, turbocharger, etc.

Replacement parts supplied for warranted engines still covered by manufacturer's warranty are supplied on an exchange basis. G & N Aircraft, Inc. will pursue warranty claims with the manufacturer on the owner's behalf. Any allowance by the manufacturer will be credited to the operator's account.

CONDITIONS AND PROCEDURES FOR OBTAINING WARRANTY WORK - The foregoing warranty shall be effective only if the engine or component to be serviced is returned to G & N Aircraft, Inc.'s facility at customer's expense, together with particulars in writing of the nature of the defect. The customer or his representative should contact G & N Aircraft, Inc. for verification and authorization of warranty prior to return and/or repair. Written authorization must be obtained from G & N Aircraft, Inc. before repairs covered by warranty can be performed other than by G & N Aircraft, Inc. In no event shall allowable labor costs exceed

local published shop rates. The foregoing warranty shall apply if and only if the engine has been properly installed and maintained in accordance with current approved standards of the FAA and current recommendations of the manufacturer as specified in applicable factory manuals and service bulletins. The performance of recommended inspections and maintenance must be documented by logbook entries which must accompany any engine returned for warranty work. Defects must be discovered within the warranty period and G & N Aircraft, Inc. must be given prompt notice thereof in writing, within ten (10) days after discovery.

LIMITATIONS, EXCLUSIONS, AND DISCLAIMERS - G & N Aircraft, Inc. shall not assume freight charges, transportation or delivery expenses, costs, or airframe repairs, all of which are excluded under this warranty. G & N Aircraft, Inc. does not warrant parts, materials or services supplied which are covered by manufacturer's warranty. This warranty shall not apply to any engine which has been subject to misuse, neglect, accident or damage from the elements, or which has been installed, repaired or maintained or altered in any manner which, in the judgement of G & N Aircraft, Inc. has had an adverse effect on the engine or part. This warranty shall not apply to any engine which has been operated under conditions which exceed the manufacturer's recommendations. This warranty shall not apply to any engine which has been repaired or altered, in any manner other than by G & N Aircraft, Inc. or its representative.

THE FOREGOING WARRANTY IS IN LIEU OF ALL OTHER WARRANTIES OR REPRESENTATIONS, EXPRESS OR IMPLIED, ARISING BY OPERATION OF LAW OR OTHERWISE, INCLUDING WITHOUT LIMITATION THE WARRANTY OR MERCHANTABILITY OR FITNESS FOR PARTICULAR PURPOSE WHICH WARRANTIES ARE HEREBY EXCLUDED. G & N Aircraft, Inc.'s liability hereunder shall be limited to the repair or replacement of any engine or part found to be defective within the applicable warranty period as set forth above. IN NO EVENT SHALL G & N AIRCRAFT, INC. BE LIABLE FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES OR ECONOMIC LOSS OF ANY NATURE WHETHER ARISING IN CONTRACT OR TORT, INCLUDING STRICT LIABILITY IN TORT OR NEGLIGENCE ON THE PART OF G & N AIRCRAFT, INC. The foregoing limitations and exclusion with respect to implied warranties, and the exclusion of incidental or consequential damages may not apply in those states which prohibit such limitations or exclusions. This warranty gives customer specific legal rights, and the customer may have other rights which vary from state to state.

Warranty No. 39000 TH DW P.OIO Nite

Engine Serial No. L-15403-40

Aircraft Registration No. _____



G & N AIRCRAFT, INC.

1701 East Main Street
Griffith, Indiana 46319
Tel: (219) 924-7110

ENGINE RECORD — GENERAL INFORMATION

MANUFACTURER _____ MODEL _____

SERIAL _____ TYPE CERTIFICATE _____

THIS ENGINE IS CURRENTLY INSTALLED IN AIRCRAFT PA28-235 N8791W

MINIMUM OCTANE FUEL _____ OIL GRADE SUMMER _____ WINTER _____

MAGNETO TIME _____ POINT SETTING _____ FIRING ORDER _____

SPARK PLUG GAP _____

MFG. RECOMMENDED OVERHAUL AT _____ HOURS.

CAUTION:

Use only straight mineral oil
during break-in period or for
the first fifty (50) hours,
whichever occurs first.



The Standard

ENGINE LOG