THE AIRCRAFT AIRCRAFT MAINTENANCE MAINTENANCE RECORDKEEPING SYSTEM

eft eng

ENGINE MAINTENANCE RECORDS

Signed: Underwriters Salvage Company

Date: 5/15/2025 AIG Aerospace Adjustment Services Inc 3500 Lenox Road, Suite 1100 Atlanta, GA 30326

| Page N | lo. |
|--|-----|
| N OF WORK PERFORMED— TE NO. OF PERSON PERFORMING | |
| N# 2706T DATE 09/01/24 TACH 3208.9 TT 3208.9 TSOH 73.3 | |
| DATE AND TIME ON THIS PPLY AT THIS TIME. 2.70 3.75 4.72 5.75 CHANGED AT THIS TIME SE MILKED TURBO D TESTED PLUGS AND T SYSTEM, ALL FLUID | |
| oft ed I.A.W. as found ion at | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |

Page No. N# 2706T ROMAC-AIR ENGINE LOG DATE 04/01/22 RMED-3960 25 TH. AVE. N. LEFT ENGINE DATE TACH 3192.6 PERFORMING WORK siST. PETERSBURG, FL. TT 3192.6 33713 TSOH 57.0 PERFORMED ANNUAL INSPECTION THIS DATE AND TIME ON THIS ENGINE. NO NEW OR RECURRING ADS APPLY AT THIS TIME. COMPRESSIONS ARE AS FOLLOWS 1.72 2.74 3.73 4.74 5.73 6.73/80 PSI. OIL AND FILTER WERE CHANGED AT THIS TIME. RETORQUED ALL VALVE COVERS, MOUSE MILKED TURBO CONTROL RODS. CLEANED GAPPED AND TESTED PLUGS AND REINSTALLED. INSPECTED ALL EXHAUST SYSTEM, ALL FLUID CARRING HOSES AND ALL WIRING . REMOVED TURBO CONTROLLER FOR OVERHAUL AND REINSTALL. REMOVED ALTERNATOR FOR GEAR INSPECTION NO DEFECTS NOTED. I certify that this aircraft engine.) prop has been inspected I.A.W. an annual inspection and was found to be in airworthy condition at this time. A+# 2823788 IA N# 2706T ENGINE LOG ROMAC-AIR DATE 07/01/23 3960 25 TH. AVE. N. LEFT ENGINE TACH 3203.9 ST. PETERSBURG, FL. TT 3203.9 33713 TSOH68.3 PERFORMED ANNUAL INSPECTION THIS DATE AND TIME ON THIS ENGINE. NO NEW OR RECURRING ADS APPLY AT THIS TIME. COMPRESSIONS ARE AS FOLLOWS 1.70 2.68 3.75 4.79 5.76 6.68/80 PSI. OIL AND FILTER WERE CHANGED AT THIS TIME. MOUSE MILKED TURBO CONTROL RODS. CLEANED GAPPED AND TESTED PLUGS AND REINSTALLED. INSPECTED ALL EXHAUST SYSTEM, ALL FLUID CARRING HOSES AND ALL WIRING CHANGED GASKET ON PROP GOV. INSTALLED SEALANT ON OIL PAN GASKET. 81811 I certify that this aircraft engine, prop has been inspected I.A.W. an annual inspection and was found to be in airworthy condition at this time. Roy McGure A 1 2823788 IA A+D 2823788 IH SUB-TOTALS this page TOTALS-Carry forward to next page

| | | | | | | Page No | |
|------|--------------------------------|------------------------------------|--|--|---|---|---|
| DATE | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | SIG | | ON OF WORK PERFORMED— TE NO. OF PERSON PERFORMING WOR | К |
| 1100 | | 396 | MAC-A 0 25 TH. A PETERSE 13 | VE. N. | ENGINE LO | G N# 2706T DATE 09/01/24 TACH 3208.9 TT 3208.9 TSOH 73.3 | |
| | | 6.7 ON CC RE | NGINE. NO DMPRESSI 72/80 PSI. (NLY 5 HRS DNTROL RO EINSTALLE | NEW OR F ONS ARE A DIL AND FI SINCE LAS ODS. CLEA D. INSPEC | RECURRING ADS A AS FOLLOWS 1.75 LTER WERE NOT ST CHANGE. MOU ANED GAPPED AN | S DATE AND TIME ON THIS APPLY AT THIS TIME. 2.70 3.75 4.72 5.75 CHANGED AT THIS TIME SE MILKED TURBO D TESTED PLUGS AND T SYSTEM, ALL FLUID | |
| | | | engine, | prop ha | that this aircr been inspect pection and w | ed I.A.W. as found | |
| | | | to to | be in air | worthy condit | ion at | |
| | | | | Hay. | oy McClure P 2823788 IA | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | SIIR-TO | ALS this page | | |

TOTALS-Carry forward to next page

| DATE | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED — SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK |
|------|--------------------------------|--|--|--|
| | | 3 | ROMAC- 960 25 TH T. PETER: 3713 | AIR ENGINE LOG N# 2706T DATE 03/18/18 TACH 3/65.0 TT TSOH 10 |
| | 27.7.1 | rata ngan | FOUND, II | MED RUN UP FOR OIL AND FILTER CHANGE. DRAINED REMOVED FILTER, CUT OPEN FILTER ,NO METAL NSTALLED NEW FILTER AND SERVICED WITH 12 QTS 20/50 OIL NO LEAKS NOTED. |
| | | orthuna | | the landing of the same of the |
| | | 10331201011 | 010 2110 | Roy McClure |
| | | | 1 | By McClin |
| | | 1.11 | it but in | A&P 2823788 IA |
| | | 7.1.6 | | 2025/68 IA |
| | | 3960 | MAC-AIF 25 TH. AV ETERSBU 3 | E. N. DATE 10/05/19 |
| | | COM 6.70, ONL' MILK CLE, INSP | IPRESSION (80 PSI. OIL Y 10 HR ON (ED TURBO | |
| | | | | I certify that this aircraft |
| | | | | engine, prop has been inspected I.A.W. an annual inspection and was found |
| | | | | and woll tilly condition of |
| | | | | this time. |
| | | | | Rythau |
| | _ | | | Rox McClure |
| _ | | | | • |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | SUB-TOTALS this page |
| , | | | | TOTALS-Carry forward to next page |

Page No._

| | | | | rage No |
|----------|--------------------------------|------------------------------------|---------------------------------------|--|
| DATE | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | DESCRIPTION OF WORK PERFORMED— SIGNATURE & CERTIFICATE NO. OF PERSON PERFORMING WORK |
| 4//22/20 | 3155,6 | 20.0 | | TOTALS brought forward from previous page |
| | | | | LH eng N27067 |
| 4/22/20 | 3161 | 25,4 | | Performed run up for oil and oil filter Change |
| , | | | | Prained oil and removed filter, cut open filter |
| | | | | and no metal found. Installed new filter |
| | | | | and surviced with 12 Qts Aeroshell sac 50 |
| | | | | No oil leaks noted. |
| | | | | Romac-Air Austin Goss |
| | | | | 3960 25th AVE N. |
| | | | | st Peters bury, Fl 33713 A/P: 3933.781 |
| | | | R | OMAC-AIR ENGINE LOG N# 2706T |
| | | | | 60 25 TH. AVE. N. LEFT ENGINE DATE 12/01/20 TACH 3179.4 |
| | | | 33 | 713 TSOH 43.8 |
| | | | 6. M | ERFORMED ANNUAL INSPECTION THIS DATE AND TIME ON THIS NGINE. NO NEW OR RECURRING ADS APPLY AT THIS TIME. OMPRESSIONS ARE AS FOLLOWS 1.76 2.74 3.76 4.76 5.76 76/80 PSI. OIL AND FILTER WERE NOT CHANGED AT THIS TIME NLY 30 HR ON IT. RETORQUED ALL VALVE COVERS, MOUSE ILKED TURBO CONTROL RODS. CLEANED GAPPED AND TESTED LUGS AND REINSTALLED. INSPECTED ALL EXHAUST SYSTEM, LL FLUID CARRING HOSES AND ALL WIRING. |
| | | | | engine) prop has the sinoness |
| | | | | an annual inspection and was found to be in airworthy condition at |
| | | | | this time. |
| | | | | Roy McChurc |
| | | | | A 11 28 2 52 85 1 4 |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | _ | |
| | | | | SUB-TOTALS this page |

TOTALS-Carry forward to next page

| ATE | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | REC | CH OR CORDING METER TIME | SIGN | | ESCRIPTION OF CERTIFICATE NO | | | | RK | | | |
|-------|---|------------------------------------|------------------|-----------------------------------|-----------------|--------------|---------------------------------|----------|--------------|--------------|-------|--|--|--|
| | | | | | TOTALS b | prought for | ward from previ | ous pag | je | | | | | |
| — F | | | | | | | | | | | a ——— | | | |
| | ZEPHYR AIRCRAFT ENGINES INC. 39320 B, Avenue. Zephyrhills FL. 33542 (8 13) 788-3305. FAX (813) 788-4412 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | W.O. No2 | 218075 | | | (0.15) 100 550. | J. 1101 (015 | Ø | d June | e 12, 2018 | 2 | | | | |
| | Mfg. Conti | nental | | | | | Mod | el TSI | O-520-EE | 3(8) | | | | |
| | Serial No | 815015-I | <u>R</u> | | | | Engine Tota | l Time | e. | (0) | | | | |
| _ | | e . | | | | 7 | Time since M | ajor O | verhaul. | 0.00 | | | | |
| | This is to | | | 1 | | | | | | | | | | |
| | Limits. The E. | ngine was | e engi disass | ne descr | cleaned and | er has beer | overhauled to | nanufa | cturer's new | parts | | | | |
| - | instructions. A | all steel par | rts ma | gnaflux | ed, reassemb | led and te | st run in accorda | nce wi | th manufact | uror'c | | | | |
| 1 | current overha | iul manual | and in | n accord | lance with cu | rrent Fede | ral Aviation Re | gulation | ns and is an | proved for | | | | |
| _ | return to servi | ce. Pertine | nt det | ails of th | nese repairs a | re on file | at this agency in | nder the | W 0 # 1:a | 4 - 4 - 1 | | | | |
| _ | All applicable | Airworthi | ness L | Directive | es thru 2018- | 11 are in c | ompliance. See | A.D. 1 | ist supplied | | | | | |
| | F.A.A. APPROV | /ED REPAIR | STAT | ION #VI | IR307M | | 1 5 | 2/ | 5 2 | | | | | |
| | | DD REFTIN | (01/11 | 1011 # 11 | ACS 771VI | / | Authoriz | ed Sic | and | | | | | |
| _ | | | | | | | James I | I. Earn | est Ir | | | | | |
| | SUPERIOR (| CYLINDE | R S/N | N'S | | | | | | | | | | |
| - ! | (1)326E18383 ======= | 4,(2)526E ====== | 18338 | 35,(3)52 | 26E1833833, | ,(4)526E1 | 833830,(5)526E | 183383 | 36,(6)526E1 | 833832 | | | | |
| _ (| Components. | Accessor | ries. 8 | & Relat | ed Parts sur | onlied or | installed (|)l | | ====== | | | | |
| | Fuel Servo | | P/N | | | S/N | C209808AR | X | ed Repaired | Not Repaired | | | | |
| 11 | Fuel Flow Div | ider | P/N | 63432 | 6-11A4 | S/N | C209808CR | X | | | | | | |
| | Fuel Pump | | P/N | | | S/N | D169812BR | X | | | | | | |
| | Left Magneto | | P/N | | 0606-1 | S/N | | X | | | | | | |
| | Right Magneto | | | 10-600 | | | J319701ER | X | | | | | | |
| | Starter Motor Oil Cooler | | P/N | 64627 | | S/N | H091094 | X | | | , | | | |
| 11 | Alternator | | P/N P/N | | 5/636900 | S/N | 1485 | X | | | | | | |
| | Prop Governor | | P/N | 64930 DCES | 29008/T3 | S/N | 8149502 | | | X | | | | |
| _ - | Tachometer G | enerator | P/N | 08503 | | S/N S/N | 791572 0525 | | | X | | | | |
| 5 | Turbocharger | | P/N | | 0-9025 | S/N | | | | X | | | | |
| | PRV | | P/N | 47093 | | S/N | BBO39696 IGO117 | X | | | | | | |
| | Spark Plugs | | P/N | URHE | | | on Harness | X | 10 | | | | | |
| (| Oil Filter | | P/N | CH48 | | 15 | on Harriess | P/N | 10-423674 | -1 NEW | | | | |
| | | | 1 | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | · | | | | | | | | | |
| | | | | | | | | | | | | | | |
| | | | | | SUB-TOTA | AIS this - | 2220 | | | | | | | |

| | | | | | | Page No |
|-----|---|------------------------------------|---------------------------------------|---|---|--|
| ATE | TOTAL TIME IN SERVICE | TOTAL TIME SINCE OVERHAUL | TACH OR RECORDING METER TIME | | ESCRIPTION OF WORK P | ERFORMED— RSON PERFORMING WORK |
| | | | | TOTALS brought for | ward from previous page | 9 |
| | | | 3960 | MAC-AIR 0 25 TH. AVE. N. PETERSBURG, FL. 3 | ENGINE LOG | N# 2706T DATE 09/01/18 TACH/ HOBBS 3153.6 TT 3153.6 TSOH 0.0 |
| | | | ENG | INES. C/W ANNUAL | EMOVED FOR OVER INSPECTION DURIN IST SYSTEM. OLD LO | |
| | | | | engine, p | rop has been insual inspection are in airworthy co | pected I.A.W. |
| | | | | THE WAY YOU | this time. | |
| | | | | 12 | Roy McClure A+P 2823788 I | A |
| | Date: Nov. | 6, 2018 SIO-520- F | | bs Time: 3153:6 S/N. 815015-R | Left Side | N2706T E W.O. 218282 |
| | oil leaks not This engine Aviation Re | or appliant | er work or a | ccessories done at this - End of work above was repaired any ved for return to service | time by this agency. done nd inspected in accorda | an aircraft, meets specs, no ance with current Federal these repairs are on file at this |
| | | | | Γ ENGINES In | c. | |
| | 39320 B Ave | | hills FL. 33542 | | F.A.A. APPROVED REPAI | R STATION # V14R397M |
| | (810) | | | Authorized Sig | nature Bunon | Vollaso |
| | | I | 1 | | Herm | an Vollrath |
| | | | 1 2114 3 | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | SUB-TOTALS this | page | |

TOTALS-Carry forward to next page



ENGINE MAINTENANCE RECORDS



| Aircraft Registration No. <u>#2706</u> T |
|--|
| |
| Engine Manufacturer Continental |
| Model TSTO -520-EB(8) |
| Serial No. 815015-R |
| • |
| Date installed on aircraft 9901118 |
| Time Between Overhauls (TBO) 1700 Hours |
| If used on multi-engine aircraft: |
| ☐ Right |
| □ Front □ Rear |

(All applicable information must be filled in)



P.O. Box 1359 / Southold, NY 11971-0965 (631) 765-9375 1-800-235-6444

FAX: (631) 765-9359

LEFT ENGINE

TELEDYNE CONTINENTAL



Gold Medallion Aircraft Engine

USE ONLY FUEL CONFORMING TO ASTM D910.

USE OF AUTOMOTIVE GAS IS NOT APPROVED.

REBUILT ENGINE

LOG

N 270GT

AIRCRAFT N NUMBER

T510-520-EB

ENGINE MODEL NUMBER

815015-R

ENGINE SERIAL NUMBER

| | | T- | ROMAC-AIR 3960 25 TH. AVE. N. | ENGINE LOG ENTRY | N# 2/061 DATE 05/01/15 | | ENGINE LOG |
|------------|--------|------|---|---|--|--------------------------|--|
| DATE Grou | R.P.M. | Hrs. | ST PETERSBURG, FL 33713 | LH | TACH 3082.5 TSMOH 1151.5 TT 1151.5 | GIGNATURE LICENSE NUMBER | ROMAC-AIR ENGINE LOG 3960 25 TH. AVE. N. ST. PETERSBURG, FL. 33713 N# 2706T DATE 02/01/4-17 TACH 3119.9 TT 1188.9 TSOH 1188.9 |
| | | Col. | VISUAL NO SUPER RECURRING ADS COMPRESSIONS A PSI. CLEANED GA DRAINED OIL AND FOUND, INSTALLI AEROSHELL 100W | PECTION THIS DATE AND TIME RIOR CYLS INSTALLED. NO C APPLY AT THIS TIME ON THI ARE AS FOLLOWS,1.55 2.56 PPED AND TESTED PLUGS A DEMOVED FILTER FOR INS ED NEW FILTER AND SERVIC V. INSPECTED MOUNT AND E VASTE GATE CONTROL ARM | OTHER NEW OR S ENGINE. 3.75 4.74 5.75 6.78/80 AND REINSTALLED. PECTION, NO METAL DED WITH 12 QTS EXHAUST SYSTEM, | | C/W AN ANNUAL INSPECTION THIS DATE AND TIME, AD 2012-03-06 N/A DUE TO NO FUEL SERVO R&R DURING DATES. NO OTHER NEW OR RECURRING ADS APPLY TO THIS ENGINE AT THIS TIME. COMPRESSIONS ARE AS FOLLOWS 1.60 2.52 3.70 4.70 5.75 6.55/80 PSI. CLEANED GAPPED AND TESTED ALL PLUGS AND REINSTALLED. INSPECTED FUEL INJECTION LINES AND HOSES, PREFORMED FLOW CHECK ON NOZZELS. INSPECTED EXHAUST SYSTEM, INTAKE SYSTEM AND MOUNTS. DRAINED OIL AND REMOVED FILTER, CUT OPEN FILTER AND INSPECTED NO MATERIAL NOTED. INSTALLED NEW FILTER AND SERVICED WITH AEROSHELL 100W, |
| BROUGHT FO | RWARD | | was ins | that this Aircraft Enpected IAW an annual was found to be in thy Condition at this Roy McClure A&P 28237881A | al insp | | BROUGHT FORWARD TOTALS |

| | T | | TIME ON | ROMAC-AIR ENGINE LOG N# 2706T 3960 25 TH. AVE. N. ST. PETERSBURG, FL. LEFT TACH 2958.2 TI 1037.3 | T | | | × | | ROMAC-AIR ENGINE LOG N# 2706T DATE 04/03/11 |
|--------------------|---------------|-------|-----------------------|---|-----------|-------|----------|-------|----------|--|
| DATE | R.P Ground | Air | GROUND Hrs. Min. T | - 33713 TSOH 1027.2 | RE LICENS | | R.P. | | GI | 3960 25 TH. AVE. N. ST. PETERSBURG, FL. TACH 2975.8 TT 1044.8 SIGNATURE NUMBER |
| | | 00 | | PREFORMED ANNUAL INSPECTION THIS DATE AND TIME. DRAINED — OIL AND INSTALLED NEW FILTER. PREFORMED COMP TEST — | | | Ground | Air H | | 33/13 LEFT ENG ISOH 1044.8 |
| | | 9 Î e | 1-30 A. | RESULTS ARE 1.72 2.77 3.70 4.60 5.62 6.62/80 PSI. CLEANED GAPPED AND TESTED PLUGS AND REINSTALLED. C/W AD SEARCH. | | _ ' | | 140 | | PERFORMED ANNUAL INSPECTION THIS DATE AND TIME ON THIS ENGINE. RUNUP FOR LEAK CHECK AND MAG CHECK NO DEFECTS |
| | | | 7.1 | INSP WEAR ON ALTERNATOR BRUSHES INSTALL OVERHAULED ALT FROM PREFERRED AIR PARTS P/N 649304R S/N 8149502 OPS AND LEAK CHECK GOOD. SERVICED ENG WITH 12 QTS AEROSHELL | | | | | <u> </u> | NOTED. COMPRESSIONS ARE AS FOLLOWS 1.70 2.74 3.32 4.00 5.68 6.64/80 PSI PSI. CHECKED MAG TIMMING, DRAINED OIL 5.68 6.64/80 PSI PSI. CHECKED MAG TIMMING, DRAINED OIL |
| | | Dr F | 12025 | 100 W OIL. INSPECTED ALL FLUID CARRING HOSES AND ELECTRICAL WIRING. | | | | - 0 | * T | INSPECTED INTAKE AND EXHAUST SYSTEM, CHECKED TORONTO |
| | | | | certify that this Aircraft / Eng / Prop | | | | | - 13 | ALL FLUID CARRING HOSES FOR LEARS AND SECOND |
| | | | | was inspected IAW an annual insp and was found to be in Airworthy Condition at this time. | | | | 5 | | THIS TIME. INSPECTED ALL WIRING AND ING. HARNESS FOR CHAFING AND SECURITY. CHAFING AND SECURITY. CHAFING AND SECURITY. |
| | | | | 7)01/116(1 | | | | نذر | Ár. | was inspected IAVV an annual Insp |
| BROUG | HT FORWA | RD | | Roy McClure A&P 250231517 (A | | | | | | and was found to be in Airworthy Condition at this time. |
| | TOTAL | | | 漁5 | | BROUG | HT FORWA | RD | | Roy McGlure |
| ATTENDED TO COLUMN | | | | | | | TOTALS | | | ASD 250221517 IA |

ENGINE LOG ENGINE LOG ROMAC-AIR **ENGINE LOG** 2706T R.P.M. TIME ON TIME IN R.P.M. DATE 02/16/09 TOTAL TIME 3960 25 TH. AVE. N. LICENSE DATE GROUND SIGNATURE DATE LICENSE NUMBER REPAIRS - ADJUSTMENTS 2909.3 SIGNATURE Ground ST. PETERSBURG, FL. Hrs. Min. Total Ground Min. NUMBER 978.3 33713 TSOH 978.3 newire costalla PREFORMED ANNUAL INSPECTION THIS DATE AND TIME. DRAINED new 1 service of OIL AND INSTALLED NEW FILTER. PREFORMED COMP TEST Aroshell 100 W or RESULTS ARE 1.70 2.78 3.68 4.40 5.65 6.62/80. CLEANED GAPPED AND TESTED PLUGS AND REINSTALLED. C/W AD SEARCH NO NEW OR RECURRING ADS APPLY AT THIS TIME 2008-03. INSTALLED OVERHAULED TURBO P/N 406610-9025 S/N GJR00223 SEE 8130. R&R L/H MAG GASKET. R&R #2 & #6 CYL INTAKE GASKETS, R&R O-RING ON TURBO CONTROLER, RESEALED #4 & #5 CYL INJECTORS, R&R #6 CYL VALVE COVER GASKET. INSP WEAR ON ALTERNATOR BRUSHES I certify that this Aircraft / Eng. / Prop was inspected IAW an annual insp and was found to be in Alrworthy Condition at this time. Roy McClure BROUGHT FORWARD BROUGHT FORWARD


TOTALS

TOTALS

A&P 250231517 IA

| | | | | | | | ENGINE | LOG | | | |
|--------|-----------|--|---|---|--|--|--|--|---|-----------|---------|
| ATE . | R.P.M | | GROU! | ND | | TIME IN AIR | TOTAL | . TIME | REPAIRS - ADJUSTMENTS | SIGNATURE | LICENSE |
| = | Ground | Air | Hrs. Min | . Total | | Min. Total y Way A | Hrs. Aircraí | Min. t, In | 2. | | NUMBER |
| | | Cor 2-6 wit Dry 100 filte Ret spe | mpleted a 8, 3-65, 4-8 h assembly tappet cla W Aerosh er. Remove imed LH cifications. I certify t | 100hr/s 80, 5-44 y overhearnces ell, repled, clear magno Runuj hat this | Annual in the checked laced all inet all inet to to p and op the checked laced all inet to the checked laced all inet to the checked laced | nspection to age calibrately Zephyr d. Changed spark plugates, recently a spark plugates, recently a spark plugates. So leak ok. olant has b | his date. Ited to 42 Aircraft I oil and gs with n installed Setup un een insperance | Comp PSI. Engin filter, lew. Ro with n netered | I Time: 2757.6 pression check #1-55, Replaced #5 cylinder e CRS V14R597M, serviced with 12 qts. eplaced induction air ew Orings and seals. If fuel pressures to AW a 100hr/Annual ondition at this time. | | |
| Olich | T FORWARD | 十 | | - | + | | | | | | |
| .00011 | TOTALS | -+ | | | <u> </u> | | | | | | |

| DATE | R.P.M. | TIME ON GROUND | TIME IN AIR | TOTAL | . TIME | REPAIRS - ADJUSTMENTS | SIGN LA TUDE | LICENSE |
|--|---|--|---|-------|--------|-----------------------|--------------|---------|
| N2706T | BAV AID EL VII | NG SERVICE, INC | 1/0/00 | Hrs. | Min. | KELAIK2 - ADJO21WEM12 | SIGNATURE | NUMBER |
| Hobbs: 2 | 848.6 T | NG SERVICE, INC Γ: 917.6 | SMOH: 917.6 | | | | | |
| | L | EFT ENGINE | | | | | | |
| Aeroshell Compress (6) 60/80 not install certify the | 100W. Cleaned ion check results Performed AD led. AD 07-16-1 this engine has spection and was | gapped and teste (1) 60 (2) 62 (3) search. AD 07-04- | 72 (4) 64 (5) 74 and -19R1 N/A cylinders r not installed. I | | | | | |



| | ENGINE LOG | | | ENGINE LOG | |
|-------|---|-----------------------|---------|---|-------------------|
| DATE | SkyWay Aircraft, Inc. | ADJUSTMENTS SIGNATURE | LICENSE | | LICENSE NUMBER |
| | N 2706T 11-18-02 Hobbs Reads 2547.4 Changed oil, serviced with 12qts. 100 W Aeroshell, washed engine Run-up leak checked. James D. Burns IA266883042 | | | SkyWay Aircraft, Inc. N2706T 8-1-03 Hobbs reads: 2596.4 Total time: 665.4 Left engine: Completed an Annual/100hr. inspection this date. Comp. check #1-50, 2-68, 3-74, 4-64, 5-60, 6-70 gage calibrated to 42 PSI. Change oil and filter, serviced with 12 qts. 100W Aeroshell. Cleaned and gapped spark plugs. I certify that this powerplant has been inspected in accordance with an annual/100hr. inspection and it has been found to be in an airworthy condition. James D. Burns Laure Laure IA266883042 | |
| | | | | James D. Burns famus La Leurs IA266883042 | |
| BROUG | TOTALS TOTALS | | | BROUGHT FORWARD TOTALS | |

| | | ENGINE LOG | | | · FNOINT LOO | Physics Man, B. + Phys. 7 Magazine and Company and Com | |
|--------|---------------------|--|--------------|-------------------|--|--|---------|
| DATE | R.P.M. Ground Air | TIME ON TIME IN TOTAL TIME | SIGNATURE | LICENSE NUMBER | DA Changed oil, did not change filter, serviced with 12 qts. 100 W 3 - AD ILISTMENTS | SIGNIATION | LICENSE |
| | | LEFT ENGINE ANNUAL INSPECTION - | | ļ | - Aeroshell. James D. Burns famulation A&P266883042 | SIGNATURE | NUMBER |
| | | DATE: 6-18-02 HOBBS 2477.4 HRS ENG TOTAL TIME: 546.4 HRS. TSMOH: 546.4 HRS I CERTIFY THAT THIS ENGINE HAS BEEN INSPECTED IN ACCORDANCE WITH AN 100HR AND ANNUAL INSPECTION AND WAS DETERMINED TO BE IN AIRWORTHY CONDITION. ALL AD CHECKED AND C/W PER T-DATA 2002-12. AD 00-23-21 N/A PER DATE OF ENG MANIF. COMP. CHECK CYL (1) 76/80 (2) 44/80 (3) 0/80 (4) 60/80 (5) 32/80 (6) 65/80 REMOVED CYLENDER #3 & #5 AND SENT OUT FOR OVERHAUL TO ZEPHER ENGINE. REINSTALLED CYLENDERS WITH NEW GASKETS. GROUND RUN AND NO LEAKS NOTED. DRAINED OIL. RESERVICED WITH 12QTS OF AEROSHELL 100W. | | | Raytheon Aircraft Services Tampa, Florida Left Engine Log Entry MWO# Aircraft Reg No Aircraft Serial No AirframeTT AirframeTC Date Page 7894 N2706T 335-0017 9/10/02 1 of 1 LH Engine S/N LH Engine T.T. LH Engine T.C. Hobbs Time 815015 2528.6 | | |
| | | REPLACED ALL UPPER DECK SEALS. | | | WO# Sqk 5) Maintenance Notes | | |
| BROUGH | T FORWARD TOTALS | • WASHED DOWN ENGINE AND GROUND RUN ALL CHECKS OK. LARRY PETERS A& P 1513782IA | | | 45376 2 ADJUSTED FUEL FLOWI/A/W CONTINENTAL MOTOR SID 97-3. ADJUSTED IDLE MIXTURE & MANIFOLD PRESSURE SETTING. OPERATIONAL CHECK WAS GOOD. I certify that this Engine and or appliance identified above was repaired and inspected in accordance with current FAA Regulations and fo the work performed only, was found airworthy and is approved for return to service. Pertinent details of this repair are on file at this repair station. Authorized Signature BR: RAYTHEON AIRCRAFT SERVICES, INC. CRS# VG4RS95M 2450 N. WESTSHORE BLVD. TAMPA, Ft 33667 | | |

| DATE | R.I | Р.М. | | ROUN | | | TIME I | Ν | TOTAL | TIME | REPAIRS - ADJUSTMENTS SIGNATURE LICENSE |
|--------|---------|-------|--------|-------------|---------------|--------------------|-------------|---------|----------|------|---|
| | Ground | Air | Hrs. | Min. | Total | Hrs. | Min. | Total | Hrs. | Min. | NUMBER |
| 7/5/01 | | | | | | | | | 2411. | / | OIL CHANGED 12 gts. MEROSHELLIND |
| | | ai ch | JFEN | N3 : | ia Bai | gradient state and | 0.4000 (00) | | क्षा भा | TH30 | |
| | | HAS | na nc | MO: | 4 2141 | 14: | 1 [] | 1171 | DANCE | | |
| | | .WII | eint t | N.G | 111.16 |) ; | | | <u> </u> | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | .450 | A | 1000 a s | 3 A 2 | nens. | M CRAY | 770/ | |
| BROUGH | T FORWA | ARD | | | - 3/ | 1122401 | | - Value | PAN.A. | 3 44 | 16 |
| | TOTAL | .s | | | | | | | | | |

| DATE | R.P.M. | TIME ON GROUND | TIME IN AIR Attal | TOTAL TIME | REPAIRS - ADJUSTMENTS | SIGNATURE | LICENSE |
|--------|-------------------|---|---|---|---|----------------------------------|---------|
| | | requirements i/ check lists. Cha with 12 qts of A | a/w Cessna a anged engine aeroShell w10 cordance with orthy condition | and TCM made oil and filte 00.I certify the had 100 hring | ed with 100 hr inspaintenance and interior (CH48108) and nat this properlier inspection and is continued to the continued to | spection serviced has been | |
| ROUGHI | FOKWAKD TOTALS | Larry Ror | mig 3 | | A&P261361 | 181 | |

| | | | | | | | | 1 | ENGINE | LUG | | | |
|-------|---------|-----|------|-------|-------|------|---------|--------|---------|--------|-----------------------------------|-----------|--------|
| DATE | R.P. | м. | | IME O | | | TIME II | N | TOTAL | TIME | REPAIRS - ADJUSTMENTS | SIGNATURE | LICENS |
| 1 | Ground | Air | Hrs. | Min. | Total | Hrs. | Min. | Total | Hrs. | Min. | | | NUMBE |
| 1001 | | | | | | | | | 449 | ව | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | - I GE | MFY TI | HIS _ | HAS BEEN INST | LITED IN | _ |
| | | | | | | | | ACC | ORDANO | E Wi | TH AN ANNUAL INSPECTI ON A | ND WAS | |
| | | | | | | | | FOUI | D TO BI | E IN A | N A:RWORTHY CONDITION AT TH | IS TIME. | |
| | | | | | | | | | 1 | | | | |
| | | | | | | | | | | | | | |
| | | | | | | | | | TO Y | | | | |
| ROUGH | T FORWA | | | | | | | SEOI | II. CA | ATTEO | D LA. 214000149 | = == } | |
| | TOTALS | KD | | | | | | 1 | | | | | |

| re L | R.P | .M. | TIME GRO | ON UND | TIME IN AIR | TOTAL TIME | DEDAIDS AD HISTAINS | 2121125 | LICENSE | | | | | | | |
|----------|-----------|----------------------|-----------------|------------------------|------------------|--|--------------------------|-----------|---------|--|--|--|--|--|--|--|
| | round | Air | Hrs. M | in. Total | Hrs. Min. Total | Hrs. Min. | repairs – adjustments | SIGNATURE | NUMBER | | | | | | | |
| Da 20 | ate 00 | Rec. Tach Time | Today's Flt. | Airframe Total Time | | Do | escription | | | | | | | | | |
| 10- | 31 | | | 2315.0 | Drained engine | ained engine oil and replaced with 12 qts of Aeroshell | | | | | | | | | | |
| | | | | | W100 oil. Rep | laced oil filter | with new Champion filter | r | | | | | | | | |
| | | | | | | | for leaks and was found | | | | | | | | | |
| | _ | | | | satisfactory, ai | rcraft is returi | ned to service. | _ | | | | | | | | |
| - | + | | | | | | | | | | | | | | | |
| | + | | | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | | | | |
| | | | | | | | Larry Romig | | | | | | | | | |
| | | | | | | | A&P 26163118 | 1 - | | | | | | | | |

| Date 2001 Rec. Tach Time Fit. Total Time Description O1-17 S5/.2 Drained engine oil and replaced with 12 qts of Aeroshell W100 oil. Filter replacement due next oil change (25hrs). Ground run aircraft checked for leaks and was found satisfactory, aircraft is returned to service. Larry Romig | LICEN NUMB | SIGNATURE | repairs – adjustments | TOTAL TIME | TIME IN AIR I | TIME ON GROUND | | R.P.M. | DATE _ | | |
|--|---------------|-----------|----------------------------|---------------------|----------------------|-------------------|---------------------|--------|--------|--|--|
| W100 oil. Filter replacement due next oil change (25hrs). Ground run aircraft checked for leaks and was found satisfactory, aircraft is returned to service. | | | ption | Desc | | | Tach Flt. Total Tim | | | | |
| Ground run aircraft checked for leaks and was found satisfactory, aircraft is returned to service. | | | d with 12 qts of Aeroshell | and replace | Drained engine oil | | 35/.2 | | | | |
| satisfactory, aircraft is returned to service. | | | e next oil change (25hrs). | W100 oil. Filter re | | | | | | | |
| | | | leaks and was found | t checked for | Ground run aircra | | | | | | |
| Larry Romig | | | to service. | ft is returne | satisfactory, aircra | | | | | | |
| Larry Romig | | | | | | | | | | | |
| Larry Romig - | | | | | | | | | | | |
| Larry Romig - | | | | | | | | | | | |
| Larry Romig - | | | 222 | | | | | | | | |
| | | | | | | | | | | | |
| A&P 261631181 | | | A&P 261631181 | | | | | | | | |

| | | | | | | | | ENGINE | LOG | | | | | | | | | | | | ENGINI | LOG | | | |
|---------------------------------------|----------|-----|-------------|-----------------|----|------|---------------|----------|--------------------|---------------------------|---|---------|-------|---|-----|-----------|-----------|----------|--------|--|--------------|--------------|--------------------------|-----------|--|
| | R.P. | .м. | I | IME ON ROUND | | Т | IME IN AIR | TOTAL | . TIME | REPAIRS - ADJUSTMENTS | SIGNATURE | LICENSE | DATE | R.P | .м. | TIA GR | ME ON | | TIME I | N | TOTA | L TIME | REPAIRS - ADJUSTMENTS | SIGNATURE | LICENSE NUMBER |
| DATE | Ground | Air | | Min. To | al | Hrs. | Min. Total | Hrs. | Min. | KEPAIKS - ADJUSTMEINTS | SIGNATURE | NUMBER | | Ground | Air | Hrs. | Min. Tota | l Hrs. | . Min. | Total | Hrs. | Min. | | | NUMBER |
| Zena | | | | | | | | 1265 | - 3 | | | | 9/2/0 | o | | | | | | | 229 | <u> را ک</u> | Duried and & | | <u> </u> |
| | | | | | | | | | 1 | | | | 1 1 | | | - | | | | | | | served with 12 | | |
| | | | | | | | | | + | | | | | ļ | | | | | | | | | Qty Acroshell 150 | | |
| | | | | | + | | | CERT | I FY TH | S ELC. HAS BEEN | INSPECTED IN | | | | | | | _ | _ | | 1 | + | Ray Mc(L- 250231547 F | HP. | |
| | | | | | - | | | | 1 | E WITH AN ARMUAL INSPECT | | | _ | | | | | | | | | | 250231317 | | |
| | | | | | | | | | 1 | | | 1 | | | | | | | | | | | | | |
| | | | | | | | | FOURD | IU DI | IN AN AIRMONTHY CONDITION | A I I I I I I I I I I I I I I I I I I I | | | | | | | | | ļ | | | | | |
| | | | | | _ | | | <u> </u> | - | | | | _ | ļ | ļ | | | | | | | | | | |
| - | | | , | | + | | | 1 | + | <u> </u> | | | _ | - | | - | | | | | | | | | |
| | | | | | 1 | | | 1 // | 1 | | | | _ | | | | | | _ | - | | | | | |
| | | | | | | | | | Mort | W-W | | | | 1 | | | | | | | | | | | |
| | | | | | _ | | | , , , | | | | | | | | | | | | <u> </u> | <u> </u> | | | | |
| · · · · · · · · · · · · · · · · · · · | | | | | | | | - FWIT | H. CH | AWFORD I.A. 214988143 | | | _ | | | | | | | | ļ | - | | - | |
| BROUG | HT FORWA | \RD | | | 十 | | | 1 | | | | | BROUG | | | | | | | - | + | +- | | | |
| | TOTAL | S | | | | | | | | | | | | HT FORW | | - | | \dashv | _ | | 1 | | | | |

| ATE | | .м. | | FIME O | | | TIME II | Ν | TOTAL | TIME | REPAIRS - AD HISTARDITS CLOSE LICENSE |
|-----|---------|-----|-------|--------|-------|--------|---------|-------|-------|------|--|
| | Ground | Air | Hrs. | Min. | 0.000 | Hrs. | Min. | Total | Hrs. | Min. | REPAIRS - ADJUSTMENTS SIGNATURE NUMBER |
| .99 | 400 | Me | fer r | ads | 20% | 8.3 | | 1 | 1,50 | | DORUMA OU PUECE VILLE |
| -00 | | | 11 | | 2/9 | 8,5 | 11/2 | I | | 1 | DRAINED OIL & SERVICES WITH |
| /_ | 11. | | | | - 0 1 | | | | | | |
| 00 | Herr | nec | rrec | ds | 220 | 24.6 | (6) | | | | Drained oil remand |
| | | | | | | 4.0.13 | | | | | fellus istelled new |
| | day. | Ma | Neigh | | | | | | | - | of fether saftind |
| | | | | | | | | | | | Ots Aero Shell 100 W |
| + | | 1.0 | | | | | | | | | no leaks noted |
| | | | | | | | | | | | A sell |
| | | | | | | | | | | | Ky EMY/L |
| _ | | | | | | | | | | | A+P 550231547 |
| - | | | | | | | | | | | |
| UGH | T FORWA | RD | | | | | - | | | | |
| | TOTALS | | | + | | | - | | | | |

| D' | R.P.M. | TIME ON GROUND | | TIME IN AIR | TOTAL TIME | LICENSE NUMBER |
|----------|-----------------------------|-------------------|-----------------------|----------------|---|-------------------|
| ! | Date Rec 2000 Tac Tim | h Flt. To | Airframe otal Time | | Description - | |
| _ | 07/24 | .5 2 | 2265.3 | Complied v | vith AD 2000-01-16. Changed oil and filter. | |
| | | | | Complied v | rith 100 hr inspection requirements | |
| _ | | | | I/A/W Cess | na and T/C/M maintenance and | |
| _ | | | | inspection | checklists. I certify that this engine has been | |
| _ | | | | inspected i | n accordance with a 100hr inspection and is | |
| _ | | | | considered | to be in an airworthy condition. | |
| | | | | | | |
| | | | | | Barry | |
| _ | | | | | LarryRorig | |
| _ | | | | | A&P 261631181 | |
| BF | | | | | | |
| | TOTALS | | 1 | | | |

ENGINE LOC

| | | V | | ENGINE LOG | | | | | NGINE LOG | | | |
|-------------------|-------------------|--------------------------------------|------------------------------|--|--|-----------|---------------------|-----------------|------------|--|-----------|-------------------|
| DATE | R.P.M. Ground Air | TIME ON GROUND Hrs. Min. Total | TIME IN AIR Hrs. Min. Total | TOTAL TIME REPAIRS - ADJUSTMENTS | SIGNATURE LICENSE | DATE R.P. | M. TIME ON GROUND | TIME IN AIR | TOTAL TIME | REPAIRS – ADJUSTMENTS | SIGNATURE | LICENSE NUMBER |
| 6-11-99 BROUGI | | fer Roads 2 | | Hrs. Min. 1423 Compression Check: #36580 #46680, Clouned & gapped -t Engine run-up & CK Tach. 2078.3 TSN/OH147. I certify that this engine has been insaccordance with an annual inspection determined to be in an airworthy condition. BRUCE A. SAUL IA 1875074 | # 17/80, # 274/80, # 71/80, # 65/80. # 51/80, # 665 | Ground | Air Hrs. Min. Total | Hrs. Min. Total | | drained oil + changed fithe serviced with 12 94 Aero Shell 1000 Roy McCh 250231547 MAP Reyourd Fifter drained fifter and service Aero shell Wio's Ops. and Leak che Supple Sulleghe F | oil, ref | Gred Z Otz |
| | | | | | | ATOTA | LS | | | | | |

| E | LO | G | |
|---|----|---|--|
| | | | |

| ENGINE LOG | ENGINE LOG | | | | | |
|--|--|--|--|--|--|--|
| DATE R.P.M. TIME ON GROUND TIME IN AIR TOTAL TIME Ground Air Hrs. Min. Total Hrs. Min. Total Hrs. Min. Total Hrs. Min. TOTAL TIME REPAIRS - ADJUSTMENTS SIGNATURE NUMBER | DATE R.P.M. TIME ON TIME IN TOTAL TIME REPAIRS - ADJUSTMENTS SIGNATURE NUMBER | | | | | |
| DATE: 5/19/99 REG: N2706T S/N: 335-017 W/O: 34107 PAGE 1 OF 1 AFTT: 2065.3 HOBBS: 2065.3 ENG: TSIO-520- S/N: 815015-R EB TSN: 134.3 TSO: 1. C/W CONTINENTAL CSB99-3 DATED 4-19-99 CRANKSHAFT INSPECTION BY REMOVING #1& #3 CYLINDERS. CONNECTING RODS, AND COUNTER WEIGHTS.REINSTALLED WEIGHTS WITH NEW RETAINER PLATES P/N 643629 AND NEW RETAINER RINGS P/N 629104. REINSTALLED #1& #3 CYLINDERS WITH NEW GASKET KIT P/N 646563A1. SERVICED ENGINE WITH 11 QTS OF AEROSHELL100W OIL REPLACED OIL FILTER WITH NEW P/N CH48108. SEE TCM SUPPLEMENTAL LOG BOK ENTRY DATED 5/10/99, FOR PARAGRAPHS A & B "DETAILED INSPECTION SECTION" OF CSB 99-3. 2. REPLACED 4 CONNECTING ROD BEARINGS WITH NEW P/N 642398. I certify that this ENGINE and or appliance identified above was repaired and inspected in accordance with current FAA Regulations and is approved for return to service. Pertinent details of this repair are on file at this repair station under work order # 34107 dated 5/19/99. Authorized Signature BROUGHT FORWARE RAYTHEON AIRCRAFT SERVICES, INC. CR5# VG4R595M 2450 N. WESTSHORE BLVD. TAMPA, FL. 33607 | Ground Air Hrs. Min. Total Hrs | | | | | |

| DATE | R.P.M. | | TIME ON GROUND | | | TIME IN AIR | | | TOTAL TIME | | REPAIRS - ADJUSTMENTS SIGNATURE LICEN |
|--------|---------|-----|-------------------|------|-------|----------------|----------|-------|------------|------|---------------------------------------|
| | Ground | Air | Hrs. | Min. | Total | Hrs. | Min. | Total | Hrs. | Min. | REPAIRS - ADJUSTMENTS SIGNATURE NUMI |
| J-97 | } | | | | | | | | | | Engine installed in left se |
| | | | | | | | | | | | Cenara 335 NATOLT |
| | | | | | | | | | | | Tatal aufrare Time |
| \neg | | | | | | | | | | | 1931.0 Ground run and test flow |
| \neg | | | | | | | | | | | ops I good. Grayy & Gallagher |
| 1/99 | | | | | | | | | | | A 6 2 9 2 4 7 4 |
| | | | | | | | | | 2054 | | Charged oil |
| | | | | | | | | | | | neel |
| | | | | | | | | | | | 250231547 Hare |
| | | | | | | | - | | | | 250231547 Hare |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| \Box | | | | | | | | | | | |
| POU | | | | | | | \vdash | | | | |
| WOUG F | T FORWA | RD | | | | | | | | | |
| | TOTALS | 5 | | | | | | | | | |

This engine model _TSIO520EB8B__, Serial No. 815015-R, was rebuilt/zero timed on 05/16/98 by Teledyne Continental Motors in accordance with an FAA approved Quality Control System, using FAA approved Engineering design data and the applicable requirements of FAR Part 21 of the Federal Aviation Regulations. The approved design data for this engine incorporated the following Service Bulletins and Airworthiness Directives.

| SB | AD | REMARKS | SB | AD | REMARKS |
|------------------------|------------------------|---|----------------------|----------------------|---|
| M79-2 | 79-05-09 | REPLACED WITH NEW PART | M87-5 M93-9 | 97-26-17 93-16-15 | THE DOLLOW |
| M80-26 M86-7 | 81-24-06 86-13-04 | TORQUE CHECK REPLACED WITH NEW PART REPLACED WITH NEW PARTS | MSB93-12 CSB94-1 | 93-10-02 94-06-09 | |
| M88-4 M90-21 | 88-03-06 N/A | ULTRASONIC INSPECTION OF BARREL | CSB94-15 MSB95-6 | | CRANKCASE STUD INSPECTION FUEL SYSTEMS |
| M91-6 M91-7 | N/A N/A | ULTRASONIC INSPECTION OF BARREL ULTRASONIC INSPECTION OF BARREL | MSB96-10 MSB94-8A | N/A N/A | CRANKSHAFT ULTRASONIC INSPECTION MAGNETO TO ENGINE TIMING |
| N/A M92-6 M92-14 | 91-19-03 N/A N/A | OIL FILTER CHANGE ROCKER SHAFT RETENTION IMPROVEMENT VISUAL INSPECTION FOR DATE | CSB9710A M90-6 | 97-21-02 89-24-01 | |

Records reflecting this rebuilding are on file at Teledyne Continental Motors, P.O. Box 90, Mobile, Alabama, 36601.

Sheet 1 of 2 Continued on back cover TELEDYNE CONTINENTAL MOTORS
PRODUCTION CERTIFICATE NO. 508