

Propeller

Aircraft
TT/HR

Date/Tach

7-15-18

Repitched Prop to correct degree (figures)
 1/4" bolts to 120 inch Pairs 3/8 bolts to 35 lb
 100 safety wired bolts replaced Spine ^{mt}

9-15-19

Checked Prop angle checked bolt torque
1/4 To 120 in/lbs 3/8 to 285 in/lbs

5-8-21

Checked Propanyle and Bolt torque
1/4" to 1/2 inch joints 3/8 to 35 ft lbs mic

7-20-23

New Prop and Hub From Warp Drive
Installed ~~2 1/2 hrs 35.51~~ 6.00

$\frac{1}{4}$ inch ^{3/8} pitch is $\frac{1}{4}$ as the plane
Sits on gear Torque $\frac{1}{4}$ 10 ft-LB $\frac{3}{8}$ 15 LB
replaced all bolts and Nut, & washers and

a new Crush Plate from Warp Drive

all new nuts and bolts

9-18-24

inspected prop checked bolts for proper torque
safety wires reinstalled would

10/6/24

Inspected Prop no issues mtd

N 515 G

Page No._____

Total Time

211.14

221

222

 $\emptyset$ 

10

10

Date/Tach

Propeller Maintenance Record

Prop
TSMOProp
TT/HRAircraft
TT/HR

Tightened 1/4" bolts to 120 inch lbs 3/8" bolt to
35 ft lbs safety wired bolts replaced

Spinner mdk

5-25-14

checked pitch and tightened bolts

7-4-15

Inspected Prop checked pitch/tightened bolts

Safety wired reinstalled Spinner mdk

6-18-16

Inspected Prop checked pitch tightened

all bolts safety wired reinstalled spinner mdk

6-11-17

Inspected and changed prop checked
pitch and Tightened all bolts mdk

144.49 144.49

199.04 199.04

N _____

Page No. _____

Total Time

Propeller Maintenance Record

Date/Tach

Prop
TSMO

Prop
TT/HR

Aircraft
TT/HR

5-1-10	Inspected Prop checked pitch and torqued			
	3/8" Bolts to 35 ft+lb 1/4" bolts 120 inch lbs		106.8	106.8
8-7-11	Inspected Prop and replaced all 3/8" nuts		115	115
	Torqued 3/8" @ 35 ft+lb 1/4" @ 120 inch pounds			
	Safety wired prop bolts.			
4-6-12	Inspected Prop checked pitch			
	Torqued 3/8" Bolts to 35 ft+lbs 1/4" bolts 120 ^{inch} lbs		130.6	130.6
	Safety wired prop bolts.			
5-9-13	Inspected Prop and checked pitch each			
	side Torqued 3/8" bolts to 35 ft+lbs 1/4" bolts to			
	120 ^{inch} lbs New safety wire on bolts m2g		137.45	137.45
5-7-14	Inspected Prop checked and adjusted pitch to 4.5°			
N 5115G		Total Time		
Page No. 3				

Propeller Maintenance Record

Date/Tach		Prop TSMO	Prop TT/HR	Aircraft TT/HR
9-25-06	Prop sent out to factory returned minor scratches reinstalled on plane. Torqued 3/8" bolts 35 ft+lb 1/4" bolts to 120 inch Pounds	50	50	50
10-7-06	checked Prop and torqued Bolts 3/8" bolts 35 ft+lb 1/4" bolts to 120 inch Pounds		74 86.44	74 86.44
11-1-06	inspected Prop and torqued 3/8" bolts to 35 ft+lb 1/4" Bolts to 120 inch Pounds			
10-21-07	inspected Prop spinner bolts torqued 3/8" bolts to 35 ft+lb and 1/4" bolts to 120 inch Pounds checked pitch on Prop set to 6° on protractor at three point attachment in hanger on up stroke lock		94.96	94.96
11-11-07	checked pitch and torqued Prop.			
10-16-08	checked pitch and torqued Prop 3/8" bolts 35 ft+lb 1/4" bolts 120 inch Pounds		105.70	105.70
11-16-08	checked pitch on Prop and torqued 3/8" 35 ft+lb 1/4" 120 inch Pounds		105.70	105.70
N 5115G	Page No. 2	Total Time		

60
3 point

Propeller Maintenance Record

Date/Tach

Prop
TSMO

Prop
TT/HR

Aircraft
TT/HR

9/24/02	adj. Pitch on Prop for 2350 RPM		04	04
1-5-03 22	adj Pitch on prop to one less degree 3/8" bolts 35ft/lb 3 point all side in hanger center in front of wing 60 of pitch on prop from 00 to 01 inch in front		22	22
4/15/03 234	Torque Prop bolts 3/8 35ft/lb 1/4 120 in. pounds checked prop for cracks on wear nut (found) all is good at this time Temp 60°F 2400 RPM at Takeoff w/ 27" manifold		23.4	23.4
5/20/03	Checked Prop bolts 3/8" 35ft/lb 1/4 120 inch pounds checked prop for damage none found.		35	35
6/11/03	checked Prop Bolts everything to specs. no damage found.		40.2	40.2
9/28/03	checked Prop bolts and Prop Pitch, Change to match 1/20 torqued bolts 3/8 35ft/lb 1/4 120 inch pounds		50	50
9/15/04	checked Prop bolts and prop pitch torqued bolts (3/8" 35ft/lb 1/4 120 inch pounds inspected Prop for wear found it to be in good shape - like new No defects		72.65	72.65
10/3/04	inspected Prop for wear none noted Torqued Bolts inspected Pitch 3/8" bolts 35ft/lb 1/4" to 120 inch pounds			
N 5115G	Page No. 1	Total Time		

Manufacturer Warp Drive

Model Two Blade Warp Drive

Serial Number ~~T 7700~~ New T16703

Type Certificate Data Sheet _____